



Product Catalogue

Version 5 | armorgard.co.uk



Welcome

To the latest edition of the Armorgard product catalogue. This catalogue includes our extensive range of market-leading solutions for on-site security, safety and productivity. All of our products are exclusive to Armorgard and come from the work of our talented in-house R&D team. Our latest innovations are used as essential solutions for H&S best practice. You won't find the same products anywhere else and you certainly won't find better.

For help, advice and to place orders, contact our team on **023 9238 0280** or email **sales@armorgard.co.uk**
armorgard.co.uk



The images used throughout are for the purpose of illustration and reference only. Content may not be included as standard. Please note that dimensions are approximate.



What we stand for...



Our vision

To supply and produce innovative solutions to increase safety and productivity in workplaces all over the world.



Our mission

Design and manufacture market-leading products for secure tool storage, efficient manual handling and improved site safety.



Our values (SHAPE)

Supportive

- We treat our colleagues and our customers with respect
- We work as a team to ensure success



Honest

- We are clear in all communication, providing assurance to our customers and colleagues
- We build trust with all of our customers and colleagues through managing expectations



Accountable

- We do what we say we will do
- We are accountable as a team and as individuals



Passionate

- We strive to be positive role models, demonstrating passion for our business
- We are inquisitive and open to new ideas



Excellence

- We aim to exceed expectations through our performance
- We always aim higher for our customers



» robust » secure » trusted



We look at things from a different angle

Every product is developed in response to a need. We listen to all customers and create the perfect solutions to their problems.

Our team continue to develop excellent new products that are tough, dependable and purpose-built for your needs. Plus, we won't keep you waiting. We pride ourselves on our high stock levels and next day delivery on all stock items.

If you have an idea for a new product or feedback on an existing one, we'd love to hear from you. Please send an email to marketing@armorgard.co.uk



Next day delivery on stock items ordered before 3pm



Replacement keys & parts available. See page 114



“Our product team is continually developing new ideas – tough, dependable products.”

Contents

SECTION 01

Tool and equipment storage

strongbank™	10	tuffstor cabinet™	26
tuffbank™	12	fittingstor™	28
oxbox™	16	pipestor™	32
trekdorr™	18	tuffcrate™	33
barrobox™	22	forma-stor™	34
toolbin™	24	strimmersafe vault™	38
powerstation™	25	strimmersafe rack™	39

SECTION 02

Work platforms and units

instagate™	42
barricade™	44
tuffbench™	45
mobile tuffbench™	46
cuttingstation™	48
sitestation™	52

SECTION 03

Welfare products

scrubkart™	56
sanistation™ S40	58
sanistation mini™	60
sanistation™ S20	62
forma-shelta™	63

SECTION 04

Manual handling products

piperack™	66	flexikart™	78
bundlerack™	70	v-kart™	80
loadall™	71	beamkart™	80
rubble truck™	76	turntable truck™	81

SECTION 05

Hazardous goods storage

A guide to storing hazardous substances	84	safestor™	98
flambank™	86	forma-stor COSHH™	100
flamstor cabinet™	90	flamstor™	104
transbank™	92	tuffcage™	106
transbank chem™	94	drumcage™	107
chembank™	96	gorilla gas cage™	108
chemcube cabinet™	97	drumbank™	110

SECTION 06

Replacement keys and parts	114
----------------------------	-----



SECTION 01 TOOL AND EQUIPMENT STORAGE

SECTION 01 Tool and equipment storage

strongbank™	10
tuffbank™	12
oxbox™	16
trekdor™	18
barrobox™	22
toolbin™	24
powerstation™	25
tuffstor cabinet™	26
fittingstor™	28
pipestor™	32
tuffcrate™	33
forma-stor™	34
strimmersafe vault™	38
strimmersafe rack™	39

armorgard strongbank™

The ultra-strong range of tool safes

StrongBank™ – the world's toughest strongbox. When we started out, our goal was to design and build the ultimate secure storage box. The result was **StrongBank™**. Now, more than 30 years later, there is still nothing on the market that compares.

This state-of-the-art strongbox delivers virtually indestructible performance to deter even the most determined thief.

» "IT IS QUITE SIMPLY WITHOUT RIVAL."

» OPTIONAL EXTRAS



HEAVY-DUTY CASTORS USING THE PRE-DRILLED HOLES (EXCEPT SB1)



SB2

REINFORCED LID INCLUDING CORNER BRACE FOR EXTRA SECURITY



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

UNIQUE EXTERNAL AND INTERNAL ANTI-JEMMY SYSTEMS AND FULLY WELDED CONTINUOUS PIANO HINGE



STRONG GAS STRUTS AND SLAMSTOP LID STAY FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

POWDER COATED FOR MAXIMUM DURABILITY

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT SB1)

ROBUST CONSTRUCTION FROM 2 & 3MM HEAVY-DUTY STEEL PLATE WITH 5MM REINFORCEMENTS

SUITABLE FOR VANS, TRUCKS, WORKSHOPS AND SITES

» For on-site solutions, call our customer experience team on **023 9238 0280** or email sales@armorgard.co.uk



SB1



SB3



SB2



SB6



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SB1	Van Box	59	1030 x 565 x 480	895 x 460 x 470
SB2	Site Box 4x2x2	98	1310 x 690 x 665	1185 x 605 x 575
SB3	Site Box 4x3x2	120	1300 x 690 x 970	1185 x 600 x 880
SB6	Truck Box 6x2x2	138	2000 x 690 x 665	1885 x 605 x 580

Note: Weights and dimensions are approximate. External dimensions include handles.

TOOL AND EQUIPMENT STORAGE

armorgard tuffbank™

**Our best-selling
secure site
storage solution**

Built to a rigorous specification with a host of innovative features, **TuffBank™** sets the industry benchmark for quality and functionality. A Sold Secure and Secured by Design accredited product, its heavy-duty steel plate construction and unique anti-jemmy technology means that it is virtually impregnable.

» TURN OVER FOR MORE INFORMATION ABOUT THE TUFFBANK™



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS



CABLE PASSING POINT TO ALLOW CHARGING WITHOUT COMPROMISING SECURITY



STRONG GAS STRUTS AND SLAMSTOP LID STAY FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS



UNIQUE EXTERNAL AND INTERNAL ANTI-JEMMY SYSTEMS AND FULLY-WELDED CONTINUOUS PIANO HINGE

TB2



TBC4



INSET HANDLES FOR A MORE STREAMLINED PRODUCT REQUIRING LESS SPACE

OPTIONAL SHELVES FOR CONVENIENT STORAGE OF SMALLER ITEMS

ROBUST CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT

FORKSKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT TB1 AND TB12)

FULL RANGE IS SUITABLE FOR VANS, TRUCKS, WORKSHOPS AND SITES

POWDER COATED FOR MAXIMUM DURABILITY

» OPTIONAL EXTRAS



UNIQUE POWERSHELF SECURELY CHARGES TOOLS AND MOBILE DEVICES



LIFTING EYES TO ALLOW FOR TRANSIT BY CRANE



HEAVY-DUTY CASTORS INCREASE MOVABILITY ON-SITE

TOOL AND EQUIPMENT STORAGE



» WATCH THE TUFFBANK™ IN ACTION

» MARKET-LEADING TOOL VAULT
OFFERING BEST-IN-CLASS
PERFORMANCE

armorgard
tuffbank™



TB1




TB2



TB21



TB3



TB12



TB6



TBC4



TBC5



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TB1	Van Box	50	950 x 505 x 460	920 x 470 x 450
TB12	Truck Box	58	1150 x 495 x 460	1120 x 470 x 450
TB21	Site Box	60	760 x 615 x 640	730 x 590 x 540
TB2	Site Box 4x2x2	80	1150 x 615 x 640	1120 x 590 x 540
TB3	Site Box 4x3x2	97	1150 x 615 x 930	1120 x 590 x 840
TBC4	Site Chest 4x4x2	127	1150 x 615 x 1265	1120 x 590 x 1175
TBC5	Site Chest 5x4x2	153	1525 x 615 x 1265	1495 x 590 x 1175
TB6	Truck Box 6x2x2	119	1925 x 615 x 640	1895 x 590 x 540
CLEK	Lifting Eye Kit	2	N/A	N/A
TBS4	TuffBank™ Shelf	3	1100 x 150 x 95	1095 x 145 x 25
TBDS4	TuffBank™ Deep Shelf	4	1100 x 250 x 95	1095 x 245 x 25
TBDS5	TuffBank™ Deep Shelf	6	1460 x 250 x 95	1455 x 245 x 25
TBS4P	TuffBank™ PowerShelf	6	1100 x 150 x 95	1095 x 145 x 25
TBDS4P	TuffBank™ Deep PowerShelf	6	1100 x 250 x 95	1095 x 245 x 25
TBDS5P	TuffBank™ Deep PowerShelf	8	1460 x 250 x 95	1455 x 245 x 25

*Optional shelves available for on-site chests, see page 115. Note: Weights and dimensions are approximate. External dimensions include handles.


TOOL AND EQUIPMENT STORAGE

armorgard oxbox™


The robust, good value solution for securing tools and equipment

OxBox™ tool vaults provide a fantastic combination of security and affordability. OxBox™ shares many of the premium features of our higher priced storage box ranges, including locks, hinges, gas struts and paint finish. Its unique "folded" construction delivers outstanding strength. Made from 1.5mm and 2.0mm steel, the OxBox™ is available in 6 sizes.

STEEL PLATE CONSTRUCTION WITH DURABLE POWDER COATED FINISH



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS



STRONG GAS STRUTS FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

SUITABLE FOR VANS, TRUCKS, WORKSHOPS AND SITES

OPTIONAL EXTRAS



HEAVY-DUTY CASTORS USING THE PRE-DRILLED HOLES (EXCEPT OX05, OX1, OX2 AND OX6)

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT OX1, OX2 AND OX6)

For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

» "EFFECTIVE SECURITY - GREAT VALUE"



OX05



OX1



OX2



OX4



OX6



385mm



OX05



450mm



OX1



460mm



OX2



645mm



OX3



1185mm



OX4



445mm



OX6

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
OX05	Van Box	27	810 x 470 x 385	755 x 425 x 370
OX1	Van Box	32	885 x 470 x 450	830 x 425 x 435
OX2	Truck Box	41	1155 x 450 x 460	1130 x 425 x 445
OX3	Site Box 4x2x2	60	1210 x 625 x 645	1115 x 595 x 550
OX4	Site Chest 4x4x2	89	1215 x 595 x 1185	1125 x 570 x 1090
OX6	Truck Box	60	1740 x 515 x 445	1715 x 485 x 430

*Optional shelves available for on-site chests, see page 115. Note: Weights and dimensions are approximate. External dimensions include handles.



Our range of robust steel tool drawers for vehicles and small spaces

TrekDorr™ offers ultimate versatility to keep everything tidy and organised in your vehicle; from your power tools right down to that 5mm screwdriver. TrekDorr™ units are designed to fit neatly into smaller spaces and can be fixed down. Each TrekDorr™ is cased in corrugated steel with reinforced ribs and 5-lever deadlocks to give you that extra layer of security.

armorgard **trekdorr**™



» WATCH THE TREKDROR™ IN ACTION

ROBUST CORRUGATED 1.5MM STEEL CASING PROVIDES DURABILITY AND STRENGTH

TKD1 AND TKD3 CAN BE STACKED

ACCESS CONTENT EASILY AND SAFELY

TKD1

AVAILABLE IN 3 DIFFERENT SIZES

DRAWER EXTENDS OUT OVER 80% FOR SPACE EFFICIENCY



TKD3

RECESSED HANDLES

UNIQUE ROLLER SYSTEM ENSURES A SMOOTH OPERATION

KEYED ALIKE 5-LEVER DEADLOCKS FOR MAXIMUM SECURITY



For on-site solutions, call our customer experience team on **023 9238 0280** or email sales@armorgard.co.uk

TOOL AND EQUIPMENT STORAGE

» "BRILLIANT! AMAZING TO SEE HOW MUCH KIT YOU CAN FIT IN THEM"

armorgard trekdror™

TKD1



TKD2



TKD3



» OPTIONAL EXTRAS



MOUNTING KIT ALLOWS THE TREKDROR™ TO BE MOUNTED



DIVIDER KIT ALLOWS YOU TO EASILY ORGANISE YOUR TOOLS



OPTIONAL ANTI-SLIP RUBBER MAT TO PREVENT TOOLS FROM MOVING



STACKING KIT ALLOWS THE TREKDROR™ TO BE STACKED

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	External Dimensions 2 (including drawer open) W x D x H (mm)	Internal Dimensions W x D x H (mm)
TKD1	TrekDror™	44	490 x 1105 x 300	490 x 1900 x 300	435 x 1040 x 245
TKD2	TrekDror™	63	980 x 1105 x 200	980 x 1905 x 200	925 x 1040 x 145
TKD3	TrekDror™	58	490 x 1105 x 490	490 x 1905 x 490	435 x 1040 x 435
TKD1D	TrekDror™ Divider Kit	3	435 x 3 x 240	N/A	N/A
TKD2D	TrekDror™ Divider Kit	3	140 x 3 x 925	N/A	N/A
TKD3D	TrekDror™ Divider Kit	3	435 x 3 x 400	N/A	N/A
TKDMPK	TrekDror™ Mounting Kit	1	N/A	N/A	N/A
TKDSPK	TrekDror™ Stacking kit	1	N/A	N/A	N/A
TKD1RM	TrekDror™ Mat for TKD1	1.5	437 x 1040 x 3	N/A	N/A
TKD2RM	TrekDror™ Mat for TKD2	3	927 x 1040 x 3	N/A	N/A
TKD3RM	TrekDror™ Mat for TKD3	1.5	437 x 1040 x 3	N/A	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

The ultimate portable tool protection for tradesmen on the move

BarroBox™ is secure, robust, and extremely versatile. This one-of-a-kind, mobile site box protects your tools wherever you need to work.

Easily wheel tools and equipment around on-site, then use a lever from inside the box to raise the wheels and lock to create a static, secure tool vault.

armorgard barrobox™



» WATCH THE BARROBOX™ IN ACTION



BB2



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

SLAMSTOP LID STAY FOR ADDITIONAL USER SAFETY



LIFTING HANDLE INSTANTLY CONVERTS BARROBOX™ FROM MOBILE TO STATIC



STRONG GAS STRUTS FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

ANTI-JEMMY FEATURES FOR INCREASED SECURITY

ROBUST FOLDING HANDLES ENSURE THE BARROBOX™ IS EASY TO MANOEUVRE

HEAVY-DUTY WHEELS TO TAKE IMPACT

ROBUST CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT

POWDER COATED FOR MAXIMUM DURABILITY

» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**



TOOL AND EQUIPMENT STORAGE

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
BB2	BarroBox™	82	770 x 1045 x 716	600 x 797 x 608

Note: Weights and dimensions are approximate. External dimensions include handles.

The lightweight vault for storing everyday tools and materials

Manufactured from galvanised steel, this lightweight vault is designed to store less valuable items in locations where high security is not a priority. Versatile and cost-effective, ToolBin™ protects your tools and materials from the elements while keeping them safe from opportunists.

armorgard toolbin™



IDEAL FOR SECURING LESS VALUABLE ITEMS AND KEEPING BUILDING MATERIALS CLEAN AND DRY

LOCKABLE WITH 2 X HASP AND STAPLES

GALVANISED STEEL CONSTRUCTION

WEATHERPROOF DESIGN TO KEEP YOUR TOOLS PROTECTED

GB3

STRENGTHENERS ON ALL FOUR CORNERS

DOUBLE RETURN ALONG THE BOTTOM EDGE TO STRENGTHEN THE BASE



For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

The secure powered locker for safe, segregated battery charging

Power tools and mobile devices are especially vulnerable to theft when being charged on-site. PowerStation™ gives you the confidence that your unattended equipment is secure and safe from thieves. Each individual locker includes a double socket. Replacement keys can be provided for each individual lock.

armorgard powerstation™



PWS10

10 SEPARATE COMPARTMENTS WITH INDIVIDUAL LOCKS



DOUBLE SOCKET IN EACH COMPARTMENT. USB SOCKETS ARE ALSO AVAILABLE



230V RCD PROTECTED PLUG

PERFORATED DOORS FOR VENTILATION AND VISIBILITY

ALL STEEL CONSTRUCTION

PWS6



» WATCH THE POWERSTATION™ IN ACTION

TOOL AND EQUIPMENT STORAGE

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
GB3	ToolBin™	23	1190 x 585 x 850	1150 x 555 x 825

Note: Weights and dimensions are approximate. External dimensions include handles.


Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
PWS6	6 Door PowerStation™	27	300 x 450 x 1800	Single locker: 295 x 425 x 275
PWS10	10 Door PowerStation™	41	455 x 430 x 1705	Single locker: 220 x 305 x 305

Note: Weights and dimensions are approximate. External dimensions include handles. Optional extras - replacement keys, replacement locks.

armorgard
tuffstor cabinet™

The ultra-tough cabinet that keeps your equipment organised and accessible

TuffStor Cabinet™ offers the same level of security as a conventional site safe but uses less floor space. This versatile, secure cabinet keeps tools safe and easily accessible. Ideal for use in workshops and vehicles. Want it mobile? It's easy to add castors using the pre-drilled holes.



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

FULLY ADJUSTABLE SHELVES FITTED ON ALL SIZES

POWDER COATED FOR MAXIMUM DURABILITY

HEAVY-DUTY DOORS WITH FIXED HINGES AND CONCEALED ANTI-JEMMY SYSTEM

ROBUST CONSTRUCTION FOR MAXIMUM PROTECTION

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS



OPTIONAL EXTRAS



HEAVY-DUTY CASTORS USING THE PRE-DRILLED HOLES



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TSC1	TuffStor Cabinet™	44	500 x 530 x 980	490 x 465 x 895
TSC2	TuffStor Cabinet™	74	800 x 585 x 1250	790 x 540 x 1170
TSC3	TuffStor Cabinet™	113	1205 x 580 x 1555	1185 x 510 x 1475

Note: Weights and dimensions are approximate. External dimensions include handles.

For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

TOOL AND EQUIPMENT STORAGE

The secure storage cabinet designed to keep thieves at bay!

The high value of copper fittings and cabling means that theft is on the rise, with criminals targeting construction sites on a daily basis. Don't make it easy for them! **FittingStor™** is designed to secure all your costly M&E components and tools in one safe, easily portable location.




» WATCH THE FITTINGSTOR™ IN ACTION

armorgard fittingstor™

POWDER COATED FOR MAXIMUM DURABILITY

FITTINGS BINS TOUGH LIFT-OUT PLASTIC FITTINGS BINS SUPPLIED (6 X BINS FOR FC2 AND 15 X BINS FOR FC3)



KEYED ALIKE 5-LEVER DEADLOCKS WITH HEAVY-DUTY CHUBB-STYLE KEYS (FC2, FC3, FC4)

ROBUST STEEL PLATE CONSTRUCTION FOR MAXIMUM PROTECTION

STORAGE COMPARTMENT IN THE BASE FOR TOOLS & EQUIPMENT

HEAVY-DUTY INDUSTRIAL CASTORS FITTED AS STANDARD

FORKLIFT SKIDS FOR EASY TRANSPORTATION

» For on-site solutions, call our customer experience team on **023 9238 0280** or email sales@armorgard.co.uk



TOOL AND EQUIPMENT STORAGE

» "THE MOST APPROPRIATE FITTING STORE ON THE MARKET."

armorgard fittingstor™

FC2 & FC3 - REMOVABLE GALVANISED SHELVES IDEAL FOR LINBINS



FC3



FC2



FC4



FC4 - UNIQUE COMPARTMENTALISED SYSTEM



FC5



HASP AND STAPLE PADLOCK FACILITY (FC5)

FC5 & FC6 - FIXED REINFORCED CERTIFIED SHELVES



FC6



» OPTIONAL EXTRAS



FITTINGS BINS

1450mm



FC2

1750mm



FC3

1575mm



FC4

1575mm



FC5

1880mm



FC6

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
FC2	FittingStor™	89	800 x 555 x 1450	790 x 540 x 1170
FC3	FittingStor™	139	1200 x 550 x 1750	1185 x 510 x 1465
FC4	FittingStor™	133	1010 x 550 x 1575	995 x 505 x 1295
FC5	FittingStor™	160	960 x 985 x 1575	900 x 900 x 1290
FC6	FittingStor™	123	1077 x 775 x 1880	880 x 709 x 1592

Note: Weights and dimensions are approximate. External dimensions include handles.

The mobile secure storage trunk that keeps your piping safe and organised

This innovatively designed portable 'copper coffin' gives you peace of mind that your piping is safe from theft. The PipeStor™ accommodates different sizes and styles of pipes, including plastic and metal conduit, trunking and cable tray.

Extremely versatile - it can be extended to accommodate longer lengths by adding sections as required.

armorgard pipestor™



» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
PS3.0	3m PipeStor™	133	575 x 3205 x 785	495 x 3160 x 495
PS6.0	6m PipeStor™	256	575 x 6410 x 785	495 x 6350 x 495

Note: Weights and dimensions are approximate. External dimensions include handles.

A multi-purpose crane and fork-liftable crate for storing and transporting goods and equipment

Created for the rail industry, but useful for any site or depot, the TuffCrate™ is designed to hold stress testing kits, but the large capacity means it can be used to store a wide range of equipment, tools and materials.

armorgard tuffcrate™



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TC750	TuffCrate™	220	1875 x 935 x 1100	1800 x 800 x 845

Note: Weights and dimensions are approximate. External dimensions include handles.



Our quick-assembly, flat-pack, modular solution for on-site secure storage

Forma-Stor™ is our popular secure store that can be constructed in as little as 10 minutes. With 5-lever deadlocks and jemmy-proof joins, the **Forma-Stor™** is the most robust flat-pack store around. An ideal solution for contractors who need quick and convenient storage, these walk-in units are constructed using galvanised panels that fasten neatly together with very few tools.

armorgard forma-stor™



» **FORMA-STOR™ IS DELIVERED FLAT-PACKED FOR EASY TRANSPORTATION**

— **STACKED FLAT-PACKED PANELS**

— **CAN BE DELIVERED PRE-ERECTED AT AN ADDITIONAL COST**

CRANE LIFTING EYES

AVAILABLE IN 4 STANDARD SIZES

FR200-T



FULLY GALVANISED AND POWDER COATED FOR MAXIMUM DURABILITY

KEYED ALIKE 5 LEVER DEADLOCKS AND JEMMY-PROOF JOINS

FORKLIFT POCKETS FOR EASY TRANSPORTATION

STRONG FITTED OSB FLOOR

ERECTED SIMPLY AND EASILY WITH NO FUSS! INSTRUCTIONS INCLUDED



» **WATCH THE FORMA-STOR™ BEING BUILT IN 6 MINUTES**

» "STRONG, SECURE AND STURDY. I WOULD CERTAINLY RECOMMEND IT"

armorgard forma-stor™



FR100-T



FR300-T



» FORMA-STOR™ ACCESSORIES




BLOKKABAR



200KG CERTIFIED SHELVES



LED LIGHTING



HEAVY-DUTY RAMP



» SEE THE ACCESSORIES
IN ACTION

» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

Individual Panel Weight (kg)	End Panel	Door Panel	Side Panel	Roof Panel	Floor	Total
FR100-T	55.9	75.8	20.7	32.6	57.5	251
FR200-T	55.9	75.8	52.9	52.9	112.3	384
FR300-T	55.9	75.8	69.1	75.8	143	467
FR400-T	55.9	75.8	114	95.2	186	594

Product Code	Description	Weight (kg)	External Dimensions (including protrusions) W x D x H (mm)	Internal Dimensions W x D x H (mm)
FR100-T	Forma-Stor™	251	2075 x 1120 x 2160	1920 x 970 x 1950
FR200-T	Forma-Stor™	384	2075 x 2075 x 2160	1920 x 1920 x 1950
FR300-T	Forma-Stor™	467	2075 x 2990 x 2160	1920 x 2840 x 1950
FR400-T	Forma-Stor™	594	2075 x 3995 x 2160	1920 x 3840 x 1950
FRS2	Forma-Stor™ Shelf	20	1970 x 520 x 30	N/A
FRBL2	BlokkaBar	23	1960 x 170 x 110	N/A
FRR4	Forma-Stor™ Ramp	37	1185 x 750 x 100-195	N/A
FRLK1	110V Forma-Stor™ Lighting Kit	5	N/A	N/A
FRLK2	230V Forma-Stor™ Lighting Kit	5	N/A	N/A


Note: Weights and dimensions are approximate. External dimensions include handles.



strimmersafe vault™

The ultra-tough secure vault for storing strimmers and other long handled tools

The StrimmerSafe Vault™ is a secure storage range specially designed for strimmers and similar long-handled tools. Suitable for use in vehicles or workshops, this highly secure vault benefits from an ultra-tough, anti-force construction and an innovative heavy-duty locking mechanism – once the lid is shut and locked, the strimmer is impossible to remove.



KEYED ALIKE 5-LEVER DEADLOCKS



STRONG GAS STRUTS FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS

AVAILABLE IN 3 DIFFERENT SIZES

SNUG STORAGE POSITION KEEPS STRIMMERS SECURE

ROBUST CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT

POWDER COATED FINISH FOR MAXIMUM DURABILITY

INTERNAL DIVIDER SYSTEM (EXCEPT THE SSVX6)

FORKLIFT SKIDS FOR EASY TRANSPORTATION (SSV6)

FULL-LENGTH COVER PLATE FOR USE WHEN STRIMMERS ARE NOT BEING STORED

DOUBLE SLOTS FOR STORING 1 OR 2 STRIMMERS



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SSV12	StrimmerSafe Vault™	69	1275 x 515 x 450	1190 x 445 x 445
SSVX6	StrimmerSafe Vault™	63	1800 x 555 x 445	1710 x 480 x 440
SSV6	StrimmerSafe Vault™	141	1970 x 675 x 665	1880 x 605 x 580


Note: Weights and dimensions are approximate. External dimensions include handles.



strimmersafe rack™

The unique upright storage system for securing your strimmers

Strimmers are among the most commonly stolen power tools. The StrimmerSafe Rack™ is packed full of features to keep your equipment secure and organised whilst maximising on storage space.



KEYED ALIKE 5-LEVER DEADLOCKS WITH HEAVY-DUTY CHUBB STYLE KEYS

SUPPLIED FLAT PACKED

LID IS FITTED WITH 2 GAS STRUTS FOR EASY LIFTING



MUST BE BOLTED TO A WALL TO ENSURE SAFETY

HIGHLY SECURE UNIT TO PROTECT YOUR VALUABLE EQUIPMENT FROM THEFT AND DAMAGE

IDEAL FOR LANDSCAPERS AND GREENKEEPERS



HOOK STORAGE FOR UP TO 6 STRIMMERS

MULTI-PURPOSE - CAN ALSO BE USED FOR STORING HEDGE CUTTERS, LEAF BLOWERS, CHAINSAWS, ETC

KEEPS STRIMMERS ORGANISED WHILE MAXIMISING STORAGE SPACE

POWDER COATED FOR MAXIMUM DURABILITY

LIQUID-TIGHT BASE CONTAINS ANY ACCIDENTAL SPILLS OF OIL OR FUEL

SSR

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SSR	StrimmerSafe Rack™	93	2055 x 365 x 2085	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.



SECTION 02 WORK PLATFORMS AND UNITS



SECTION 02

Work platforms and units

instagate™	42
barricade™	44
tuffbench™	45
mobile tuffbench™	46
cuttingstation™	48
sitestation™	52

armorgard
instagate™

An expandable barrier for crowd/traffic control in any location

InstaGate™ is a quick-to-deploy barrier that's robust and easy to extend to full length. Constructed from strong lightweight aluminium, this durable barrier can be wheeled into position, expanded and braked single-handedly. InstaGate™ forms a highly visible red and white barrier for enhanced safety in any situation, indoors or out.

InstaGate™ is available in two heights (4ft and 6ft).



» WATCH THE INSTAGATE™ IN ACTION



IG4

ANTI-TRAPPING FINGER SAFE SYSTEM TO IMPROVE USER SAFETY

POWDER COATED AND WEATHERPROOF

DESIGNED FOR HIGH VISIBILITY



SIMPLE TO USE CATCH, TO LOCK IN POSITION AND ATTACH MULTIPLE BARRIERS TOGETHER FOR WIDER OPENINGS

BRAKES TO SECURE IN PLACE

LIGHTWEIGHT, YET STRONG AND RIGID

WHEELS ALLOW FOR SIMPLE PORTABILITY




IG4

IG6



» INSTAGATE™ ACCESSORIES



LINKING KIT - SECURELY LINK TOGETHER MULTIPLE INSTAGATE™



ANCHOR KIT - SAFELY FIX YOUR INSTAGATE™ TO A FLAT SURFACE



» WATCH THE ACCESSORIES IN ACTION


Product Code	Description	Weight (kg)	Folded Dimensions W x D x H (mm)	Extended Dimensions W x D x H (mm)
IG4	InstaGate™	30	440 x 540 x 1380	2185 x 540 x 1380
IG6	InstaGate™	40	450 x 542 x 1884	2380 x 542 x 1884

Note: Weights and dimensions are approximate. External dimensions include handles.

The expandable safety barrier

The **Barricade™** is a concertina barrier, designed to clearly mark out a working area. It is extendable up to 4 meters and finished in a powder coat to maximise durability. The unique safety catch holds the barrier together when in the folded back position, making it easier and safer to carry.

armorgard
barricade™



Product Code	Description	Weight (kg)	Folded Dimensions W x D x H (mm)	Extended Dimensions W x D x H (mm)
BARR1	Barricade™	25	450 x 300 x 950	4000 x 300 x 950

Note: Weights and dimensions are approximate. External dimensions include handles.

The versatile and easy-to-use mobile work platform from Armorgard

The **TuffBench™** heavy-duty folding work platform is a versatile workbench designed for contractors on the move and for use on construction sites. Its quick and easy assembly system – with no detachable parts – makes it easy to transport and store. When it's time to move on, simply collapse the platform, fold the legs and you're ready to go! Durable and built to last, the surface is manufactured from sustainable pressed timber.

armorgard
tuffbench™



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)
BH1080	TuffBench™	28	1080 x 750 x 820	1080 x 750 x 130
BH1080-HW	TuffBench™ with Handle and Wheel Kit	31	1080 x 750 x 820	1080 x 750 x 130
BH1080-VWK	TuffBench™ + c/w Wheels, Handle, Chain Vice and Engineer's Vice	58	1165 x 870 x 1005	1165 x 870 x 315
EV6	6" Engineer's Vice	22	N/A	N/A
CV4	4" Chain Vice	5	N/A	N/A
BH1080-H	Handle and Wheel Kit for TuffBench™	3	N/A	N/A

Note: Weights and dimensions approximate. External dimensions include handles.

armorgard

mobile tuffbench™

The universal mobile workbench that's also a heavy-duty cabinet!


Use the Armorgard Mobile TuffBench™ for a day and you'll wonder how you ever got by without it. A combination of heavy-duty storage cabinet and multi-purpose work surface, this innovative workbench makes any job that bit easier, while ensuring that your tools and equipment remain safe from thieves and damage. Its ultra-tough surface is ideal for fixing a chain vice, engineer's vice and other equipment, making it indispensable for M&E contractors when pipe threading and bending.




OPTIONAL EXTRAS



6" ENGINEER'S VICE



4" CHAIN VICE



SOLID WOODEN TOP. CAN BE REMOVED TO EXPOSE A METAL WORK SURFACE

SECURE LOCKABLE TOOL CABINET SECTION BENEATH WORKBENCH

POWDER COATED FOR MAXIMUM DURABILITY


BH1270M

HANDLES FITTED TO EACH END OF UNIT FOR EASY HANDLING

FITTED WITH EXTRA HEAVY-DUTY WHEELS (2 WITH BRAKES) - QUICK AND EASY TO MAN

FITTED WITH 5-LEVER DEADLOCK - WITH INTERNAL ANTI-JEMMY SYSTEM FOR MAXIMUM SECURITY

FORKLIFT SKIDS FOR EASY TRANSPORTATION



BH1270-UF

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
BH1270M	Mobile TuffBench™	78	1120 x 705 x 920	990 x 630 x 640
BH1270-VF	Mobile TuffBench™ with Vices Fitted	125	1200 x 705 x 940	990 x 630 x 640

Note: Weights and dimensions are approximate. External dimensions include handles.

A go-anywhere, multi-purpose cutting station with unrivalled safety features to minimise vibration, sparks, noise and dust

Our ever-popular Armorgard CuttingStation™ is a neat, mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths of material, such as conduit, timber, cable tray and pipe. The SS7 model includes lighting and chamfered corners to further reduce noise. You'll also find a new expandable working area to accommodate mitre saws and cutaway sides for handling longer materials.

armorgard cuttingstation™

SWarf COLLECTOR WITH DUST EXTRACTOR CONNECTION

ADAPTABLE PVC CURTAINS TO CONTAIN SPARKS

RUBBER MAT TO REDUCE VIBRATION

RECESSED 110V INLET POWER SUPPLY, 2 X 110V INTERNAL SOCKETS, AND LIGHT

EXTENDABLE SUPPORT ARMS WITH 4 CONFIGURATIONS

KEYED ALIKE 5-LEVER DEADLOCK WITH CHUBB-STYLE KEYS

SECURE CABINET TO KEEP YOUR TOOLS SAFE

RUBBERISED WHEELS FOR REDUCED VIBRATION

SS7

European Patent Application Number: EP17183824.6

European Community Design Registration Number: 004511525



WORK PLATFORMS AND UNITS

armorgard cuttingstation™

OPTIONAL EXTRAS



SS7C

SS7C UNIVERSAL CLAMP HOLDS ELECTRIC SAWS IN PLACE TO IMPROVE HEALTH AND SAFETY. COMPATIBLE WITH SS7 AND SS7X



LIFTING EYES TO ALLOW FOR TRANSIT BY CRANE



EXTRACTION SYSTEM HELPS TO CONTAIN DUST AND REDUCES EXPOSURE TO HARMFUL SUBSTANCES



SS7X

FORK SKIDS FOR EASY TRANSPORTATION

WORKS PERFECTLY WITH THE HUSQVARNA AIR SCRUBBER

HEAVY-DUTY ALL-SWIVEL WHEELS FOR GOOD MOBILITY

For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**



EASY ACCESS WITH CUT-OUT FRONT



PROVISION FOR ATTACHING A VACUUM HOSE



EXTENDABLE BACK PANEL FOR EXTRA WORKSPACE TO CATER FOR MITRE SAWS

NARROW ENOUGH TO FIT THROUGH STANDARD DOORWAYS

THE 4 CONFIGURATIONS OF THE EXTENDABLE SUPPORT ARMS



FLAT SURFACE IDEAL FOR LONG LENGTHS



ROLLER SURFACE IDEAL FOR LONG LENGTHS



V-SHAPE IDEAL FOR ROUND PIPES



FLAT EDGE IDEAL FOR LONG LENGTHS

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SS7	CuttingStation™	175	Standard: 1390 x 780 x 1900 Extended: 3225 x 1090 x 1900	Top (with extended back): 1125 x 955 x 1000 Bottom: 1125 x 710 x 550
SS7X	CuttingStation™ with Extraction System	200	Standard: 1390 x 780 x 1900 Extended: 3225 x 1090 x 1900	Top (with extended back): 1125 x 955 x 1000 Bottom: 1125 x 710 x 550
SS7C	CuttingStation™ Clamp	4	30 x 1000 x 550	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

armorgard sitestation™

A purpose-built solution for your on-site work station needs

The innovatively designed Armorgard SiteStation™ gives you a convenient place for routine on-site tasks, while also providing secure storage for your valuable equipment. The top section features a folding slanted work surface – ideal for displaying plans and charts – that provides additional lockable storage when shut – ideal for power tools, PPE and fixings.



» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

» MOBILE ON-SITE OFFICE



» WATCH THE SITESTATION™ IN ACTION

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SS2	SiteStation™	223	1400 x 845 x 1970	Top: 1300 x 800 x 1065 Bottom: 1300 x 800 x 610

Note: Weights and dimensions are approximate. External dimensions include handles.



SECTION 03 WELFARE PRODUCTS

SECTION 03 Welfare products

scrubkart™	56
sanistation™ S40	58
sanistation mini™	60
sanistation™ S20	62
forma-shelta™	63

The mobile instant warm water hand washing unit, purpose built for sites

Patent pending
Application number - 2006552.0

Take sanitising to the next level with **ScrubKart™**, our mobile hot or cold hand washing unit. With instant warm water by your side, a heavy-duty steel construction and robust solid rubber puncture-proof tyres to take on rougher terrains, it is a solution that is built to last.

armorgard scrubkart™

UP TO 120 HAND WASHES PER TANK

SOAP DISPENSER

BUILT-IN PAPER TOWEL DISPENSER

SBKIT

Kick here to open

SOLID RUBBER TYRES EASILY MANOEUVRED BY ONE INDIVIDUAL

FOOT PUMP OPERATED TAP

WATER HEATER AVAILABLE IN 110V OR 240V



» WATCH THE SCRUBKART™ IN ACTION

STAINLESS STEEL SINK AND TAP

HANDS-FREE FOOT-OPERATED BIN

MAINS FED OPTION AVAILABLE ON REQUEST



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SBK1T	ScrubKart™ 110V Tank Fed	120	790 x 870 x 1450	N/A
SBK2T	ScrubKart™ 240V Tank Fed	120	790 x 870 x 1450	N/A
SBK3T	ScrubKart™ Tank Fed Cold Water	120	790 x 870 x 1450	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.





Unique solution for the immediate deployment of a central sanitising and noticeboard station

Heavy-duty castors make the SaniStation™ a completely mobile unit that can provide relevant welfare where it's needed most. With its double-sided board, it is completely customisable for sanitising products, first aid, fire safety, and health and safety. The ultimate purpose-built on-site solution.

armorgard
sanistation™



» WATCH THE SANISTATION™ S40 IN ACTION



» OPTIONAL EXTRAS



ALCOHOL AND ALCOHOL-FREE HAND SANITISER GEL AND WIPES



MANUAL AND AUTOMATIC DISPENSERS



SECURE LOCKABLE CABINET



HEAVY-DUTY CASTORS FOR EASY RELOCATION

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
S40	SaniStation™	72	1235 x 500 x 1850	N/A
S40C	SaniStation™ Cabinet	28	950 x 445 x 605	940 x 425 x 600

Note: Weights and dimensions are approximate. External dimensions include handles.

WELFARE PRODUCTS

Robust hand sanitiser stations for internal high-traffic environments

There's a **SaniStation Mini™** for every need, whether you're looking for a hands-free unit, a simple stand or a wall-mounted option.

With an anti-theft system fitted as standard and a low dosage pump to reduce spillage, you can rest assured that the **SaniStation Mini™** will deliver every time when it comes to protecting welfare.

armorgard

sanistation mini™



OPTIONAL EXTRAS



ALCOHOL AND ALCOHOL-FREE HAND SANITISER



SANITISER WIPES AVAILABLE IN PACKS OF 60 OR TUB OF 500

For on-site solutions, call our customer experience team on **023 9238 0280** or email sales@armorgard.co.uk



WATCH THE BWM500 IN ACTION

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
S10HF	SaniStation Mini™ Hands Free	15	155 x 275 x 1015 (Base Plate: 400 x 325)	N/A
S10S	SaniStation Mini™ Standard	12	200 x 1000 (Base Plate: 400mm)	N/A
S10WM	SaniStation Mini™ Wall Mounted	2	200 x 240	N/A
BWM500	Wall-Mounted Bucket Holder	1	248 x 243 x 114mm	Ø205mm

Note: Weights and dimensions are approximate. External dimensions include handles.

Unique solution for the immediate deployment of a central sanitising and noticeboard station

Heavy-duty castors make the SaniStation™ a completely mobile unit that can provide relevant welfare where it's needed most. With its double-sided board, it is completely customisable for sanitising products, first aid, fire safety, and health and safety. The ultimate purpose-built on-site solution.

armorgard sanistation™

BOTH SIDES CAN BE UTILISED

S20

RELEVANT SANITISING SIGNAGE INCLUDED AS STANDARD



EASILY RELOCATABLE WITH TWO WHEELS

» OPTIONAL EXTRAS



ALCOHOL AND ALCOHOL-FREE HAND SANITISER GEL AND WIPES



MANUAL AND AUTOMATIC DISPENSERS

SEALED LOCKABLE COMPARTMENT WITH PADLOCK FACILITY



» WATCH THE SANISTATION™ S20 IN ACTION

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
S20	SaniStation™	26.5	700 x 600 x 1725	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

A purpose-built shelter, providing a designated, safe area with protection from the elements

The flat-packed design of the Forma-Shelta™ means it can be constructed where needed in as little as 10 minutes. Coupled with crane lifting eyes and fork pockets for ease of transportation.

The perfect solution for contractors searching for a sturdy, built-to-last unit that encourages users to stay in designated areas only when choosing to smoke/vape.

armorgard forma-shelta™

IDEAL FOR LOCATIONS WITH RESTRICTED ACCESS

CRANE LIFTING EYES

FLAT-PACKED, MODULAR, QUICK ASSEMBLY UNIT

CAN BE DELIVERED PRE-ERECTED



FR200-S

FOLD-DOWN BENCH

FORKLIFT POCKETS

ALUMINIUM ANTI-SLIP TREADPLATE FLOORING



» WATCH THE FORMA-SHELTA™ IN ACTION

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
FR200-S	Forma-Shelta™	315	2110 x 2235 x 2125	1930 x 1755 x 1885

Note: Weights and dimensions are approximate. External dimensions include handles.



SECTION 04 MANUAL HANDLING PRODUCTS

SECTION 04 Manual handling products


piperrack™	66
bundlerack™	70
loadall™	71
rubble truck™	76
flexikart™	78
v-kart™	80
beamkart™	80
turntable truck™	81



The adaptable mobile on-site pipe and conduit storage solution

The Armorgard PipeRack™ is an innovatively designed wheeled storage rack that keeps your pipes organised and easy to manoeuvre whilst working on-site. Each unit has been tested and certified to guarantee a top-quality product that is durable and built to last. The fully collapsible design means that it can be easily transported and stored when not in use. PipeRack™ is available with either a 1 tonne or 2 tonne capacity.

armorgard
piperack™



PR2



STACKABLE UP TO 6 UNITS HIGH

ALL STEEL HEAVY-DUTY CONSTRUCTION

POWDER-COATED FINISH FOR ULTIMATE PROTECTION

UNIQUE FULLY FOLDING DESIGN

FITTED WITH ULTRA-ROBUST INDUSTRIAL SWIVEL CASTORS

MANUAL HANDLING PRODUCTS

» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

» INNOVATIVE AND UNIQUE
FULLY FOLDING DESIGN

armorgard piperack™

PR1



PR2



» OPTIONAL EXTRAS



STRONG ATTACHABLE
SAFETY HANDLE



LINKING KIT TO JOIN
THE TWO PIPERACK™
TOGETHER (PRLK)



UPGRADE KIT FROM
1 TONNE TO 2 TONNE
CAPACITY (PRUK)



CASTOR DIRECTION
LOCK ADAPTORS
(LDLF)

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight Loading
PR1	PipeRack™	83	1010 x 1565 x 1570	1010 x 1565 x 550	1 Tonne
PR2	PipeRack™	101	1010 x 1565 x 1570	1010 x 1565 x 550	2 Tonne
PRSH	PipeRack™ Handle	0.6	94 x 165 x 90	N/A	N/A
PRLK	PipeRack™ Linking Kit	15	N/A	N/A	N/A
PRUK	PipeRack™ Upgrade Kit	20	N/A	N/A	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

The mobile rack for easy transport and storage of large bundles of materials

The Armorgard **BundleRack™** is a simple and effective means of transporting and storing large bundles of materials. It allows you to organise your materials on-site to optimise space, while ensuring they are quick and easy to move when needed. Designed to a high-quality, heavy-duty specification with a powder-coated finish, **BundleRack™** is built to last. The unit can be folded and stacked for easy storage when not in use.

armorgard bundlerack™



BR1

STACKABLE UP TO 6 UNITS HIGH

ROBUST CONSTRUCTION AND WEIGHT LOAD TESTED TO CARRY UP TO 1 TONNE

INTEGRAL MESH BASE FOR CARRYING SMALLER ITEMS

POWDER COATED FOR MAXIMUM DURABILITY

FOLDABLE AND STACKABLE FOR EASY STORAGE

SIDE LOADING PROVISION FOR LOADING AND UNLOADING MATERIALS USING A FORKLIFT

HEAVY-DUTY SWIVEL WHEELS - TWO WITH BRAKES

The unique space-saving trolley for transporting large sheets of board

Save space, make handling easier and protect your materials from damage using **LoadAll™ LA750**. Whether in the yard or on-site, transporting large sheets of board has never been easier. Specially designed for storing and transporting plasterboard and other large sheet materials.

armorgard loadall™ LA750



LA750

ROBUST CONSTRUCTION USING 3MM STEEL

SIDE LOADING FACILITY WITH EASY-GRAB HANDLES



H-FRAME DESIGN FOR EASE OF TRANSPORTING THROUGH DOORWAYS AND NARROW SPACES

HEAVY-DUTY CASTORS SUPPLIED AS STANDARD - ALL SWIVEL WHEELS (TWO BRAKED)

EASILY COLLAPSED WITH STORAGE PROVISIONS FOR THE UPRIGHT SUPPORTS

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight Loading
BR1	BundleRack™	79	1005 x 1560 x 1010	1005 x 1560 x 550	1 Tonne

Note: Weights and dimensions are approximate. External dimensions include handles.



The unique space-saving trolley for transporting large sheets of board

Save space, ease manual handling and protect your materials with the LoadAll™ LA750-PRO. The combination of the H-frame design and innovative clamping system with the swivel wheels and telescopic handle make the LA750-Pro easy to manoeuvre when carrying a full load of sheet materials through doorways and around corners.

armorgard

loadall™ LA750-PRO

750
KILOS
CERTIFIED
TO CARRY

LA750-PRO

SECURE THE LOAD WITH UNIQUE CLAMP SYSTEM

UNIQUE H-FRAME DESIGN MAKES ACCESS THROUGH DOORWAYS EASIER

EXTENDING HANDLE TO ACCOMMODATE DIFFERENT BOARD SIZES

SIDE LOADING FACILITY WITH EASY-GRAB HANDLES

ROBUST CONSTRUCTION USING 3 & 5MM STEEL

CAN BE EASILY COLLAPSED WITH NO DETACHABLE PARTS

HEAVY-DUTY CASTORS ALL SWIVEL AND 2 BRAKED FOR MAXIMUM CONTROL OF UNIT

ROBUST POWDER COAT



» WATCH THE LOADALL™ LA750-PRO IN ACTION

MANUAL HANDLING PRODUCTS

The unique space-saving trolley for transporting large sheets of board

LoadAll™ LA1000 is the only trolley of its kind on the UK market that can be folded and stacked when not in use. It also has no detachable parts! Its A-frame design allows it to be loaded on both sides maximising its space-saving efficiencies.

armorgard
loadall™
LA1000



LA1000

CENTRE A-FRAME DESIGN MEANS THAT WHEN LOADED, ALL WEIGHT IS LEANING INTO THE CENTRE

CARRIES UP TO 24 SHEETS OF PLASTERBOARD - APPROXIMATELY 60% MORE THAN ALTERNATIVE PRODUCTS

PROVISION FOR STRAPPING BOARDS IN PLACE - IMPROVING SAFETY WHEN ON-SITE

COMPLETE WITH SAFE WORKING LOAD PLATES, CERTIFYING A CAPACITY OF UP TO 1 TONNE

HEAVY-DUTY CASTORS FOR EASY MOBILITY

ONE-PIECE DESIGN KEEPS UNIT TOGETHER AND PREVENTS LOSS OF PARTS

FOLDING & STACKABLE UNIT - TIDY AND EASY TO STORE WHEN NOT IN USE



A unique space-saving trolley for transporting large sheets of material

Ease manual handling, save space and protect your materials from damage with the LA1500. Specially designed for storing and transporting large sheet materials. The wooden slats make it a great option for moving large sheets of glass too.

armorgard
loadall™
LA1500



LA1500

STURDY CONSTRUCTION OUT OF 50X50MM AND 50X25MM BOX SECTION



200MM DIAMETER WHEELS - ALL SWIVEL, 2 COMPLETE WITH BRAKES

FIXING POINTS TO SECURE THE MATERIALS TO THE TROLLEY



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight Loading
LA750	750kg LoadAll™	41	550 x 1350 x 1130	550 x 1350 x 300	750kg
LA1000	1 tonne LoadAll™	49	730 x 1250 x 1410	730 x 1250 x 495	1 Tonne
LA1500	1.5 tonne LoadAll™	125	900 x 2020 x 1550	N/A	1.5 Tonne
LA750-PRO	750kg LoadAll™ with Clamp	70	1705 x 550 x 1305 Extended: 2305 x 550 x 1805	N/A	750kg

Note: Weights and dimensions are approximate. External dimensions include handles.

MANUAL HANDLING PRODUCTS

armorgard rubble truck™

Our multi-purpose Rubble Truck™ features an in-built tipping feature, ideal for handling waste and rubble

Ergonomically designed for maximum performance and efficiency, the Rubble Truck™ has an array of unique features to create an indispensable on-site companion. Our multi-purpose Rubble Truck™ features a huge 400 litre capacity scoop, extra strength crane lifting eyes, and solid rubber wheels. When the day's over, the unique stackable design means you can maintain a working space that's safe and clutter free.



CRANE LIFTING EYES - WELDED FOR EXTRA STRENGTH



RUBBER BUFFERS FOR SIDE PROTECTION

OVER 400L CAPACITY SCOOP

EASY UNLOADING



RT400

armorgard
rubble truck™

BUILT-IN TIPPING FEATURE

SOLID RUBBER PUNCTURE PROOF WHEELS

ROBUST CONSTRUCTION ENGINEERED FOR HEAVY USE

IDEAL FOR HANDLING MATERIALS, WASTE OR RUBBLE



For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**



UNIQUE STACKABLE DESIGN



» OPTIONAL EXTRA



RTHL

HEAPED LID TO PREVENT ITEMS INSIDE FALLING OUT. INCREASES LOAD CAPACITY BY UP TO 160L



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Weight Loading
RT400	Rubble Truck™	88.5	760 x 1460 x 855	675 x 1330 x 650	750kg
RTHL	Rubble Truck™ Lid	19	260 x 770 x 1405	210 x 580 x 1400	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

A multi-purpose, space-saving, stackable, sturdy and ergonomically friendly unit

Mobilise your materials with the **Flexikart™**, a safe, multi-purpose folding pallet skate. With a 750kg load capacity, this super-neat and sturdy trolley is ideal for storing materials off the ground and moving them around on-site, even through narrow corridors and doorways.

armorgard flexikart™

ABLE TO HOLD 1200 X 1000 PALLETS WHEN ALL 4 SUPPORT ARMS ARE LOCKED UPRIGHT

ALL 4 SUPPORT ARMS CAN BE RAISED INDIVIDUALLY AS REQUIRED, AND WHEN NOT IN USE THEY FOLD BELOW THE BED HEIGHT

WITH THE SUPPORT ARMS FOLDED DOWN, THE FLEXIKART™ CAN ACCOMMODATE LARGER LOADS, OR CAN BE TWINNED WITH A SECOND FLEXIKART™ FOR LONG LOADS SUCH AS METAL BEAMS, WOOD, PIPE, CONDUIT AND OTHER MATERIALS

FK2



A ROBUST PALLET SKATE WHICH INCREASES SAFETY AND REDUCES PHYSICAL STRAIN WHEN MANOEUVRING LOADS MANUALLY

BUILT-IN LASHING POINTS ALLOW LOADS TO BE SECURED, WHICH SAFELY PREVENTS THEM FALLING OFF WHEN MANOEUVRING

FOUR SWIVEL CASTORS (TWO BRAKED) FOR EASY MANOEUVRABILITY

STACKABLE FOR MAXIMUM SPACE EFFICIENCY



For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

Product Code	Description	Weight (kg)	External Dimensions (Unfolded) W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight Loading
FK2	FlexiKart™	62	1270 x 755 x 1010	1270 x 755 x 395	750kg

Note: Weights and dimensions are approximate. External dimensions include handles.



MANUAL HANDLING PRODUCTS

armorgard v-kart™

A heavy-duty cart used for handling long lengths of material

Designed to make life easier for those manoeuvring pipe, steel sections and other round lengths of material on construction sites.



POWDER COAT WITH ANTI-CORROSIVE UNDERCOAT

SOLID RUBBER WHEELS

STURDY HANDLE HELPS TO REDUCE BACK STRAIN DURING USE



VK2

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
VK2	V-Kart™	35	1220 x 840 x 900	Up to Ø400mm

Note: Weights and dimensions are approximate. External dimensions include handles.

Designed to be a heavy-duty kart, ideal for handling long lengths of material

The BeamKart™ is designed for the effortless transportation of beams and steels. Robust enough for life on-site, yet nimble enough to quickly become an essential for the everyday movement of heavy and bulky items. The BeamKart™ boasts puncture-proof solid rubber tyres, is available in two sizes, and is finished to the standards you've come to expect from Armorgard.

armorgard beamkart™



BK1

ROBUST CONSTRUCTION USING 3MM STEEL

POWDER-COATED FINISH FOR MAXIMUM DURABILITY

BK2 HAS NO UPRIGHT SIDES. ENABLES HANDLING OF WIDER MATERIALS

BK2

PUNCTURE-PROOF TYRES FOR EASY AND SAFE MANOEUVRING ON-SITE

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Weight Loading
BK1	BeamKart™	20	560 x 510 x 250	345mm between lugs	500kg
BK2	BeamKart™	27	400 x 510 x 275	N/A	500kg

Note: Weights and dimensions are approximate. External dimensions include handles.

armorgard turntable truck™

For transporting bulk quantities of material and equipment

Our Turntable Truck™ has been engineered to take the full strain of transporting bulk quantities of material and equipment when you really need it, reducing the physical impact for workers on construction sites.

POWDER-COATED FINISH FOR MAXIMUM DURABILITY

RAISED HEAVY-DUTY DECK FOR GOOD GROUND CLEARANCE AND EASY LOADING

SOFT GRIP HANDLES



TT1000



PRECISION STEERING MECHANISM FOR EASY MANOEUVRING

LARGE PUNCTURE-PROOF SOLID RUBBER WHEELS

ENQUIRE ABOUT THE DEADMAN BRAKE SYSTEM

Product Code	Description	Weight (kg)	External Handle Down Dimensions W x D x H (mm)	External Handle Folded Back Dimensions W x D x H (mm)	Weight Loading
TT1000	Turntable Truck™	93	690 x 2540 x 460	690 x 1560 x 770	1000kg

Note: Weights and dimensions are approximate. External dimensions include handles.



SECTION 05 HAZARDOUS GOODS STORAGE

SECTION 05

Hazardous goods storage

A guide to storing hazardous substances.....	84
flambank™.....	86
flamstor cabinet™.....	90
transbank™.....	92
transbank chem™.....	94
chembank™.....	96
chemcube cabinet™.....	97
safestor™.....	98
forma-stor COSHH™.....	100
flamstor™.....	104
tuffcage™.....	106
drumcage™.....	107
gorilla gas cage™.....	108
drumbank™.....	110



A guide to storing hazardous substances



Storing fuel and other flammable substances

If you are storing fuels or chemicals, there are laws that you have to comply with. By applying the following five 'VICES' principles you will be well on the way to making sure that you are working safely with flammable substances and chemicals.

We stock a unique range of flammable and chemical storage products to ensure that you can be compliant.

Ventilation – Is there plenty of fresh air where flammable substances are being stored and used?

Ignition – Have all the obvious ignition sources been removed from the storage and handling areas?

Containment – Are your flammable substances kept in suitable containers?

Exchange – Can you exchange a flammable substance for a less flammable substance?

Separation – Are flammable substances stored and used well away from other process and storage areas?

Flammable liquids can give off large volumes of flammable vapours at room temperature. These vapours, when mixed with air, can ignite, often violently. Spilt flammable liquids can, if not contained, flow a long way to an ignition source and then flashback to the source of the leak. Spills on clothing can represent a serious risk of injury if ignited.

To help control these risks:

- Store flammable liquids in a separate storage area or in a purpose-made bin or cupboard.
- Dispense and use them in a safe place where there is good ventilation and no source of ignition.
- Keep containers closed when not in use.
- Always dispense liquids over a tray and keep a non-flammable spill kit to hand.
- Dispose of contaminated materials safely or call in disposal experts.
- Always keep an adequate number of fire extinguishers to hand.

All storage cabinets must be designed to retain spills (110% volume of the largest vessel normally stored in it or 25% of the total amount stored, whichever is the greater). All flammable liquids must be stored in closed containers and kept in a store which is manufactured from materials that will resist fire for 30 minutes.

Storing pesticides and other chemicals

Location – position your store well away from areas that present a risk of fire.

Organising – mark the exterior of the store with general chemical danger warning signs.

Construction – provide a store that is resistant to fire for 30 minutes, capable of retaining leakage/spillage adequately ventilated and secure against unauthorised access.

Transporting pesticides and other chemicals

Pesticides or other chemicals should never be kept in a vehicle for long periods of time – maximum time would be a 24 hour period.

Never carry pesticides or other chemicals in the cab of tractors or any other vehicles. Use a vehicle with a floor to ceiling bulkhead if possible, between the driver/passenger compartment and the load compartment.

All chemicals must be strapped or secure somehow during transit. It is highly recommended to fit secure containers/cabinets to the vehicle, either inside or securely mounted to the outside or on a trailer. Chemical safes must be sturdy, lockable and fixed down to the vehicle. Ventilation is not necessary.

When away from your fixed store, pesticides must always be secure against unauthorised access. Park your mobile store away from any location where water pollution could occur.

Try to work within sight of your mobile store, especially in public areas. Always ensure the cabinet or vehicle is locked.

The driver must have access in the vehicle to PPE, spillage kit, first aid (including eyewash), and also spare impermeable sealable containers in which to place split containers and any other contaminated material.



Transporting fuel and other flammable substances

The purpose of the regulations dealing with the carriage of dangerous goods is to protect everyone either directly involved or who might become involved, such as members of the emergency services or public. Regulations place duties on everyone involved in the carriage of dangerous goods to ensure that they know what they have to do to minimise the risk of incidents and guarantee an effective response.

Regulations regarding purchasing, transporting and storing fuel are becoming much more stringent. The following guidelines are for businesses transporting flammables.

Filling up containers at petrol stations

All petrol stations are under licence to supply fuel, very similar to alcohol licence. If they are caught breaching these licences they could lose their right to supply fuel. By law, the only type of can which can be filled up is one approved to UN1203. Most petrol stations have restrictions in place now that prevent more than 2 cans being filled in one visit. Typical containers purchased from car accessory shops may not be so approved.

Transporting fuel in approved containers

Ensure that you do not carry over the maximum allowed by law without having an ADR licence. This is 333 litres, but HSE will always look at the amount you should have 'reasonably been carrying' if you are involved in an accident. A typical case of transporting fuel would be with 2 or 3 jerry cans. Providing those cans are UN approved, marked UN1203 and labelled with the flammable diamond, the only requirements by law are:

- Driver training in accordance with ADR1.3.
- Carry 2kg fire extinguisher.
- Stow the jerry cans securely to avoid damage or loss from the vehicle.

The HSE class vans as 'workplaces' during the working day. If a vehicle is involved in an accident, not only do the above regulations come into force but also The Health

and Safety at Work Act. This involves safe storage of the fuel cans and requires that they are stored in secure lockable vented containers.

There is also the risk of spillage of goods, which could lead to fire, explosion or environmental damage. It is highly recommended that an absorbent spill kit is kept onboard every vehicle carrying any form of dangerous liquids.

Fire extinguishers are the subject of conditions from HSE also. They must be easily accessible to the vehicle crew and protected against the effects of the weather.

How Armorgard calculate the sump capacity

The sump capacity on all Armorgard products is calculated by the maximum amount of liquid that can be contained within the liquid-tight space in the base of a unit.

Disclaimer

The storage of chemicals, flammable substances and gases is the subject of many regulations. Some substances must be stored outside away from buildings. Others can be stored inside but are sometimes subjected to quantity limits. We would always recommend that you should seek the advice of the Health and Safety Inspectorate, your local fire officer, Trading Standards Office or any other qualified body. Armorgard are not advisors as to where goods shall be stored and can take no liability for any storage situation.

All information can be found at www.hse.gov.uk or by calling HSE's information line.

TURN OVER FOR MORE INFORMATION ABOUT THE FLAMBANK™

The ultra-tough, lockable vault for storing hazardous chemicals and flammables

Built to the same high specification as our renowned TuffBank™ range, the Armorgard FlamBank™ is specially designed to comply with all COSHH regulations, ensuring that your hazardous substances are securely protected 24/7. Available in 7 sizes, the FlamBank™ is ideal for use on construction sites, in factories and vehicles.

armorgard flambank™



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

FINISHED IN BRIGHT RED WITH RELEVANT HAZARD WARNING SIGNS FITTED AS STANDARD

STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

SUPPLIED COMPLETE WITH INTERNAL SHELF (ONLY FBC2, FBC4, FBC5 AND FBC8)

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE



HIGH & LOW LEVEL VENTILATION TO PREVENT BUILD-UP OF FUMES

FLAME ARRESTER GAUZE FITTED ON ALL VENTILATION

ROBUST STEEL PLATE CONSTRUCTION AND POWDER COATED FOR MAXIMUM DURABILITY

FORK SKIDS FOR EASY TRANSPORTATION BY FORKLIFT

OPTIONAL EXTRAS



HEAVY-DUTY CASTORS INCREASE MOBILITY ON-SITE



SUITABLE FOR FLAMMABLES OR CHEMICALS



HAZARDOUS GOODS STORAGE

» "BEST FULL STORAGE CHEST ON THE MARKET"

« TURN BACK FOR MORE INFORMATION ABOUT THE FLAMBANK™

armorgard flambank™



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FB1	Van Box	46	980 x 540 x 475	895 x 470 x 465	60
FB21	Site Box	64	765 x 675 x 670	675 x 605 x 575	40
FB2	Site Box 4x2x2	82	1275 x 665 x 660	1185 x 600 x 575	85
FBC2	Site Chest	107	765 x 675 x 1270	675 x 605 x 1185	50
FBC4	Site Chest 4x4x2	153	1275 x 675 x 1270	1185 x 605 x 1185	85
FBC5	Site Chest 5x4x2	174	1585 x 675 x 1275	1500 x 605 x 1185	110
FBC8	Site Chest	334	2370 x 985 x 1220	2350 x 895 x 1130	250

Note: Weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE

armorgard

flamstor cabinet™

The secure storage cabinet that keeps your hazardous substances safe, organised and accessible

The Flamstor Cabinet™ is built to the same exacting specification as our popular TuffStor Cabinet™ but with the addition of specially designed flameproof vents to prevent the build-up of fumes. Complies with all COSHH regulations, ensuring that your hazardous substances are kept safe, accessible and secure.

BUILT TO SPECIFICATION
30 MINUTES OF FIRE
RESISTANCE

FINISHED IN BRIGHT RED
WITH RELEVANT HAZARD
WARNING SIGNS FITTED
AS STANDARD

POWDER COATED
FOR MAXIMUM DURABILITY



KEYED ALIKE 5-LEVER
DEADLOCKS BOTH SIDES
WITH HEAVY-DUTY
CHUBB-STYLE KEYS



FSC5

FSC4

FULLY WELDED
AND TESTED SUMP BASE
TO PREVENT LEAKAGE

FORK SKIDS
FOR EASY
TRANSPORTATION

FLAME ARRESTER
GAUZE FITTED ON
ALL VENTILATION

FULLY ADJUSTABLE
SHELVES (ONLY ON
FSC1, FSC2 AND FSC3)



HIGH & LOW LEVEL
VENTILATION TO PREVENT
BUILD-UP OF FUMES



FSC1



SAFE STORAGE OF ALCOHOL
BASED PRODUCTS



FSC2



FSC3



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FSC1	FlamStor Cabinet™	45	500 x 530 x 980	490 x 465 x 895	40
FSC2	FlamStor Cabinet™	74	800 x 585 x 1250	790 x 540 x 1170	115
FSC3	FlamStor Cabinet™	111	1205 x 580 x 1555	1185 x 510 x 1475	130
FSC4	FlamStor Cabinet™	170	1350 x 780 x 1560	1340 x 695 x 1260	190
FSC5	FlamStor Cabinet™	500	2500 x 750 x 2300	2420 x 650 x 2000	300

Note: Weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE

The cost-effective secure container for storing hazardous fuels and chemicals

COSHH regulations require that fuels and chemicals are transported and stored in a secure, lockable container. The Armorgard TransBank™ is purpose-built for exactly that, while protecting them from theft, fire and leakage. Constructed from heavy-duty steel plate, this high-quality, secure container accommodates standard jerry fuel cans and is equally suitable for use as a chemical safe.

armorgard transbank™



TRB6

INTEGRAL FIXING POINTS ALLOW VAULTS TO BE SECURED TO THE FLOOR OR VEHICLE

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE

SUITABLE FOR CHEMICALS OR FLAMMABLES

FINISHED IN BRIGHT RED WITH RELEVANT HAZARD WARNING SIGNS FITTED AS STANDARD



OVER-CENTRE CATCH WITH PADLOCK FACILITY

ROBUST STEEL PLATE CONSTRUCTION FOR MAXIMUM PROTECTION



FLAME ARRESTER GAUZE FITTED ON ALL BOXES

POWDER COATED FOR MAXIMUM DURABILITY



TRB1



TRB2



TRB3



TRB4



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
TRB1	TransBank™	13	430 x 415 x 365	345 x 345 x 335	15
TRB2	TransBank™	20	530 x 485 x 540	445 x 415 x 510	35
TRB3	TransBank™	24	705 x 485 x 540	620 x 415 x 510	70
TRB4	TransBank™	28	880 x 485 x 540	790 x 415 x 510	70
TRB6	TransBank™	38	1195 x 485 x 540	1110 x 415 x 510	90

Note: Weights and dimensions are approximate. External dimensions include handles.

» For on-site solutions, call our customer experience team on **023 9238 0280** or email sales@armorgard.co.uk

HAZARDOUS GOODS STORAGE

The safe vault for storage and transportation of smaller volumes of chemicals

COSHH regulations require that anyone using chemicals must store them safely in a lockable container. The TransBank Chem™ has been specially designed to comply with all legislation regarding the storage of chemicals, both in vehicles and in fixed locations. To maximise internal space, vaults are built to accommodate a range of standard sized chemical cans.

armorgard

transbank chem™



TRB4C



VENTILATION TO PREVENT BUILD-UP OF FUMES



OVER-CENTRE CATCH WITH PADLOCK FACILITY



FINISHED IN BRIGHT YELLOW WITH RELEVANT HAZARD WARNING SIGNS



INTEGRAL FIXING POINTS ALLOW VAULTS TO BE SECURED TO THE FLOOR OR VEHICLE

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE

SPECIALLY DESIGNED FOR CHEMICAL STORAGE

POWDER COATED FOR MAXIMUM DURABILITY

» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**



TRB1C



TRB2C



TRB4C



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
TRB1C	TransBank Chem™	13	430 x 415 x 365	345 x 345 x 335	15
TRB2C	TransBank Chem™	20	530 x 485 x 540	445 x 415 x 510	35
TRB4C	TransBank Chem™	28	880 x 485 x 540	790 x 415 x 510	70

Note: Weights and dimensions are approximate. External dimensions include handles.

The high security lockable vault for the safe storage of chemicals

Purpose-built for the safe storage of chemical substances, the ChemBank™ conforms to all relevant COSHH requirements. The tough welded construction delivers maximum protection from thieves and the elements, while its distinctive bright yellow colour and signage make it easy to distinguish between fuel and chemical stores – a particular benefit for sites with multi-national workforces.

armorgard chembank™



POWDER-COATED FOR MAXIMUM DURABILITY. CONSTRUCTED USING 2 & 3MM STEEL

CBC4 MODEL SUPPLIED WITH 1 INTERNAL SHELF



ROBUST AND SECURE KEYED ALIKE 5 LEVER DEADLOCKS



STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD

HIGH & LOW LEVEL VENTILATION TO PREVENT BUILD-UP OF FUMES

CBC4

CBC2

FORKLIFT SKIDS TO ALLOW FOR EASY TRANSPORTATION VIA FORKLIFT

FINISHED IN BRIGHT YELLOW WITH RELEVANT HAZARD WARNING SIGNS

For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
CB2	Site Box 4x2x2	86	1275 x 665 x 660	1185 x 600 x 575	85
CBC4	Site Chest 4x4x2	150	1275 x 675 x 1270	1185 x 605 x 1185	85

Note: Weights and dimensions are approximate. External dimensions include handles.

The leak-proof, lockable cabinet that keeps your chemicals safe and accessible

Available in three sizes, the Armorgard ChemCube Cabinet™ is purpose built to keep your chemicals safe and accessible. For extra convenience, the smallest size is also wall-mountable.

armorgard chemcube cabinet™

- VENTILATION TO PREVENT BUILD-UP OF FUMES
- RELEVANT HAZARD WARNING SIGNAGE ATTACHED
- COMES COMPLETE WITH TWO HEAVY-DUTY SHELVES
- NOT SUITABLE FOR FLAMMABLE MATERIALS
- LOCKABLE DOORS TO PREVENT UNAUTHORISED ACCESS
- DURABLE UV RESISTANT PLASTIC PREVENTING CORROSION
- 105 LITRE SUMP CAPACITY TO CONTAIN ACCIDENTAL SPILLAGES



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
CCC1	ChemCube Cabinet™	15	575 x 440 x 910	515 x 385 x 900	16
CCC2	ChemCube Cabinet™	27	695 x 515 x 1310	660 x 450 x 1260	60
CCC3	ChemCube Cabinet™	47	1220 x 520 x 1310	1050 x 450 x 1050	125

Note: Weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE

The medium-duty hazardous substance cabinet that complies with all COSHH regulations

The **SafeStor™** is purpose-built for the indoor safe storage of flammables and chemicals, including paint and other hazardous substances. Fully compliant with all legislation relating to the Control of Substances Hazardous to Health (COSHH), this range of cabinets features a liquid-tight sump to contain spillages, as well as galvanised shelves for maximum durability.


armorgard safestor™



LIQUID-TIGHT SUMP TO CONTAIN SPILLAGES

» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

COSHH COMPLIANT



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
HFC1	SafeStor™	21	900 x 465 x 700	890 x 395 x 640	30
HFC2	SafeStor™	13	350 x 315 x 700	335 x 245 x 640	7
HFC3	SafeStor™	28	900 x 465 x 900	890 x 395 x 840	30
HFC4	SafeStor™	31	450 x 465 x 905	440 x 395 x 840	17
HFC5	SafeStor™	41	900 x 465 x 1200	890 x 395 x 1140	30
HFC6	SafeStor™	68	1200 x 465 x 1800	1190 x 395 x 1740	45
HFC7	SafeStor™	55	900 x 465 x 1800	890 x 395 x 1740	35
HMC1	SafeStor Mobile™	26	900 x 465 x 810	890 x 395 x 640	30
HMC2	SafeStor Mobile™	33	900 x 465 x 1010	890 x 395 x 840	30
HCS1	SafeStor™ Stand	10	460 x 460 x 500	N/A	N/A
HCS2	SafeStor™ Stand	10	900 x 460 x 500	N/A	N/A
HCS3	SafeStor™ Stand	5	350 x 300 x 500	N/A	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE



Our new COSHH compliant, quick-assembly, modular storage units for the safe storage of hazardous substances

Forma-Stor COSHH™ is our innovative modular solution for on-site secure storage. Flat-packed Forma-Stor COSHH™ units can be constructed in around 10 minutes with very few tools and can be moved easily using built-in forklift pockets or lifting eyes. Galvanised panels fasten neatly together to provide a robust store that can be configured in numerous sizes, starting from just 1m x 2m. Several HSE features have been carefully designed to enable contractors to meet COSHH regulations on-site.

armorgard
forma-stor
COSHH™



CRANE LIFTING EYES SUPPLIED AS STANDARD FOR EASY TRANSPORTATION



FULLY GALVANISED AND POWDER COATED FOR MAXIMUM DURABILITY

FR300-C



CAN BE DELIVERED PRE-ERECTED AT AN ADDITIONAL COST

MEETS RELEVANT LEGISLATION FOR STORING FUEL AND CHEMICALS

AVAILABLE IN 4 STANDARD SIZES

HEAVY-DUTY RAISED OPEN STEEL FLOOR - ALLOWS SPILLAGES TO DRAIN DIRECTLY INTO SUMP

FORKLIFT POCKETS FOR EASY MANOEUVRING BY FORKLIFT

RELEVANT HAZARD WARNING SIGNAGE

HEAVY-DUTY DOORS WITH 5-LEVER DEADLOCKS AND JEMMY-PROOF JOINS

HAZARDOUS GOODS STORAGE

» For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**

» SECURE, FIRE-RESISTANT, VENTILATED AND LEAK-PROOF STORAGE

armorgard

forma-stor COSH^H™



FR200-C

» FORMA-STOR COSHH™ IS DELIVERED FLAT-PACKED FOR EASY TRANSPORTATION



FR400-C



FR100-C



FR300-C


» FORMA-STOR™ ACCESSORIES



BLOKKABAR



CERTIFIED SHELVES



HEAVY-DUTY RAMP



Product Code	Description	Weight (kg)	External Dimensions (including protrusions) W x D x H (mm)	Internal Dimensions W x D x H (mm)
FR100-C	Forma-Stor COSHH™	277	2075 x 1120 x 2255	1920 x 970 x 1960
FR200-C	Forma-Stor COSHH™	415	2075 x 2075 x 2255	1920 x 1920 x 1960
FR300-C	Forma-Stor COSHH™	553	2990 x 2075 x 2255	2840 x 1920 x 1960
FR400-C	Forma-Stor COSHH™	663	3995 x 2075 x 2255	3840 x 1920 x 1960
FRS2	Forma-Stor™ Shelf	20	1970 x 520 x 30	N/A
FRBL2	BlokkaBar	23	1960 x 170 x 110	N/A
FRR4	Forma-Stor™ Ramp	37	1185 x 750 x 100-195	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

The ultra-secure walk-in hazardous storage unit for fixed installation

The Armorgard **FlamStor™** is the perfect solution for storing larger quantities of chemicals or flammable substances. Manufactured to an exacting standard throughout, this heavy-duty walk-in storage unit features a high-security anti-tamper door, fixed internal shelving and an innovative open steel floor, which allows spillages to drain directly into the sump. The **FlamStor™** can also be customised to suit your exact requirements.

armorgard flamstor™



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FS1.2	FlamStor™	280	1210 x 1270 x 2190	1125 x 1110 x 1980	120
FS1.8	FlamStor™	370	1210 x 1860 x 2190	1085 x 1710 x 1980	195
FS2.0	FlamStor™	570	2000 x 2060 x 2175	1900 x 1912 x 1977	400
FS3.0	FlamStor™	760	2000 x 3066 x 2175	1900 x 2912 x 1977	600
FS4.0	FlamStor™	940	2000 x 4066 x 2175	1900 x 3912 x 1977	800
FS6.0	FlamStor™	1300	2000 x 6066 x 2175	1900 x 5066 x 1977	1000

Note: Weights and dimensions are approximate. External dimensions include handles. Design may vary from the images displayed.

For on-site solutions, call our customer experience team on **023 9238 0280** or email sales@armorgard.co.uk

HAZARDOUS GOODS STORAGE

The one-piece folding security cage for storing your gas cylinders and costly equipment

The ingeniously designed TuffCage™ is the answer to a wide range of on-site security needs. Constructed from galvanised heavy-duty steel, this robust high-security cage is suitable for storing gas cylinders as well as tools and equipment.

armorgard tuffcage™



SUITABLE FOR SECURING TOOLS AND EQUIPMENT AS WELL AS GAS CYLINDERS



RELEVANT HAZARDOUS WARNING SIGNAGE

QUICK AND EASY TO ERECT AND DISMANTLE

EASILY STACKED WHEN FOLDED DOWN, SAVING ON SPACE

FORKLIFT SKIDS FOR EASY TRANSPORTATION



ONE-PIECE CONSTRUCTION WITH NO REMOVABLE PARTS



2 SECURE PADLOCK POINTS



GALVANISED FOR MAXIMUM DURABILITY IN ALL WEATHER



FOLDS DOWN TO A HEIGHT OF JUST 180MM AND CAN BE STACKED UP

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	No. Standard Size Gas Bottles
TC1.2	TuffCage™	133	1300 x 1240 x 1800	1220 x 1090 x 1760	47/19

Note: Weights and dimensions are approximate. External dimensions include handles.

A storage unit suitable for storing many types of hazardous substances

DrumCage™ is the first choice for the safe storage of hazardous substances. With a unique COSHH compliant design, DrumCage™ is one of the few storage units on the market that is suitable for storing many types of hazardous substances, including gas and liquids.

armorgard drumcage™



THE DOOR IS FITTED WITH A HASP AND STAPLE CATCH TO ALLOW THE UNIT TO BE SECURED

NUT AND BOLT CONSTRUCTION MEANS THE UNIT CAN BE DECONSTRUCTED

SUITABLE FOR SECURING TOOLS AND EQUIPMENT AS WELL AS GAS CYLINDERS

STRONG GRATED FLOOR ALLOWS HEAVY WEIGHTS TO BE STORED INSIDE

RELEVANT HAZARD STORAGE SIGNAGE

FORKLIFT POCKETS FOR EASY TRANSPORTATION

STEEL MESH IS GALVANISED FOR ULTIMATE DURABILITY

REMOVABLE SHELF HAS A 120KG SAFE WORKING LOAD CAPACITY. ADDITIONAL SHELVES CAN BE PURCHASED

LARGE 290L FULLY WELDED SUMP, ALLOWING SAFE DRAINAGE

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
DRC4	DrumCage™	215	1215 x 1265 x 2100	1150 x 1200 x 1800	290

Note: Weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE

armorgard

gorilla gas cage™

The unique galvanised security cage specially designed for storing gas cylinders

Robustly constructed using 25mm box sections and 3mm wire mesh, the **Gorilla Gas Cage™** features a unique modular bolt-together design using individual galvanised panels, making it quick and easy to erect and dismantle. Suitable for use on site or in the storage yard, it comes complete and ready to erect with all fixings, and flat packs when not in use.



AVAILABLE IN 16 SIZES

SUPPLIED COMPLETE WITH ALL FIXINGS

ROBUST CONSTRUCTION USING 25MM BOX SECTIONS AND 3MM WIRE MESH

RELEVANT HAZARD WARNING SIGNAGE ATTACHED

QUICKLY DISMANTLED WHEN NOT IN USE AND STORED AS INDIVIDUAL PANELS

PADLOCK POINT TO SECURE UNIT FROM THEFT

GALVANISED FINISH - RESISTS ALL WEATHER CONDITIONS FOR MAXIMUM DURABILITY

FACILITY TO FIX TO GROUND FOR ADDED SECURITY AND STABILITY

CUSTOMISABLE TO SUIT ANY REQUIREMENT



For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
GGC1	Gas Bottle Cage	40	1012 x 563 x 931	950 x 500 x 900
GGC3	Gas Bottle Cage	60	912 x 566 x 1831	850 x 500 x 1800
GGC4	Gas Bottle Cage	68	1212 x 1266 x 1231	1150 x 1200 x 1200
GGC5	Gas Bottle Cage	67	912 x 966 x 1831	850 x 900 x 1800
GGC6	Gas Bottle Cage	87	1212 x 1266 x 1831	1150 x 1200 x 1800
GGC7	Gas Bottle Cage	98	1812 x 966 x 1831	1750 x 900 x 1800
GGC8	Gas Bottle Cage	108	1812 x 1266 x 1831	1750 x 1200 x 1800
GGC9	Gas Bottle Cage	135	1812 x 1866 x 1831	1750 x 1800 x 1800
GGC10	Gas Bottle Cage	165	2412 x 1866 x 1831	2350 x 1800 x 1800
GGC11	Gas Bottle Cage	188	2712 x 1866 x 1831	2650 x 1800 x 1800
GGC12	Gas Bottle Cage	182	2412 x 2466 x 1831	2350 x 2400 x 1800
GGC13	Gas Bottle Cage	226	2412 x 3666 x 1831	2350 x 3600 x 1800
GGC14	Gas Bottle Cage	270	2412 x 4866 x 1831	2350 x 4800 x 1800
GGC15	Gas Bottle Cage	314	2412 x 6066 x 1831	2350 x 6000 x 1800
GGC16	Gas Bottle Cage	279	3612 x 3666 x 1831	3555 x 3600 x 1800
GGC17	Gas Bottle Cage	205	3662 x 1810 x 1831	3600 x 1750 x 1800

Note: Weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE

armorgard drumbank™

The enclosed store and spill pallet for the safe storage of oil drums

The Armorgard DrumBank™ is specially designed for the safe storage and dispensing of oil drums. Highly robust, the enclosed version is fitted with a heavy-duty door with a 5-lever deadlock to protect your high-value fuel and oil from theft and fire. This innovative purpose-built product is fully compliant with all COSHH regulations for the safe storage of 205-litre drums.



ENCLOSED UNIT FOR THE SAFE STORAGE OF IBC CONTAINERS OR OIL DRUMS

SUITABLE FOR STORING CHEMICALS OR FUELS

DBIBC1

FULLY WELDED 1100L SUMP WITH RAISED AND REMOVABLE STEEL GRID FLOORING

FORK SKIDS FOR EASY LIFTING



TURN OVER FOR MORE INFORMATION ABOUT THE DRUMBANK™



DB2S

UP TO 2 X 205 LITRE DRUMS CAN BE SECURED INSIDE

FULLY WELDED 240L SUMP WITH RAISED AND REMOVABLE STEEL GRID FLOORING

WELDED SHELF FOR STORING SMALLER FUEL CANS

SPACE ABOVE THE DRUMS TO ENABLE A PUMP TO BE ATTACHED WITHOUT NEEDING TO REMOVE DRUM FROM UNIT

UP TO 4 X 205 LITRE DRUMS CAN BE SECURED INSIDE

DB4S

FULLY WELDED 370L SUMP WITH RAISED AND REMOVABLE STEEL GRID FLOORING

HAZARDOUS GOODS STORAGE

TURN BACK FOR MORE INFORMATION ABOUT THE DRUMBANK™

The enclosed store and spill pallet for the safe storage of oil drums

The Armorgard DrumBank™ is specially designed for the safe storage and dispensing of oil drums. Highly robust, the enclosed version is fitted with a heavy-duty door with a 5-lever deadlock to protect your high-value fuel and oil from theft and fire. This innovative purpose-built product is fully compliant with all COSHH regulations for the safe storage of 205-litre drums.

armorgard drumbank™

STRONG GAS STRUTS FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS



HEAVY-DUTY DOOR WITH ONE 5-LEVER DEADLOCK



DB4

FORK SKIDS FOR EASY LIFTING

RAISED REMOVABLE OPEN FLOOR

MEETS RELEVANT REGULATION FOR STORING FUEL OR CHEMICALS

POWDER COATED FOR MAXIMUM DURABILITY

For on-site solutions, call our customer experience team on **023 9238 0280** or email **sales@armorgard.co.uk**



DB2

DBP4

DBP2



Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
DB2	2 Drum DrumBank™	178	1385 x 1075 x 1345	1290 x 860 x 1100	295
DB4	4 Drum DrumBank™	231	1420 x 1345 x 1290	1300 x 1225 x 1050	485
DBP2	DrumBank™ Pallet	20	1310 x 750 x 435	N/A	250
DBP4	DrumBank™ Pallet	32	1290 x 1380 x 280	N/A	405
DB2S	DrumBank™	255	1405 x 925 x 2195	1305 x 775 x 1810	240
DB4S	DrumBank™	345	1405 x 1420 x 2195	1305 x 1280 x 1810	370
DBIBC1	DrumBank™	390	1500 x 1530 x 2210	1380 x 1380 x 1645	1100

Note: Weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE



SECTION 06

Replacement keys and parts



Lost keys?

We also hold in stock replacement keys for our products for up to 5 years after purchase, so we can get you quick access should you lose your keys. Each product carries a unique serial number, and this enables us to locate your exact key and despatch immediately.



Spare parts

To complement our extensive range, we also hold in stock a vast supply of spare parts for our products. This enables us to deliver quickly and fulfil any replacement requirements.



Castors

Added flexibility for many of our products.

High-quality, heavy-duty castor sets with a unique quick-fit system. Replacements available for simply bolting on yourself, using the pre-drilled holes.



Keys

Product Code	Description
KEY	Replacement Deadlock Key
KEY3	Replacement Deadlock Key - Set 3




Castors

Product Code	Description	Contains	Loading capacity
CAS	6" Castors (Supply Only) c/w Fixing Kit	2x fixed, 2x swivel braked castors	135kg
CAS-HD	6" Heavy-Duty Castors (Supply Only) c/w Fixing Kit	2x swivel, 2x swivel braked castors	350kg
LDLF	Castor Direction Lock Adaptors		
CAS-200	Castors for LA1500	2x swivel, 2x swivel braked castors	500kg

Shelves

Product Code	Description
SHFC1	Shelf c/w brackets for FSC1 and TSC1
SHFC2	Shelf c/w brackets for FSC2, TSC2 and FC2
SHFC3	Shelf c/w brackets for FSC3, TSC3 and FC3
SH4-OX	Shelf for OX4
SH2	2' shelf for FBC2
SH4	4' shelf for FBC4 and CBC4
SH5	5' shelf for FBC5
FRS2	2m shelf for Forma-Stor™ Tool and COSHH
TBS4	Shelf for TB2, TB12, TB3 & TBC4
TBDS4	Shelf for TBC4
TBDS5	Shelf for TBC5
TBS4P	PowerShelf for TB2, TB12, TB3 & TBC4
TBDS4P	PowerShelf for TBC4
TBDS5P	PowerShelf for TBC5



Locks

Product Code	Description
LOCK2	Pair 5 Lever Deadlocks
LOCK1	Single 5 Lever Deadlock



Gas Struts and lid stay

Product Code	Description
G300	300N Gas Strut
G300S	300N Short Gas Strut
G450	450N Gas Strut
G1000	1000N Gas Strut
G1200	1200N Gas Strut
STAY1	Lid support stay for boxes
STAY2	Lid support stay for chests
SLM2	SlamStop lid stay short
SLM3	SlamStop lid stay long



FittingStor™ Bins

Product Code	Description	Available for
FCB	Storage Bins for FittingStor™	FC2, FC3, FC4, FC5, FC6



Do you need any other spare parts? We can help! Talk to our team to find out more. Call us on **023 9238 0280** or email sales@armorgard.co.uk



Find us on social media:



UK Head Office

Unit 14-16, Standard Way, Fareham Industrial Park, Fareham, Hampshire, PO16 8XB
call **+44 (0) 23 9238 0280** email **sales@armorgard.co.uk** **www.armorgard.co.uk**



France Office

call **+ 33 (0) 4 81 16 06 69**
email **commercial@armorgard.fr**
www.armorgard.fr



Australia Office

call **+61 (0) 1300 131 751**
email **sales@armorgard.com.au**
www.armorgard.com.au