



Product Catalog

Version 1 | armorgardusa.com



Welcome

This catalog includes our extensive range of market-leading solutions for on-site security, safety and productivity. All of our products are exclusive to Armorgard and come from the work of our talented in-house R&D team. Our latest innovations are used as essential solutions for H&S best practice. You won't find the same products anywhere else and you certainly won't find better.

For help, advice and to place orders, contact our team at **1-877-794-2848**, email **info@armorgardusa.com** or visit **armorgardusa.com**

The images used throughout are for the purpose of illustration and reference only. Content may not be included as standard. Please note that dimensions are approximate.



Designed and engineered in Great Britain

Founded in Great Britain, Armorgard has been committed to producing high-quality products that you won't find anywhere else for over 30 years.

From concept and design through to manufacture, our R&D team develop all our products in our UK head office to ensure they are built to the highest standards. Add to this unbeatable value for money and our global reputation for outstanding customer service, and you can see why we're one of the world's fastest-growing and most trusted secure storage brands.




Built British



7-year warranty



Est. 1989





What we stand for...



Our vision

To supply and produce innovative solutions to increase safety and productivity in workplaces all over the world.



Our mission

Design and manufacture market-leading products for secure tool storage, efficient manual handling and improved site safety.



Our values (SHAPE)

Supportive

- We treat our colleagues and our customers with respect
- We work as a team to ensure success



Honest

- We are clear in all communication, providing assurance to our customers and colleagues
- We build trust with all of our customers and colleagues through managing expectations



Accountable

- We do what we say we will do
- We are accountable as a team and as individuals



Passionate

- We strive to be positive role models, demonstrating passion for our business
- We are inquisitive and open to new ideas



Excellence

- We aim to exceed expectations through our performance
- We always aim higher for our customers

» Robust » Secure » Trusted



We look at things from a different angle

Every product is developed in response to a need. We listen to all customers and create the perfect solutions to their problems.

Our team continue to develop excellent new products that are tough, dependable and purpose-built for your needs. Plus, we won't keep you waiting. We pride ourselves on our high stock levels on all stock items.

We'd love to hear from you if you have an idea for a new product or feedback on an existing one. Please send us an email to discuss your ideas.



“Our product team is continually developing new ideas – tough, dependable products.”

Contents

SECTION 01

Jobsite storage

siteboss chest™	10
siteboss piano box™	11
siteboss cabinet™	12
ultralock	13
fittingstor™	14
forma-stor™	16

SECTION 02

Work stations

cuttingstation™	18
sitestation™	20

SECTION 03

Material handling

rubble truck™	22
---------------	----



armorgard
sitebossTM
chest

You haven't met security, until you've met SiteBossTM

We're no rookie when it comes to secure storage. It's our no.1 priority to keep your livelihoods safe and secure whether you're on the jobsite or in your truck.

With 14-ga steel body, a multi-spur locking mechanism and tamper-proof joins, you can be sure it's built to last and built to protect.

Safety for everybody. **SiteBossTM** features dual gas struts and Armorgard's exclusive SlamStop lid stay, to protect workers when closing the heavy-duty lid.

Patent pending 2211899.6

OPTIONAL EXTRAS

ANTI-TAMPER JOINS

HEAVY-DUTY CASTERS AS OPTIONAL EXTRA

CLEK4 CRANE LIFTING EYES

POWER CABLE INPUT

LID OPENING ASSIST GAS STRUTS

SLAMSTOP SAFETY LID STAY

POWDER-COATED FOR MAXIMUM DURABILITY

6-GA FOUR-WAY FORKLIFT POCKETS

2" PADLOCK HOUSING

SB16

SB24

FEATURING EXTREME ULTRALOCK SECURITY

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SB16	Jobsite Chest	185 (84)	45.3 x 24.2 x 28.3 (1150 x 615 x 720)	44.5 x 23.2 x 24.4 (1130 x 590 x 620)
SB24	Jobsite Chest	240 (109)	45.3 x 29.9 x 33.5 (1150 x 760 x 851)	44.5 x 28.9 x 29.5 (1130 x 735 x 750)

Note: Weights and dimensions are approximate. External dimensions include handles.

armorgard
sitebossTM
piano box

Jobsite tool security, built like a boss

Over 30 years of design and innovation makes **SiteBossTM** our no.1 secure storage range.

With anti-tamper joins, a fully welded cross-braced lid and 14-ga steel; it has a rigidity and strength you'll never question.

Its bi-fold lid with dual gas struts and 38-49 cu ft. of storage makes it easier and safer than ever to store your tools.

Strengthened hooks for organization, a cable pass-through point for secure charging, a fitted shelf and a removable multi-purpose tool shelf make it more than just a box.

Patent pending 2211899.6

OPTIONAL EXTRAS

ANTI-TAMPER JOINS

HEAVY-DUTY CASTERS AS OPTIONAL EXTRA

CLEK4 CRANE LIFTING EYES

MULTI-PURPOSE TOOL SHELF THAT CAN BE DOUBLED UP AS A WORKBENCH

POWDER-COATED FOR MAXIMUM DURABILITY

6-GA FOUR-WAY FORKLIFT POCKETS

FIXED SHELF

SB38

SB49

FEATURING EXTREME ULTRALOCK SECURITY

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SB38	Jobsite Piano Box	367 (167)	45.3 x 29.9 x 50 (1150 x 760 x 1270)	44.5 x 28.5 x 46.1 (1130 x 725 x 1170)
SB49	Jobsite Piano Box	420 (191)	60 x 29.9 x 50 (1525 x 760 x 1270)	58.9 x 28.5 x 46.1 (1495 x 725 x 1170)

Note: Weights and dimensions are approximate. External dimensions include handles.

armorgard
sitebossTM
cabinet

Pioneering jobsite
security for over
30 years

We've perfected secure jobsite storage.
The result: **SiteBossTM Cabinet**.

Built to last and built to protect, with
ultra-secure 14-ga steel, a multi-spur locking
mechanism and anti-tamper joins.

Over 40 cu ft. capacity and ultimate
organization, with 3 shelves that can be
easily adjusted to 4 positions. **SiteBoss
CabinetTM** makes your job quicker and easier.

Each shelf has a cable pass-through point
for secure charging of your power tools –
we've thought of everything!

Patent pending 2211899.6

»
OPTIONAL EXTRAS

ADJUSTABLE SHELVES
WITH 1200 LBS
CAPACITY PER SHELF

POWDER-COATED
FOR MAXIMUM
DURABILITY

CABLE PASS
THROUGH POINT

EASY OPEN
DOOR LATCH



HEAVY-DUTY CASTERS
AS OPTIONAL EXTRA



CLEK4
CRANE LIFTING EYES



SB48



FEATURING EXTREME
ULTRALOCK SECURITY

FOUR-WAY
FORKLIFT POCKETS

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SB48	Jobsite Cabinet	517 (235)	60.2 x 24.6 x 60.6 (1528 x 624 x 1540)	59.8 x 20.9 x 56.9 (1520 x 530 x 1445)

Note: Weights and dimensions are approximate. External dimensions include handles.

Stored. Secured. SiteBossTM.



Extreme UltraLock protection

A secure locking system that dominates the market.

UltraLock's universal design makes it compatible
with most standard padlocks available on the market.

UltraLock is compatible with most 2" padlocks. We
recommend using the MasterLock #5, the American
Lock A50 or a similar size in other brands.

Patent pending 2211899.6

Complex innovation made simple:

- » Install your padlock in seconds with
a hardened steel security bolt.
- » Shackles across 3 points of the SiteBossTM
engage with the multi-spur mechanism,
interlocking smoothly yet fiercely.
- » With just a single push of the padlock:
installed, engaged, protected.



**UltraLock: Its strength is undeniable,
its innovation is unrivalled.**

armorgard
fittingstor™

Your FittingStor™: tough,
tidy and transportable

A design that brings security, organization
and mobility together. This ultimate 3-in-1
solution helps you get the job done.

Work without the worry of theft. Your
costly fittings, fasteners and tools have the
heavy-duty security of 16-ga steel, sealed
with the self-engaging T-latch lock.

Organization is made simple with 3
sturdy shelves that store up to 300 lbs;
everything you need to get the job done.

On the move? Heavy-duty casters and
4-way forklift pockets make it easier, faster
and safer.



EASY TO USE
T-LATCH LOCK -
JUST TWIST
AND UNLOCK



For jobsite solutions, call our customer
experience team at **1-877-794-2848** or
email **info@armorgardusa.com**

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
FC4-T	Jobsite fittings cabinet	306 (139)	43.7 x 22.4 x 62 (1110 x 570 x 1575)	40.6 x 20.1 x 50.8 (1030 x 510 x 1290)
FC6-T	Jobsite fittings cabinet	339 (154)	42.1 x 29.8 x 74.2 (1070 x 756 x 1885)	39 x 27.6 x 62.8 (990 x 700 x 1595)

Note: Weights and dimensions are approximate. External dimensions include handles.

JOBSITE STORAGE

armorgard
forma-stor™

Strength AND simplicity.
Forma-Stor™ delivers
the best of both.

This quick-assembly, modular solution for jobsite storage can be easily built in as little as 10 minutes.

But, don't let the simplicity fool you.

Designed with a self-engaging T-latch lock, anti-tamper joins and galvanized panels. The result? An ultra-secure unit that protects your tools from theft.

Available in 2 sizes, **Forma-Stor™** gives you secure storage on a large scale so there's no need to compromise between space and security.

When you're ready to move on, **Forma-Stor™** can be flat-packed or moved using forklift pockets or crane lifting eyes. Move it where you need it.

CRANE LIFTING EYES

AVAILABLE IN 2 SIZES

HEAVY-DUTY SECURE JOBSITE STORAGE

FR200-T

FORKLIFT POCKETS FOR EASY TRANSPORTATION TO RESTRICTED AREAS

STRONG FITTED OSB FLOOR

FULLY GALVANIZED AND POWDER-COATED FOR MAXIMUM DURABILITY

FLAT-PACKED, MODULAR, QUICK-ASSEMBLY UNIT

BUILD SIMPLY AND EASILY WITH NO FUSS! INSTRUCTIONS INCLUDED

FR400-TT

EASY TO USE
T-LATCH LOCK - JUST
TWIST AND UNLOCK

OPTIONAL EXTRAS

440 LBS
CERTIFIED SHELVES

BLOKKABAR
FOR ADDITIONAL
SECURITY

HEAVY-DUTY
RAMP

FR200-TT

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
FR200-TT	Walk-in storage unit	845 (384)	81.7 x 79.1 x 81.3 (2075 x 2010 x 2065)	75.4 x 72.4 x 73.4 (1915 x 1840 x 1865)
FR400-TT	Walk-in storage unit	1313 (597)	81.7 x 155.9 x 81.3 (2075 x 3960 x 2065)	75.4 x 149.2 x 73.4 (1915 x 3790 x 1865)

Note: Weights and dimensions are approximate. External dimensions include handles.

armorgard

cuttingstation™

Revolutionizing safe
cutting on site

A product of innovation and design:
it's your instant cutting room! Full of
features that help you cut materials
efficiently and safely at working height.

Sparks, noise and debris when cutting?
PVC curtains contain sparks, sound-
deadening foam reduces decibels and
a debris collector keeps dust
to a minimum.

With lighting, power supply and a
secure lockable cabinet; it's the
jobsite unit that has it ALL.

Set up anywhere! By crane, caster or
forklift, **CuttingStation™** is where you
need it, when you need it.

DUST & FILINGS
COLLECTOR WITH
DUST EXTRACTOR
CONNECTION

ADAPTABLE PVC
CURTAINS TO
CONTAIN SPARKS
AND DEBRIS

POWDER-COATED
FOR MAXIMUM DURABILITY

RUBBER MAT
TO REDUCE
VIBRATION

SS7-T

RUBBERIZED
WHEELS FOR
REDUCED
VIBRATION

SECURE CABINET
TO KEEP YOUR
TOOLS SAFE

EASY TO USE
T-LATCH LOCK - JUST
TWIST AND UNLOCK

FIRE RATED,
SOUND-DEADENING
FOAM

EXTENDABLE
SUPPORT ARMS
WITH 4
CONFIGURATIONS

»
OPTIONAL EXTRAS

CLEK2
CRANE LIFTING
EYES



EASY ACCESS
WITH CUT-OUT
FRONT

PROVISION FOR
ATTACHING
A VACUUM
HOSE OR BIN



EXTENDABLE BACK
PANEL FOR EXTRA
WORKSPACE TO
CATER FOR MITER SAWS

NARROW ENOUGH
TO FIT THROUGH
STANDARD
DOORWAYS

»
THE 4 CONFIGURATIONS OF THE
EXTENDABLE SUPPORT ARMS



FLAT SURFACE
IDEAL FOR LONG
LENGTHS



ROLLER SURFACE
IDEAL FOR LONG
LENGTHS



V-SHAPE
IDEAL FOR
ROUND PIPES



FLAT EDGE
IDEAL FOR LONG
LENGTHS

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SS7-T	Cutting unit	396 (180)	Standard: 54.7 x 30.7 x 75 (1390 x 780 x 1905) Extended: 127 x 42.9 x 74.8 (3000 x 1090 x 1900)	Top With Extended Back: 44.3 x 37.6 x 39.4 (1125 x 955 x 1000) Bottom: 44.3 x 28.3 x 22 (1125 x 720 x 560)

Note: Weights and dimensions are approximate. External dimensions include handles.

WORK STATIONS

armorgard sitestation™

**Tied to your desk?
SiteStation™ keeps
you in the action.**

This ultimate mobile site office is the innovative replacement for your traditional desk.

Your projects move, now so can you! By crane, caster or forklift you can now easily manage projects in time and on budget.

Instantly access your drawings and documents with the help of lighting, power supply and additional secure storage.

Its robust 16-ga steel construction keeps your devices and supplies safe. Featuring the self-engaging T-latch lock, it delivers maximum security.

POWDER-COATED
FOR MAXIMUM DURABILITY

LED LIGHT SUPPLIED
AS STANDARD

LIFTING EYES
FOR CRANE LOADING

FULL-WIDTH SHELVES
IN BOTH LOWER
AND UPPER
COMPARTMENTS

POWER STRIP
SUPPLIED AS
STANDARD

SLANTED FOLDING
WORKSURFACE WITH
CONCEALED STORAGE
AREA

TOP AND
BOTTOM
SECTIONS LOCK
INDEPENDENTLY

ROBUST
CONSTRUCTION
FOR MAXIMUM
PROTECTION

HEAVY-DUTY CASTERS
FOR EASY MOBILITY

SS2-T

POCKETS ON DOORS
FOR SMALLER
COMPONENTS

FOUR-WAY FORKLIFT
POCKETS FOR EASY
TRANSPORTATION



For jobsite solutions, call our customer
experience team at **1-877-794-2848**
or email **info@armorgardusa.com**

» A COMPACT MOBILE
WORKSTATION



EASY TO USE
T-LATCH LOCK -
JUST TWIST
AND UNLOCK

WORK STATIONS

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SS2-T	SiteStation™	497 (226)	55.7 x 32.7 x 78.1 (1414 x 830 x 1985)	Top: 51.2 x 28.3 x 41.9 (1300 x 720 x 1065) Bottom: 51.2 x 28.3 x 24 (1300 x 720 x 610)

Note: Weights and dimensions are approximate. External dimensions include handles.

Moving trash and rubble around a job site? That's easy.

armorgard rubble truck™

Rubble Truck™ is a game changer with its 13.5 cu ft. scoop, 1650 lbs capacity, and a built-in tipping feature. Get the job done quicker, safer and easier.

With a robust 10-ga steel construction, puncture proof wheels and side protection buffers you can be confident it'll withstand the tough tasks day in, day out.

Safely, quickly and easily move debris to ground floor using its heavy-duty, fully welded crane lifting eyes.

At the end of the day, stack it away and maintain a safe working space.



EMPTYING AND MOVING MADE EASY

MOVING A HIGH CAPACITY OF TRASH AND RUBBLE

CRANE LIFTING EYES

A BUILT TO LAST, ROBUST SOLUTION

RT400

ASSISTED TIPPING FEATURE

PUNCTURE PROOF WHEELS

RUBBER BUFFERS

POWDER-COATED FOR MAXIMUM DURABILITY

LOCKABLE CASTER



For jobsite solutions, call our customer experience team at **1-877-794-2848** or email **info@armorgardusa.com**

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)	Load Capacity lbs (kg)
RT400	Trash and rubble unit	196 (89)	29.9 x 57.5 x 37.6 (760 x 1460 x 955)	17.5 x 51.2 x 26 (445 x 13600 x 660)	1650 (750)

Note: Weights and dimensions are approximate. External dimensions include handles.

MATERIAL HANDLING



Find us on social media



Call us for your nearest distributor:



USA Office

185 Alewife Brook Pkwy #210, Cambridge, MA 02138, United States

Call **1-877-794-2848** Email **info@armorgardusa.com** **www.armorgardusa.com**



Canada Office

251 Saulteaux Crescent #207, Winnipeg, MB R3J 3C7 Canada

Call **1-877-794-2848** Email **info@armorgardusa.com** **www.armorgardusa.com**



UK Head Office

Unit 14-16 Standard Way, Fareham Industrial Park, Fareham, Hampshire PO16 8XB

Call **+44 (0)23 9238 0280** Email **sales@armorgard.co.uk** **www.armorgard.co.uk**



Australia Office

Call **1300 131 751**

Email **sales@armorgard.com.au**

www.armorgard.com.au



New Zealand Office

Call **04 280 6440**

Email **sales@armorgard.co.nz**

www.armorgard.co.nz



France Office

Call **+ 33 (0)4 81 16 06 69**

Email **commercial@armorgard.fr**

www.armorgard.fr