





Product Catalogue

Version 1 | armorgard.com.au armorgard.co.nz





To the latest edition of the Armorgard product catalogue. This catalogue

includes our extensive range of market-leading solutions for on-site security, safety and productivity. All of our products are exclusive to Armorgard and come from the work of our talented in-house R&D team. Our latest innovations are used as essential solutions for H&S best practice. You won't find the same products anywhere else and you certainly won't find better.

contact our team:





The images used throughout are for the purpose of illustration and reference only. Content may not be included as standard. Please note that dimensions are approximate.

Welcome

For help, advice and to place orders,

Call us on **1300 131 751** or email sales@armorgard.com.au armorgard.com.au

Call us on **04 280 6440** or email sales@armorgard.co.nz armorgard.co.nz





What we stand for...



Our vision To supply and produce innovative solutions

to increase safety and productivity in workplaces all over the world.

Our mission

Design and manufacture market-leading products for secure tool storage, efficient manual handling and improved site safety.

Our values (SHAPE)



Supportive

- We treat our colleagues and our customers with respect
- We work as a team to ensure success



Honest

- We are clear in all communication, providing assurance to our customers and colleagues
- We build trust with all of our customers and colleagues through managing expectations



Accountable

- We do what we say we will do
- We are accountable as a team and as individuals



Passionate

- We strive to be positive role models, demonstrating passion for our business
- We are inquisitive and open to new ideas



Excellence

- We aim to exceed expectations through our performance
- We always aim higher for our customers

>> robust >> secure >> trusted

We look at things from a different angle

Every product is developed in response to a need. We listen to all customers and create the perfect solutions to their problems.

Our team continue to develop excellent new products that are tough, dependable and purpose-built for your needs. Plus, we won't keep you waiting. We pride ourselves on our high stock levels and next day delivery on all stock items.

If you have an idea for a new product or feedback on an existing one, we'd love to hear from you. Please send us an email to discuss your ideas.



A

Replacement keys & parts available. See page 80

SECTION 01 Tool and

equipment storage

SECTION 02

Work platforms and units

mobile tuffbench[™] cuttingstation[™] sitestation[™] scrubkart[™] sanistation[™] sanistation mini[™]

strongbank™

tuffbank™

trekdror™

barrobox™

instagate™

tuffbench™

instructahut™

tuffstor cabinet™

oxbox™

SECTION 04

SECTION 03

Welfare range

Manual handling products

piperack[™]______ bundlerack[™]______ loadall[™]______ rubble truck[™]______ tuffcage[™]

SECTION 05

Hazardous goods storage

torage gorilla gas cage[™]

SECTION 06

Replacement keys and parts

"Our product team is continually developing new ideas – tough, dependable products."



	fittingstor™	
12	pipestor™	
16	forma-stor [™]	
18	strimmersafe vault [™]	
	strimmersafe rack [™]	
40		
42		
.43		
44		
.50		
52		
54		
63	flexikart™	74
66	v-kart™	70
67	beamkart™	
	turntable truck [™]	



SEC1 Tool an

strongbank[™] tuffbank[™] oxbox[™] trekdror[™] barrobox[™] tuffstor cabi fittingstor[™] pipestor[™] forma-stor[™] strimmersaf

SECTION 01 TOOL AND EQUIPMENT STORAGE



SECTION 01

Tool and equipment storage

M	10
	12
	16
	18
	22
net™	.24
	26
	30
1	33
e vault™	.36
e rack™	.37

≫ "IT IS QUITE SIMPLY WITHOUT RIVAL."

SB1

SBR

range of tool safes

The ultra-strong StrongBank[™] – the world's toughest strongbox. When we started out, our goal was to design and build the ultimate secure storage box. The result was StrongBank[™]. Now, more than 30 years later, there is still nothing on the market that compares.

> This state-of-the-art strongbox delivers virtually indestructible performance to deter even the most determined thief.

Armorgard strongbank[™]



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

UNIQUE EXTERNAL AND INTERNAL ANTI-JEMMY SYSTEMS AND FULLY WELDED CONTINUOUS PIANO HINGE



STRONG GAS STRUTS AND SLAMSTOP LID STAY FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

POWDER COATED FOR MAXIMUM DURABILITY

armorgard

armorgard

Product Code Weight (kg) Description SB1 Van Box 59 SB2 Site Box 4x2x2 98 SB3 Site Box 4x3x2 120 SB6 138 Truck Box 6x2x2

Note: Weights and dimensions are approximate. External dimensions include handles.





HEAVY-DUTY CASTORS USING THE PRE-DRILLED HOLES (EXCEPT SB1)



External Dimensions $W \times D \times H$ (mm)	Internal Dimensions $W \times D \times H$ (mm)
1030 x 565 x 480	895 x 460 x 470
1310 x 690 x 665	1185 x 605 x 575
1300 x 690 x 970	1185 x 600 x 880
2000 x 690 x 665	1885 x 605 x 580

Our best-selling secure Built to a rigorous specification with a site storage solution

Armorgard tuffbank[™]

TB2

host of innovative features, TuffBank™ sets the industry benchmark for quality and functionality. A Sold Secure and Secured by Design accredited product, its heavy-duty steel plate construction and unique anti-jemmy technology means that it is virtually impregnable.

Secured by Design

SB

≫ OPTIONAL EXTRAS



UNIQUE POWERSHELF

SECURELY CHARGES TOOLS AND MOBILE DEVICES





HEAVY-DUTY CASTORS INCREASE MOVABILITY ON-SITE

armorgard

S O L I SECUR

P



TBC4

FORKSKIDS

WITH FIXING SLOTS FOR EASILY ADDING CASTORS

(EXCEPT TB1 AND TB12)

INSET HANDLES FOR A MORE STREAMLINED PRODUCT REQUIRING LESS SPACE

OPTIONAL SHELVES FOR CONVENIENT STORAGE OF SMALLER ITEMS

FULL RANGE IS SUITABLE FOR VANS, TRUCKS, WORKSHOPS AND SITES



TURN OVER FOR MORE INFORMATION ABOUT THE TU



ROBUST CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS





CABLE PASSING POINT TO ALLOW CHARGING WITHOUT COMPROMISING SECURITY



STRONG GAS STRUTS AND SLAMSTOP LID STAY FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

armorgard

POWDER COATED FOR MAXIMUM DURABILITY

UNIQUE EXTERNAL AND INTERNAL ANTI-JEMMY SYSTEMS AND FULLY-WELDED CONTINUOUS PIANO HINGE MARKET-LEADING TOOL VAULT OFFERING BEST-IN-CLASS PERFORMANCE





*Optional shelves available for on-site chests, see page 81. Note: Weights and dimensions are approximate. External dimensions include handles.

≫ "EFFECTIVE SECURITY - GREAT VALUE"

solution for securing tools and equipment

The robust, good value OxBox[™] tool vaults provide a fantastic combination of security and affordability. **OxBox**[™] shares many of the premium features of our higher priced storage box ranges, including locks, hinges, gas struts and paint finish. Its unique "folded" construction delivers outstanding strength. Made from 1.5mm and 2.0mm steel, the **OxBox**[™] is available in 6 sizes.

Armorgard oxbox[™]

STEEL PLATE CONSTRUCTION WITH DURABLE POWDER COATED FINISH

OX3



armorgard

hox



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS



STRONG GAS STRUTS FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

SUITABLE FOR VANS, TRUCKS, WORKSHOPS AND SITES





OX1, OX2 AND OX6)

HEAVY-DUTY CASTORS USING THE PRE-DRILLED HOLES (EXCEPT OX05,

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT OX1, OX2 AND OX6)

>>

For on-site solutions, call our customer experience team.





0X05

385mn

OX05

OX1

OX2

OX3

OX4

OX6



NX4 Product Code Description Weight (kg) Van Box 27 Van Box 32 Truck Box 41 Site Box 4x2x2 60 Site Chest 4x4x2 89

Truck Box

1185mm

*Optional shelves available for on-site chests, see page 81. Note: Weights and dimensions are approximate. External dimensions include handles.

60

1215 x 595 x 1185

1740 x 515 x 445



5mm	R search R write	
External Dimensions $W \times D \times H$ (mm)	Internal Dimensions W x D x H (mm)	
810 x 470 x 385	755 x 425 x 370	
885 x 470 x 450	830 x 425 x 435	
1155 x 450 x 460	1130 x 425 x 445	
1210 x 625 x 645	1115 x 595 x 550	

1125 x 570 x 1090

1715 x 485 x 430



steel tool drawers for vehicles and

Armorgard **trekdror**[™]

TKD1

ROBUST CORRUGATED 1.5MM STEEL CASING PROVIDES DURABILITY

AND STRENGTH

UNIQUE ROLLER SYSTEM ENSURES A SMOOTH OPERATION



>>> For on-site solutions, call our customer experience team.

"BRILLIANT! AMAZING TO SEE HOW MUCH KIT YOU CAN FIT IN THEM"

Armorgard **trekdror**TM





» Optional extras



MOUNTING KIT ALLOWS THE TREKDROR™ TO BE MOUNTED

DIVIDER KIT ALLOWS YOU TO EASILY ORGANISE YOUR TOOLS

Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	External Dimensions 2 (including drawer open) W x D x H (mm)	Internal Dimensions W x D x H (mm)
TKD1	TrekDror™	44	490 x 1105 x 300	490 x 1900 x 300	405 x 1040 x 245
TKD2	TrekDror™	63	980 x 1105 x 200	980 x 1905 x 200	900 x 1040 x 145
TKD3	TrekDror™	58	490 x 1105 x 490	490 x 1905 x 490	405 x 1040 x 435
TKD1D	TrekDror [™] Divider Kit	3	435 x 3 x 240	N/A	N/A
TKD2D	TrekDror [™] Divider Kit	3	925 x 3 x 140	N/A	N/A
TKD3D	TrekDror [™] Divider Kit	3	435 x 3 x 400	N/A	N/A
TKDMPK	TrekDror [™] Mounting Kit	1	N/A	N/A	N/A
TKDSPK	TrekDror [™] Stacking kit	1	N/A	N/A	N/A
TKD1RM	TrekDror [™] Mat for TKD1	1.5	437 x 1040 x 3	N/A	N/A
TKD2RM	TrekDror [™] Mat for TKD2	3	927 x 1040 x 3	N/A	N/A
TKD3RM	TrekDror [™] Mat for TKD3	1.5	437 x 1040 x 3	N/A	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.



OPTIONAL ANTI-SLIP RUBBER MAT TO PREVENT TOOLS FROM MOVING



STACKING KIT ALLOWS THE TREKDROR™ TO BE STACKED



The ultimate portable tool protection for tradesmen on the move

armorgard box

BarroBox[™] is secure, robust, and extremely versatile. This one-of-a-kind, mobile site box protects your tools wherever you need to work.

Easily wheel tools and equipment around on-site, then use a lever from inside the box to raise the wheels and lock to create a static, secure tool vault.

BB2



WATCH THE BARROBOX™ IN ACTION



Armorgard

barrobox[™]

KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

> SLAMSTOP LID STAY FOR ADDITIONAL USER SAFETY



LIFTING HANDLE INSTANTLY CONVERTS BARROBOX[™] FROM MOBILE TO STATIC

ROBUST CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT

POWDER COATED FOR MAXIMUM DURABILITY



STRONG GAS STRUTS FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

ANTI-JEMMY FEATURES FOR INCREASED SECURITY

ROBUST FOLDING HANDLES ENSURE THE BARROBOX^T IS EASY TO MANOEUVRE

HEAVY-DUTY WHEELS TO TAKE IMPACT

Product Code Description Weight (kg) BB2 BarroBox[™] 82

For on-site solutions, call our customer experience team.

>>>

Note: Weights and dimensions are approximate. External dimensions include handles.

mobox"



External Dimensions W x D x H (mm)

770 x 1045 x 716

Internal Dimensions W x D x H (mm)

600 x 797 x 608

organised and accessible

The ultra-tough TuffStor Cabinet[™] offers the same level cabinet that keeps of security as a conventional site safe but your equipment uses less floor space. This versatile, secure cabinet keeps tools safe and easily accessible. Ideal for use in workshops and vehicles. Want it mobile? It's easy to add castors using the pre-drilled holes.

B B B STATE

KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY-DUTY CHUBB-STYLE KEYS

FULLY ADJUSTABLE SHELVES FITTED ON ALL SIZES

POWDER COATED FOR MAXIMUM DURABILITY

HEAVY-DUTY DOORS WITH FIXED HINGES AND CONCEALED ANTI-JEMMY

SYSTEM

Armorgard

tuffstor cabinet[™]

armorgard TSC3

		980mm

TSC1

1250mm TSC2

Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	Internal Dimensions $W \times D \times H$ (mm)
TSC1	TuffStor Cabinet [™]	44	500 x 530 x 980	490 x 465 x 895
TSC2	TuffStor Cabinet [™]	74	800 x 585 x 1250	790 x 540 x 1170
TSC3	TuffStor Cabinet [™]	113	1205 x 580 x 1555	1185 x 510 x 1475

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS

>>

ROBUST CONSTRUCTION FOR MAXIMUM PROTECTION

For on-site solutions, call our customer experience team.

Note: Weights and dimensions are approximate. External dimensions include handles.

TSC1

TSC3







HEAVY-DUTY CASTORS USING THE PRE-DRILLED HOLES



GE





cabinet designed to keep thieves at bay!

The secure storage The high value of copper fittings and cabling means that theft is on the rise, with criminals targeting construction sites on a daily basis. Don't make it easy for them! **FittingStor™** is designed to secure all your costly M&E components and tools in one safe, easily portable location.

Armorgard fittingstor[™]

PY III **>>** WATCH THE FITTINGSTOR™ IN ACTION

POWDER COATED FOR MAXIMUM DURABILITY

FITTINGS BINS TOUGH LIFT-OUT PLASTIC FITTINGS BINS SUPPLIED (6 X BINS FOR FC2 AND 15 X BINS FOR FC3)






STORAGE COMPARTMENT IN THE BASE FOR TOOLS & EQUIPMENT

ROBUST STEEL PLATE CONSTRUCTION FOR MAXIMUM PROTECTION

FORKLIFT SKIDS FOR EASY TRANSPORTATION


FC3

>> For on-site solutions, call our customer experience team.



"THE MOST APPROPRIATE FITTING STORE ON THE MARKET."





Note: Weights and dimensions are approximate. External dimensions include handles.

trunk that keeps your piping safe and organised

The mobile secure storage This innovatively designed portable 'copper coffin' gives you peace of mind that your piping is safe from theft. The PipeStor[™] accommodates different sizes and styles of pipes, including plastic and metal conduit, trunking and cable tray.

> Extremely versatile - it can be extended to accommodate longer lengths by adding sections as required.

Armorgard **pipestor**[™]



FACILITY FOR PADLOCK

INTERNALLY DIVIDED INTO 4 SEPARATE COMPARTMENTS ROBUST STEEL PLATE CONSTRUCTION FOR MAXIMUM PROTECTION

SECURED WITH A 5-LEVER DEADLOCK AND HEAVY-DUTY CHUBB STYLE KEYS

AVAILABLE FOR EITHER 3M OR 6M LENGTHS

FULLY MOBILE WITH HEAVY-DUTY SWIVEL CASTORS

S3.0

FORK SKIDS FOR EASY TRANSPORTATION

PS6.0

POWDER COATED FOR MAXIMUM DURABILITY

》

For on-site solutions, call our customer experience team.

Product Code	Description	Weight (kg)	External Dimensions W x D x H (mm)	Internal Dimensions $W \times D \times H$ (mm)
PS3.0	3m PipeStor™	133	575 x 3205 x 785	495 x 3160 x 495
PS6.0	6m PipeStor™	256	575 x 6410 x 785	495 x 6350 x 495

Note: Weights and dimensions are approximate. External dimensions include handles. 30



00000000



that can be constructed in as little as 10 these walk-in units are constructed using

TRANSPORTATION

» "STRONG, SECURE AND STURDY. I WOULD CERTAINLY RECOMMEND IT"







》 FORMA-STOR[™] ACCESSORIES





BLOKKABAR

200KG CERTIFIED SHELVES

Individual Panel Weight (kg) End Panel	Door Panel	Side Panel	Roof Panel	Floor	Total
FR100-T	55.9	75.8	20.7	32.6	57.5	251
FR200-T	55.9	75.8	52.9	52.9	112.3	384
FR300-T	55.9	75.8	69.1	75.8	143	467
FR400-T	55.9	75.8	114	95.2	186	594
Product Code	Description	Weigh	t (kg)	External Dimensions (protrusions) W x D x H		Internal Dimensions W x D x H (mm)
FR100-T	Forma-Stor [™]	251		2075 x 1120 x 2160		1920 x 970 x 1950
FR200-T	Forma-Stor™	384		2075 x 2075 x 2160		1920 x1920 x 1950
FR300-T	Forma-Stor [™]	467		2075 x 2990 x 2160		1920 x 2840 x 1950
FR400-T	Forma-Stor [™]	594		2075 x 3995 x 2160		1920 x 3840 x 1950
FRS2	Forma-Stor [™] Shelf	20		1970 x 520 x 30		N/A
FRBL2	BlokkaBar	23		1960 x 170 x 110		N/A
FRR4	Forma-Stor [™] Ramp	37		1185 x 750 x 100-19	5	N/A
FRLK2	230V Forma-Stor™ Lightin	g Kit 5		N/A		N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

FR400-7





HEAVY-DUTY RAMP

》

For on-site solutions, call our customer experience team.

The ultra-tough, secure vault for storing strimmers and other long handled tools

The StrimmerSafe Vault[™] is a secure storage range specially designed for strimmers and similar long-handled tools. Suitable for use in vehicles or workshops, this highly secure vault benefits from an ultra-tough, anti-force construction and an innovative heavy-duty locking mechanism - once the lid is shut and locked, the strimmer is impossible to remove.

KEYED ALIKE 5-LEVER DEADLOCKS

STRONG GAS STRUTS

INDUSTRY STANDARDS

FITTED AS STANDARD - CONFORM TO

AVAILABLE IN 3

DIFFERENT SIZES

SNUG STORAGE

POSITION KEEPS

STRIMMERS SECURE

Armorgard strimmersafe vault[™]

> COATED FINISH FOR MAXIMUM CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT DURABILITY

DIVIDER SYSTEM (EXCEPT THE SSVX6)

armorgard

FULL-LENGTH COVER PLATE FOR USE WHEN TRANSPORTATION STRIMMERS ARE NOT BEING STORED



ORKLIFT SKIDS

FOR EASY

(SSV6)

DOUBLE SLOTS FOR STORING 1 OR 2 STRIMMERS



665mn



Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	Internal Dimensions $W \times D \times H$ (mm)	
SSV12	StrimmerSafe Vault [™]	69	1275 x 515 x 450	1190 x 445 x 445	
SSVX6	StrimmerSafe Vault [™]	63	1800 x 555 x 445	1710 x 480 x 440	
SSV6	StrimmerSafe Vault [™]	141	1970 x 675 x 665	1880 x 605 x 580	
SSV6	StrimmerSafe Vault [™]	141	1970 x 675 x 665	1880 x 605 x 5	80

Note: Weights and dimensions are approximate. External dimensions include handles.

Armorgard strimmersafe rack[™]



Product Code Weight (kg) Description SSR StrimmerSafe Rack[™] 93

Note: Weights and dimensions are approximate. External dimensions include handles.

36

SSUR

upright storage system for securing your strimmers

The unique Strimmers are among the most commonly stolen power tools. The **StrimmerSafe** Rack[™] is packed full of features to keep your equipment secure and organised whilst maximising on storage space.





KEYED ALIKE 5-LEVER DEADLOCKS WITH HEAVY-DUTY CHUBB STYLE KEYS

SUPPLIED FLAT PACKED

LID IS FITTED WITH 2 GAS STRUTS FOR EASY LIFTING



MUST BE BOLTED TO A WALL TO ENSURE SAFETY

HIGHLY SECURE UNIT TO PROTECT YOUR VALUABLE EQUIPMENT FROM THEFT AND DAMAGE

AND GREENKEEPERS

IDEAL FOR LANDSCAPERS

OIL OR FUEL

External Dimensions W x D x H (mm)

Internal Dimensions W x D x H (mm)

N/A

2055 x 365 x 2085



instagate™ instructahut tuffbench™ mobile tuffb cuttingstatio sitestation™

SECTION 02 WORK PLATFORMS AND UNITS



SECTION 02 Work platforms and units

	.40
TM	42
ench™	.44
on™	.46
	.50

for crowd/traffic control in any location

Armorgard instagate[™]

An expandable barrier InstaGate[™] is a quick-to-deploy barrier that's robust and easy to extend to full length. Constructed from strong lightweight aluminium, this durable barrier can be wheeled into position, expanded and braked single-handedly. InstaGate[™] forms a highly visible red and white barrier for enhanced safety in any situation, indoors or out.

> InstaGate[™] is available in two heights (4ft and 6ft).









Product Code	Description	Weight (kg)	Folded Dimensions $W \times D \times H$ (mm)	Extended Dimensions $W \times D \times H$ (mm)
IG4	InstaGate™	30	440 x 540 x 1380	2185 x 540 x 1380
IG6	InstaGate™	40	450 x 542 x 1884	2380 x 542 x 1884



WORK PLATFORMS AND UNITS



notice board and emergency station

The all-in-one InstructaHut[™] has many talents... It's a meeting point, an emergency station for your first-aid, fire and H&S items, a notice board for your regulatory documentation and more. This all-in-one solution provides a home for the lot and is therefore an essential part of your on-site inventory.

(armorgard **instructahut**[™]



DOCUMENTATION SUCH AS KEY H&S AND INSURANCE POLICIES

Note: Weights and dimensions approximate. External dimensions include handles.

OPTIONAL EXTRA SECURITY CABINET

FORKLIFT SKIDS FOR EASE OF TRANSPORTATION

SELE-SUPPORTING AND BUILT TO LAST

Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	Internal Dimensions W x D x H (mm)
IH4	IntructaHut™	71	1235 x 500 x 1850	N/A
IHC4	InstructaHut [™] Cabinet	28	950 x 445 x 605	940 x 425 x 600

The versatile and easy-to-use mobile work platform from Armorgard

Armorgard tuffbench[™]



Handle and Wheel Kit for TuffBench[¬] Note: Weights and dimensions approximate. External dimensions include handles

4" Chain Vice

CV4

BH1080-H

The **TuffBench™** heavy-duty folding work platform is a versatile workbench designed for contractors on the move and for use on construction sites. Its guick and easy assembly system - with no detachable parts – makes it easy to transport and store. When it's time to move on, simply collapse the platform, fold the legs and you're ready to go! Durable and built to last, the surface is manufactured from sustainable pressed timber.

WORK PLATFORMS AND UNITS

(kg)	External Dimensions $W \times D \times H$ (mm)	Folded Down Dimensions $W \times D \times H$ (mm)
	1080 x 750 x 820	1080 x 750 x 130
	1080 x 750 x 820	1080 x 750 x 130
	1165 x 870 x 1005	1165 x 870 x 315
	N/A	N/A
	N/A	N/A
	N/A	N/A

5

3

a heavy-duty cabinet!

Armorgard mobile tuffbench[™]

The universal mobile Use the Armorgard Mobile TuffBench[™] for workbench that's also a day and you'll wonder how you ever got by without it. A combination of heavy-duty storage cabinet and multi-purpose work surface, this innovative workbench makes any job that bit easier, while ensuring that your tools and equipment remain safe from thieves and damage. Its ultra-tough surface is ideal for fixing a chain vice, engineer's vice and other equipment, making it indispensable for M&E contractors when pipe threading and bending.

armorgard

SOLID WOODEN TOP. CAN BE REMOVED TO EXPOSE A METAL WORK SURFACE

SECURE LOCKABLE TOOL CABINET SECTION BENEATH WORKBENCH

POWDER COATED FOR MAXIMUM DURABILITY

HANDLES FITTED TO EACH END OF UNIT FOR EASY HANDLING

BH1270M

FITTED WITH EXTRA HEAVY-DUTY WHEELS (2 WITH BRAKES) - QUICK AND EASY TO MAN FITTED WITH 5-LEVER DEADLOCK - WITH INTERNAL ANTI-JEMMY SYSTEM FOR MAXIMUM SECURITY

FORKLIFT SKIDS FOR EASY TRANSPORTATION

Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	Internal Dimensions W x D x H (mm)
BH1270M	Mobile TuffBench [™]	96	1200 x 700 x 950	1000 x 630 x 615
BH1270-VF	Mobile TuffBench [™] with Vices Fitted	125	1200 x 705 x 940	990 x 630 x 640

Note: Weights and dimensions are approximate. External dimensions include handles.





WORK PLATFORMS AND UNITS



A go-anywhere, multi-purpose cutting station with unrivalled safety features to minimise vibration, sparks, noise and dust

Our ever-popular Armorgard **CuttingStation**[™] is a neat, mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths of material, such as conduit, timber, cable tray and pipe. The SS7 model includes lighting and chamfered corners to further reduce noise. You'll also find a new expandable working area to accommodate mitre saws and cutaway sides for handling longer materials.

Armorgard Cuttingstation[™]

EVENDABLE SUPPORT ARMS WITH 4 CONFICUENTIONS WITH 4 CONFICUENTIONS WITH 4 CONFICUENTIONS

> SECURE CABINET TO KEEP YOUR TOOLS SAFE

 European Patent Application Number: EP17183824.6

> European Community Design Registration Number: 004511525

SWARF COLLECTOR WITH DUST EXTRACTOR CONNECTION

> ADAPTABLE PVC CURTAINS TO CONTAIN SPARKS

> > RUBBER MAT TO REDUCE VIBRATION



>> OPTIONAL EXTRAS



experience team.

Note: Weights and dimensions are approximate. External dimensions include handles.

Weight (kg)

175

200

4

EASY ACCESS WITH CUT-OUT FRONT



>> MOBILE ON-SITE OFFICE

solution for your on-site work station needs

LED LIGHT FITTED AS STANDARD

armorgard

A purpose-built The innovatively designed Armorgard SiteStation[™] gives you a convenient place for routine on-site tasks, while also providing secure storage for your valuable equipment. The top section features a folding slanted work surface - ideal for displaying plans and charts – that provides additional lockable storage when shut – ideal for power tools, PPE and fixings.

Armorgard sitestation[™]

POWDER COATED FOR MAXIMUM DURABILITY

LIFTING EYES FOR CRANE LOADING

KEYED-ALIKE 2-POINT TAMPER-PROOF LOCKING SYSTEM

POCKETS ON DOORS FOR SMALLER COMPONENTS

SLANTED FOLDING WORK SURFACE WITH LOCKABLE CONCEALED STORAGE AREA

POWER SUPPLY FITTED AS STANDARD

TOP AND BOTTOM SECTIONS LOCK INDEPENDENTLY

ROBUST CONSTRUCTION FOR MAXIMUM PROTECTION

HEAVY-DUTY CASTORS FOR EASY MOBILITY

FORK SKIDS FOR EASY TRANSPORTATION

FULL-WIDTH SHELVES AND UPPER COMPARTMENTS



For on-site solutions, call our customer experience team.



Product Code	Description	Weight (kg)
SS2	SiteStation™	223

Note: Weights and dimensions are approximate. External dimensions include handles.

External Dimensions $W \times D \times H$ (mm)

1400 x 845 x 1970

Internal Dimensions W x D x H (mm)

Top: 1300 x 800 x 1065 Bottom: 1300 x 800 x 610



Welfare range

scrubkart™ sanistation sanistation

SECTION 03 WELFARE PRODUCTS



SECTION 03

	54
м	56
mini™	58

The mobile, instant warm water hand washing unit, purpose built for sites

Take sanitising to the next level with **ScrubKart**[™], our mobile hot or cold hand washing unit. With instant warm water by your side, a heavy-duty steel construction and robust solid rubber puncture-proof tyres to take on rougher terrains, it is a solution that is built to last.

Patent pending Application number - 2006552.0



Note: Weights and dimensions are approximate. External dimensions include handles.



immediate deployment of a central sanitising and noticeboard station

Unique solution for the Heavy-duty castors make the SaniStation™ a completely mobile unit that can provide relevant welfare where it's needed most. With its double-sided board, it is completely customisable for sanitising products, first aid, fire safety, and health and safety. The ultimate purpose-built on-site solution.

Armorgard sanistation[™]





RELEVANT SANITISING SIGNAGE INCLUDED AS STANDARD lean han save live please sanitise EASILY RELOCATABLE WITH TWO WHEELS **》** OPTIONAL EXTRAS ALCOHOL AND ALCOHOL-FREE HAND SANITISER GEL AND WIPES MANUAL AND AUTOMATIC DISPENSERS Product Code Description Weight (kg)

SaniStation™

S20

Note: Weights and dimensions are approximate. External dimensions include handles.



N/A

>>> WATCH THE SANISTATION™ S20 IN ACTION

Internal Dimensions W x D x H (mm)

External Dimensions W x D x H (mm)

700 x 600 x 1725

Note: Weights and dimensions are approximate. External dimensions include handles.

26.5

WELFARE RANGE

stations for internal high-traffic environments

Armorgard sanistation mini[™]



With an anti-theft system fitted as standard and a low dosage pump to reduce spillage, you can rest assured that the SaniStation Mini[™] will deliver every time when it comes to protecting welfare.





SaniStation Mini[™] Wall Mounted

SaniStation Mini[™] Standard

Wall-Mounted Bucket Holder

S10S

S10WM

BWM500



ALL SANISTATION MINI[™] COMPATIBLE WITH ALL STANDARD **5L BOTTLES**

SECURITY CLAMP TO HOLD AND PREVENT THE BUCKET FROM BEING REMOVED

SIQWM

FITTED TO WALL BY A SIMPLE WALL-MOUNTED BRACKET

CAN BE FREE STANDING OR FIXED TO THE FLOOR WELFARE RANGE



>> For on-site solutions, call our customer experience team on.

J)	External Dimensions $W \times D \times H$ (mm)	Internal Dimensions W x D x H (mm)
	155 x 275 x 1015 (Base Plate: 400 x 325)	N/A
	200 x 1000 (Base Plate: 400)	N/A
	200 x 240	N/A
	248 x 243 x 114	Ø205

12

2

1



SECTION 04 MANUAL HANDLING PRODUCTS



SEC1 Manual

piperack[™] bundlerack[™] loadall[™] rubble truck flexikart[™] v-kart[™] beamkart[™] turntable tru

SECTION 04

Manual handling products

	63
IM	
	67
₭™	
	74
	76
	76
uck™	









SAFETY HANDLE



LINKING KIT TO JOIN THE TWO PIPERACK™ TOGETHER (PRLK)

Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	Folded Down Dimensions $W \times D \times H$ (mm)	Weight Loading
PR1	PipeRack [™]	83	1010 x 1565 x 1570	1010 x 1565 x 550	1 Tonne
PR2	PipeRack [™]	101	1010 x 1565 x 1570	1010 x 1565 x 550	2 Tonne
PRSH	PipeRack [™] Handle	0.6	94 x 165 x 90	N/A	N/A
PRLK	PipeRack [™] Linking Kit	15	N/A	N/A	N/A
PRUK	PipeRack [™] Upgrade Kit	20	N/A	N/A	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.



UPGRADE KIT FROM 1 TONNE TO 2 TONNE CAPACITY (PRUK)



CASTOR DIRECTION LOCK ADAPTORS (LDLF)

easy transport and storage of large bundles of materials

TONNE CERTIFIED TO STORE

Armorgard bundlerackTM

The mobile rack for The Armorgard BundleRack[™] is a simple and effective means of transporting and storing large bundles of materials. It allows you to organise your materials on-site to optimise space, while ensuring they are quick and easy to move when needed. Designed to a high-quality, heavy-duty specification with a powder-coated finish. **BundleRack**[™] is built to last. The unit can be folded and stacked for easy storage when not in use.

The unique space-saving trolley for transporting large sheets of board

Armorgard loadall[™] **LA750**



Note: Weights and dimensions are approximate. External dimensions include handles.

Weight (kg)

79

External Dimensions W x D x H (mm)

1005 x 1560 x 1010

Description

BundleRack

66

Product Code

BR1

Save space, make handling easier and protect your materials from damage using LoadAll[™] LA750. Whether in the yard or on-site, transporting large sheets of board has never been easier. Specially designed for storing and transporting plasterboard and other large sheet materials.



The unique space-saving trolley for transporting large sheets of board

loadall[™] LA750-PRO

UNIQUE H-FRAME DESIGN MAKES ACCESS THROUGH DOORWAYS EASIER

SECURE THE LOAD WITH UNIQUE CLAMP SYSTEM

armorgard

HEAVY-DUTY CASTORS ALL SWIVEL AND 2 BRAKED FOR MAXIMUM CONTROL OF UNIT

6

Save space, ease manual handling and protect your materials with the LoadAlI™ LA750-PRO. The combination of the H-frame design and innovative clamping system with the swivel wheels and telescopic handle make the LA750-Pro easy to manoeuvre when carrying a full load of sheet materials through doorways and around corners.

6



SIDE LOADING FACILITY WITH EASY-GRAB HANDLES

ROBUST CONSTRUCTION USING 3 & 5MM STEEL

CAN BE EASILY COLLAPSED WITH NO DETACHABLE PARTS

ROBUST POWDER COAT



 \gg WATCH THE LOADALL™ LA750-PRO IN ACTION



The unique space-saving trolley for transporting large sheets of board

Armorgard

CERTIFIE TO CAR

LA1000

loadall[™] LA1000

LoadAll[™] LA1000 is the only trolley of its kind on the market that can be folded and stacked when not in use. It also has no detachable parts! Its A-frame design allows it to be loaded on both sides, maximising its space-saving efficiencies.

A unique space-saving trolley for transporting large sheets of material

Armorgard loadall[™] **LA1500**



41	550 x 1350 x 1
тм 49	730 x 1250 x 1
All [™] 125	900 x 2020 x 1
with 70	1705 x 550 x 13 Extended: 2305
	All [™] 125

Note: Weights and dimensions are approximate. External dimensions include handles.



ONE-PIECE DESIGN KEEPS UNIT TOGETHER AND PREVENTS LOSS OF PARTS

CENTRE

BOARDS IN PLACE - IMPROVING SAFETY WHEN ON-SITE

WORKING LOAD PLATES, CERTIFYING A CAPACITY OF UP TO 1 TONNE



CARRIES UP TO 24 SHEETS OF PLASTERBOARD - APPROXIMATELY 60% MORE THAN ALTERNATIVE PRODUCTS PROVISION FOR STRAPPING

CENTRE A-FRAME DESIGN MEANS THAT WHEN LOADED, ALL WEIGHT IS LEANING INTO THE

COMPLETE WITH SAFE

HEAVY-DUTY CASTORS FOR EASY MOBILITY



FOLDING & STACKABLE UNIT - TIDY AND EASY TO STORE WHEN NOT IN USE

Ease manual handling, save space and protect your materials from damage with the **LA1500**. Specially designed for storing and transporting large sheet materials. The wooden slats make it a great option for moving large sheets of glass too.

ions	Folded Down Dimensions $W \times D \times H$ (mm)	Weight Loading
30	550 x 1350 x 300	750kg
10	730 x 1250 x 495	1 Tonne
50	N/A	1.5 Tonne
05 x 550 x 1805	N/A	750kg

Rubble Truck[™] features an in-built tipping feature, ideal for handling waste and rubble

RUBBER BUFFERS FOR SIDE PROTECTION

ROBUST CONSTRUCTION ENGINEERED

FOR HEAVY USE

>>>

experience team.

Armorgard rubble truck[™]

00

CRANE LIFTING EYES - WELDED FOR EXTRA STRENGTH

O

SOLID RUBBER PUNCTURE PROOF WHEELS

Our multi-purpose Ergonomically designed for maximum performance and efficiency, the Rubble Truck[™] has an array of unique features to create an indispensable on-site companion. Our multi-purpose **Rubble Truck**™ features a huge 400-litre capacity scoop, extra strength crane lifting eyes, and solid rubber wheels. When the day's over, the unique stackable design means you can maintain a working space that's safe and clutter free.

EASY UNLOADING

OVER 400L CAPACITY SCOOP

armorgard

IDEAL FOR HANDLING MATERIALS, WASTE OR RUBBLE

For on-site solutions, call our customer

11 **》** OPTIONAL EXTRA RTHL HEAPED LID TO PREVENT ITEMS INSIDE FALLING OUT. INCREASES LOAD CAPACITY BY UP TO 160L

UNIQUE STACKABLE DESIGN

Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	Internal Dimensions $W \times D \times H$ (mm)	Weight Loading
RT400	Rubble Truck [™]	88.5	760 x 1460 x 855	675 x 1330 x 650	750kg
RTHL	Rubble Truck [™] Lid	19	770 x 1405 x 260	580 x 1400 x 210	N/A

Note: Weights and dimensions are approximate. External dimensions include handles

RTUNN

BUILT-IN TIPPING FEATURE



space-saving, stackable, sturdy and ergonomically friendly unit

ALL 4 SUPPORT ARMS CAN BE RAISED INDIVIDUALLY AS REQUIRED. WHEN NOT IN USE, THEY FOLD BELOW THE BED HEIGHT

A multi-purpose, Mobilise your materials with the FlexiKart[™], a safe, multi-purpose folding pallet skate. With a 750kg load capacity, this super-neat and sturdy trolley is ideal for storing materials off the ground and moving them around on-site, even through narrow corridors and doorways.

Armorgard flexikart[™]

> ABLE TO HOLD 1200 X 1000 PALLETS WHEN ALL 4 SUPPORT ARMS ARE LOCKED UPRIGHT

> > WITH THE SUPPORT ARMS FOLDED DOWN, THE FLEXIKART™ CAN ACCOMMODATE LARGER LOADS, OR CAN BE TWINNED WITH A SECOND FLEXIKART[™] FOR LONG LOADS SUCH AS METAL BEAMS, WOOD, PIPE, CONDUIT AND OTHER MATERIALS

A ROBUST PALLET SKATE WHICH INCREASES WHICH INCREASES SAFETY AND REDUCES PHYSICAL STRAIN WHEN MANOEUVRING LOADS MANUALLY

III II KAUKA .

BUILT-IN LASHING POINTS ALLOW LOADS TO BE SECURED, WHICH SAFELY PREVENTS THEM FALLING OFF WHEN MANOEUVRING FOUR SWIVEL CASTORS (TWO BRAKED) FOR EASY MANOEUVRABILITY

STACKABLE FOR MAXIMUM SPACE EFFICIENCY

0

750

KILO LOAD CAPACITY

4 ma 2022

LEAR

POPUP

>>> For on-site solutions, call our customer experience team.

External Dimensions (Unfolded) W x D x H (mm) Folded Down Dimensions W x D x H (mm) Product Code Weight (kg) Weight Loading Description 1270 x 755 x 395 FK2 FlexiKart™ 62 1270 x 755 x 1010 750kg

Note: Weights and dimensions are approximate. External dimensions include handles. 74







quantities of material





Note: Weights and dimensions are approximate. External dimensions include handles.

Note: Weights and dimensions are approximate. External dimensions include handles.

and equipment

For transporting bulk Our Turntable Truck[™] has been engineered to take the full strain of transporting bulk quantities of material and equipment when you really need it, reducing the physical impact for workers on construction sites.



DEADMAN BRAKE SYSTEM

690 x 1560 x 770

1000kg



tuffcage™ gorilla gas

SECTION 05 HAZARDOUS GOODS STORAGE



SECTION 05

Hazardous goods storage

cage	Μ			

The one-piece folding security cage for storing your gas cylinders and costly equipment The ingeniously designed TuffCage[™] is the answer to a wide range of on-site security needs. Constructed from galvanised heavy-duty steel, this robust high-security cage is suitable for storing gas cylinders as well as tools and equipment.

Armorgard tuffcage[™] SUITABLE FOR SECURING TOOLS AND EQUIPMENT AS WELL AS GAS CYLINDERS N.I. 1422 8 141 RELEVANT HAZARDOUS WARNING SIGNAGE QUICK AND EASY TO ERECT AND DISMANTLE EASILY STACKED FORKLIFT SKIDS FOR WHEN FOLDED EASY TRANSPORTATION DOWN, SAVING ON SPACE TC1.2 011 tuffcage 2 SECURE PADLOCK POINTS ONE-PIECE GALVANISED FOR MAXIMUM DURABILITY IN ALL WEATHER FOLDS DOWN CONSTRUCTION WITH NO REMOVABLE PARTS TO A HEIGHT OF JUST 180MM AND CAN BE STACKED UP No. Standard Size Gas Bottles Internal Dimensions W x D x H (mm) External Dimensions W x D x H (mm) Product Code Description Weight (kg)

1300 x 1240 x 1800

1220 x 1090 x 1760

47/19

The unique galvanised security cage specially designed for storing gas cylinders

Armorgard gorilla gas cage ΤМ



Product Code	Description	Weight (kg)	External Dimensions $W \times D \times H$ (mm)	Internal Dimensions W x D x H (mm)
GGC1	Gas Bottle Cage	40	1012 x 563 x 931	950 x 500 x 900
GGC3	Gas Bottle Cage	60	912 x 566 x 1831	850 x 500 x 1800
GGC4	Gas Bottle Cage	68	1212 x 1266 x 1231	1150 x 1200 x 1200
GGC5	Gas Bottle Cage	67	912 x 966 x 1831	850 x 900 x 1800
GGC6	Gas Bottle Cage	87	1212 x 1266 x 1831	1150 x 1200 x 1800
GGC7	Gas Bottle Cage	98	1812 x 966 x 1831	1750 x 900 x 1800
GGC8	Gas Bottle Cage	108	1812 x 1266 x 1831	1750 x 1200 x 1800
GGC9	Gas Bottle Cage	135	1812 x 1866 x 1831	1750 x 1800 x 1800
GGC10	Gas Bottle Cage	165	2412 x 1866 x 1831	2350 x 1800 x 1800
GGC11	Gas Bottle Cage	188	2712 x 1866 x 1831	2650 x 1800 x 1800
GGC12	Gas Bottle Cage	182	2412 x 2466 x 1831	2350 x 2400 x 1800
GGC13	Gas Bottle Cage	226	2412 x 3666 x 1831	2350 x 3600 x 1800
GGC14	Gas Bottle Cage	270	2412 x 4866 x 1831	2350 x 4800 x 1800
GGC15	Gas Bottle Cage	314	2412 x 6066 x 1831	2350 x 6000 x 1800
GGC16	Gas Bottle Cage	279	3612 x 3666 x 1831	3555 x 3600 x 1800
GGC17	Gas Bottle Cage	205	3662 x 1810 x 1831	3600 x 1750 x 1800

Note: Weights and dimensions are approximate. External dimensions include handles

133

TuffCage^{*}

80

TC1.2

Note: Weights and dimensions are approximate. External dimensions include handles.

Robustly constructed using 25mm box sections and 3mm wire mesh, the Gorilla Gas Cage[™] features a unique modular bolt-together design using individual galvanised panels, making it quick and easy to erect and dismantle. Suitable for use on site or in the storage yard, it comes complete and ready to erect with all fixings and flat packs when not in use.

81

HAZARDOUS

GOODS STORAGE

SECTION 06

Replacement keys and parts



 γ

Lost keys?

We also hold in stock replacement keys for our products for up to 5 years after purchase, so we can get you quick access should you lose your keys. Each product carries a unique serial number, and this enables us to locate your exact key and despatch immediately.

Spare parts

To complement our extensive range, we also hold in stock a vast supply of spare parts for our products. This enables us to deliver quickly and fulfil any replacement requirements.

Castors

Added flexibility for many of our products.

High-quality, heavy-duty castor sets with a unique quick-fit system. Replacements available for simply bolting on yourself, using the pre-drilled holes.



Keys

Product Code	Description
KEY	Replacement Deadlock Key
KEY3	Replacement Deadlock Key - Set 3



Castors

Product Code	Description	Contains	Loading Capacity
CAS	6" Castors (Supply Only) c/w Fixing Kit	2x Fixed, 2x Swivel-Braked Castors	135kg
CAS-HD	6" Heavy-Duty Castors (Supply Only) c/w Fixing Kit	2x Swivel, 2x Swivel-Braked Castors	350kg
LDLF	Castor Direction Lock Adaptors		
CAS-200	Castors for LA1500	2x Swivel, 2x Swivel-Braked Castors	500kg

Shelves

Product Code	Description
SHFC1	Shelf c/w Brackets for TSC1
SHFC2	Shelf c/w Brackets for TSC2 and FC2
SHFC3	Shelf c/w Brackets for TSC3 and FC3
SH4-OX	Shelf for OX4
FRS2	2m Shelf for Forma-Stor [™] Tool
TBS4	Shelf for TB2, TB12, TB3 & TBC4
TBDS4	Shelf for TBC4
TBDS5	Shelf for TBC5
TBS4P	PowerShelf for TB2, TB12, TB3 & TBC4
TBDS4P	PowerShelf for TBC4
TBDS5P	PowerShelf for TBC5



Locks

Product Code	Description
LOCK2	Pair 5 Lever Deadlocks
LOCK1	Single 5 Lever Deadlock

Gas struts and lid stay

Product Code	Description
G300	300N Gas Strut
G300S	300N Short Gas Strut
G450	450N Gas Strut
G1000	1000N Gas Strut
G1200	1200N Gas Strut
STAY1	Lid support stay for boxes
STAY2	Lid support stay for chests
SLM2	SlamStop lid stay short
SLM3	SlampStop lid stay long



fittingstor[™] bins

Product Code	Description	Available for
FCB	Storage Bins for FittingStor™	FC2, FC3, FC4, FC5, FC6

>> Do you need any other spare parts? We can help! Talk to our team to find out more.



Find us on social media:





Australia Office

Armorgard Australia PTY Ltd, 100 Silverwater Rd, Silverwater NSW 2128 Call 1300 131 751 Email sales@armorgard.com.au www.armorgard.com.au



New Zealand Office

Armorgard NZ, 15 Raiha St, Porirua 5022, Wellington, NZ Call **04 280 6440** Email sales@armorgard.co.nz www.armorgard.co.nz



UK Head Office call +44 (0) 23 9238 0280 email sales@armorgard.co.uk www.armorgard.co.uk



France Office call + 33 (0) 4 81 16 06 69 email commercial@armorgard.fr www.armorgard.fr