

12T Commercial Vehicle Four Post Lift

Product Codes B412T-630

Introducing our new commercial vehicle four-post lift, the B412T-630.

Engineered to meet the demands of today's commercial vehicle and truck service environments, our latest four-post commercial vehicle lift delivers exceptional strength, versatility, and performance. With a robust lifting capacity of 12 tonnes, this heavy-duty solution is perfectly suited to accommodate a wide range of commercial vehicles, including trucks, vans, and other large fleet vehicles.

Designed for reliability and efficiency, the B412T is the ideal choice for workshops requiring premium lifting power with maximum stability.

Options available:

- Universal tool mounting bracket for the storage of air-tools and spanners etc.
- Air Supply Kit - Enables the use of air tools and fitment of air-operated Jacking Beam
- Energy Kit - Mains power outlet on the post
- LED Lighting Kit - Four 2m LED Strips for complete vehicle underside illumination
- Jacking Beams - Compatible with our range of jacking beams up to 10 Tonnes
- OEM Customisation Available

Product Features

- ✓ Reinforced drive-up ramps / drive-over plates
- ✓ Heavy duty, high quality platforms & reinforced substructure
- ✓ Columns feature an innovative design with no longitudinal welds, enhancing structural integrity
- ✓ High quality safety ladder-racks on all posts
- ✓ Quiet operation
- ✓ 24V control switches, featuring "dead man" operation, separate up/down buttons, and a lockable main switch
- ✓ Automatic hydraulic safety valve
- ✓ Final descent safety lowering buzzer
- ✓ 2 year warranty

B412T Four Post Lift



12T Commercial Vehicle Four Post Lift

Technical Specifications

B412T-630	
Load Capacity	12,000 kg
Motor	3 kW
Power	3 Phase - 415V / 50Hz
Lifting Time	65s (approx.)

Measurements (millimetres)

B412T-630	
Lifting Height	1660 mm
Installed Max Height	2465 mm
Installed Max Width	3735 mm
Installed Overall Length	7475 mm
Platform Width	710 mm
Distance Between Columns	3265 mm
Distance Between Platforms	780 - 1150 mm

12T Commercial Vehicle Four Post Lift

Schematic B412T-630

