

25T / 30T Commercial Vehicle Four Post Lifts

Product Codes B425T / B430T

Engineered for the most demanding lifting requirements, this heavy-duty commercial vehicle (CV) lift is designed to handle a wide range of HGVs and large commercial vehicles, from small commercial fleets to the military, and everything in between. Featuring robust 810mm wide platforms with a long 8000mm length, it delivers exceptional versatility and stability.

Available with lifting capacities of 16T, 18T, 25T and 30T, this lift provides a secure and reliable platform for all types of maintenance and servicing tasks. Built for durability and performance, it is the ideal solution for professional commercial workshops and fleet maintenance facilities seeking a dependable and high-capacity lifting system.

Options available:

- Universal tool mounting bracket for the storage of air-tools and spanners etc.
- Air Supply Kit - Enables the use of air tools and fitment of air-operated Jacking Beam
- Energy Kit - Mains power outlet on the post
- LED Lighting Kit - Four 2m LED Strips for complete vehicle underside illumination
- Jacking Beams - Compatible with our range of jacking beams up to 8 Tonnes
- Optional 1.2m platform extension kit
- OEM Customisation Available

Product Features

- ✓ Reinforced drive-up ramps / drive-over plates
- ✓ Heavy duty, high quality platforms & reinforced substructure
- ✓ Columns feature an innovative design with no longitudinal welds, enhancing structural integrity
- ✓ High quality safety ladder-racks on all posts
- ✓ Quiet operation
- ✓ 24V control switches, featuring “dead man” operation, separate up/down buttons, and a lockable main switch
- ✓ Automatic hydraulic safety valve
- ✓ Final descent safety lowering buzzer
- ✓ 2 year warranty

B425T Four Post Lift



12T Commercial Vehicle Four Post Lift

Technical Specifications

	B425T-800 / B430T-800
Load Capacity	25,000 kg / 30,000 kg
Motor	5.5kW
Power	3 Phase - 415V / 50Hz
Lifting Time	90s (approx.)

Measurements (millimetres)

	B425T-800	B430T-800
Lifting Height	1300 mm	1540 mm
Installed Max Height	2079 mm	2079 mm
Installed Max Width	4269 mm	4269 mm
Installed Overall Length	9429 mm	9429 mm
Platform Width	810 mm	810 mm
Distance Between Columns	3500 mm	3500 mm
Distance Between Platforms	1000 mm	1000 mm

12T Commercial Vehicle Four Post Lift

Schematic B425T / B430T

