

- ✓ RIGHT PRODUCTS
- ✓ RIGHT PLACE
- ✓ RIGHT TIME



Product Model

Armorgard DuctRack™ DR1

The Armorgard DuctRack DR1 promotes safe and efficient storage, while also allowing for more efficient transportation. All while protecting the ducting and pipework on site.

With two different sizes certified to carry a total load capacity of 1 tonne in weight, you can store your ducting off the floor, making it readily accessible and easily transportable across your site.

Featuring centrally fixed wheels that enable it to turn within its own footprint, and handles on each corner, whether you are operating with colleagues or on your own, the DuctRack makes lightwork of moving large loads around site.



Technical data supplied by the manufacturer

Additional Information

- Features the SafeStop dead-man braking system for ultimate user safety.
- Unit can be folded down and stacked when not in use.
- Specialised wheel layout ensures good stability and a compact turning circle.
- Optional shelf and side kits improve storage capacity.
- Patent pending design.

- ✓ RIGHT PRODUCTS
- ✓ RIGHT PLACE
- ✓ RIGHT TIME

Product	Armorgard DuctRack™ DR1
Internal dimensions	N/A
External dimensions (including protrusions)	1835x750x1860mm Folded: 1835x750x740mm
Weight	138kg
Colour	Black Grey: RAL 7021
Finished coating	Powder coated steel
Material	Steel
Material thickness	2.5mm & 3mm
Locking mechanism	N/A
Does it have forklift skids?	Yes
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	N/A
Optional extras available	Shelf, side kit
Quantity of shelves as standard	N/A
Are castors standard or optional extra?	Standard
How are the castors fitted?	Quick-fix bolt on castor kit
Sump capacity	N/A
Safety signage	N/A
Fire resistant?	N/A

Remark: This technical data sheet replaces all previous versions. The technical data contained herein is given in good faith and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings. The information detailed in this technical data sheet is given by way of indication and is not exhaustive, users should contact either the seller or the manufacturer of the product for additional technical information concerning its use, if they think the information in their possession needs to be clarified in any way.

- ✓ RIGHT PRODUCTS
- ✓ RIGHT PLACE
- ✓ RIGHT TIME



Product Model

Armorgard DuctRack™ DR2

The Armorgard DuctRack DR1 promotes safe and efficient storage, while also allowing for more efficient transportation. All while protecting the ducting and pipework on site.

With two different sizes certified to carry a total load capacity of 1 tonne in weight, you can store your ducting off the floor, making it readily accessible and easily transportable across your site.

Featuring centrally fixed wheels that enable it to turn within its own footprint, and handles on each corner, whether you are operating with colleagues or on your own, the DuctRack makes lightwork of moving large loads around site.



Technical data supplied by the manufacturer

Additional Information

- Features the SafeStop dead-man braking system for ultimate user safety.
- Unit can be folded down and stacked when not in use.
- Specialised wheel layout ensures good stability and a compact turning circle.
- Optional shelf and side kits improve storage capacity.
- Patent pending design.

- ✓ RIGHT PRODUCTS
- ✓ RIGHT PLACE
- ✓ RIGHT TIME

Product	Armorgard DuctRack™ DR2
Internal dimensions	N/A
External dimensions (including protrusions)	1835x1140x1860mm Folded: 1835x1140x740mm
Weight	158kg
Colour	Black Grey: RAL 7021
Finished coating	Powder coated steel
Material	Steel
Material thickness	2.5mm & 3mm
Locking mechanism	N/A
Does it have forklift skids?	Yes
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	N/A
Optional extras available	Shelf, side kit
Quantity of shelves as standard	N/A
Are castors standard or optional extra?	Standard
How are the castors fitted?	Quick-fix bolt on castor kit
Sump capacity	N/A
Safety signage	N/A
Fire resistant?	N/A

Remark: This technical data sheet replaces all previous versions. The technical data contained herein is given in good faith and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings. The information detailed in this technical data sheet is given by way of indication and is not exhaustive, users should contact either the seller or the manufacturer of the product for additional technical information concerning its use, if they think the information in their possession needs to be clarified in any way.