

## Product Model Caddy Speed Link Slk Locking Device



- Push/pull keyless release allows easy adjustments
- Low-profile locking device minimizes visual impact
- Cable spread of 90 degrees allows positioning the device closer to the load
- Keyless release tubes are easy to operate while wearing gloves
- Double-sided locking mechanism enables simple height adjustment



Technical data  
supplied by the  
manufacturer

|                                    |                                  |
|------------------------------------|----------------------------------|
| <b>Material</b>                    | Steel, Polypropylene, Zinc Alloy |
| <b>Standard Packaging Quantity</b> | 200 pc                           |
| <b>UPC</b>                         | 78285680861                      |
| <b>EAN-13</b>                      | 8711893140859                    |

| <b>Part Code</b> | <b>Wire Rope Diameter</b> | <b>Height</b> | <b>Width</b> | <b>Thickness</b> | <b>Angle</b> |
|------------------|---------------------------|---------------|--------------|------------------|--------------|
| SLK2C200         | 1.5 – 2.0 mm              | 2.15"         | 3/4"         | 1/2"             | 90° Max      |

Locking devices are only to be used with CADDY SPEED LINK wire spools and accessories with the same specified Wire Rope Diameter as the locking device.  
Do not use with any other wires.

**WARNING** Pentair products shall be installed and used only as indicated in Pentair's product instruction sheets and training materials. Instruction sheets are available at [erico.pentair.com](http://erico.pentair.com) and from your Pentair customer service representative. Improper installation, misuse, misapplication or other failure to completely follow Pentair's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.  
© 2016 Pentair All rights reserved

Pentair, CADDY, CADWELD, CRITEC, ERICO, ERIFLEX, ERITECH and LENTON are owned by Pentair or its global affiliates.  
All other trademarks are the property of their respective owners. Pentair reserves the right to change specifications without prior notice.

**Remark:** This technical data sheet replaces all previous versions. The technical data contained herein is given in good faith and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings. The information detailed in this technical data sheet is given by way of indication and is not exhaustive, users should contact either the seller or the manufacturer of the product for additional technical information concerning its use, if they think the information in their possession needs to be clarified in any way.