

PRODUCT CATALOGUE



**Industrial
Plasters**
Proven Reliability



Welcome to Industrial Plasters

Established in 1976, Industrial Plasters is a dedicated and experienced supplier of Plaster of Paris and related moulding and casting materials.

We believe in friendly, rock-steady service and throughout our extensive experience have built up our reputation and our motto:



Proven Reliability

Proven Reliability means that as a supplier we focus on what you need most – honest, on time quality service, and goods you can depend upon. We source goods of the highest quality, and aim to provide a service that gives you complete peace of mind, so you in turn can focus on producing the best products for your business.

As part of our outstanding customer service we are constantly looking ahead for further solutions to your needs, an outlook that has led to the introduction of GypsumGo, our waste plaster disposal service, and other innovations.

So please take a look through this all-new catalogue, the first step towards becoming a valued beneficiary of Industrial Plasters' exceptional service.

John Smith | Senior Partner

Ian Smith | Managing Director

“Having supplied plaster throughout the UK now for over 35 years, we are confident that we can supply from stock the right plaster for any application. Also having used plaster ourselves during many years of manufacturing we can offer invaluable practical advice and support”

Ian Smith | Managing Director

Plasters 6-14	Fillers 28-29	Abrasives 42-43
Casting Plasters 6 - 7	Filler Powders 28	Steel Wool 42
Dental and Stone Plasters 8 - 9	Metal Powders 29	Wet and Dry Sandpaper 43
Diestone 10		
Ceramic Plasters 11		
Specialist Plasters 12		
Specialist Plasters / Cement 13		
Plaster Additives 14		
Gypsum Go 15	Release Agents & Sealers 30-31	Tools 44-55
Gypsum Go Product Information 15	Release Agents 30	Brushes 44
	Sealers 31	Knives and Scalpels 45
		Surforms 46
		Small Tools 47
		Modelling Tools 48 - 50
		Wire Modelling Tools 51
		Renzo Milani Riffles 52
		Renzo Milani Riffles & Brushes 53
		General Tools 54 - 55
Scrim & Laths 16	Modelling Materials 32-35	Dental Sundries 56-59
Scrim & Laths 16	Plaster Bandage 32	Polishing Sundries 56
	Clay 33	Dental Waxes and Brushes 57
	Milliput, Wax 34	Dental Sundries 58
	Other 3	Cleaning 59
Jesmonite 17-19	Profiles & Fences 36	PPE 60-63
AC100/AC300 17	Profiles and Fencing Equipment 36	Aprons, Labcoats and Overalls 60
AC730 18		Handcare 61
Sundries 19		Handcare and Eye Protection 62
		Respiratory Masks and Filters 63
Silicone 20-24	Reinforcement & Armatures 37	Training Aids 64
Durasil and Smartsil 20	Reinforcements and Armatures 37	Training Aids 64
Smartsil Catalyst / Silastic 21		
Silastic 22		
Silastic Curing Agent / Other Rubbers 24		
Sundries 25		
	Adhesives 38	
	Superglue and Adhesives 38	
Flexible Moulding Materials 25	Measuring & Mixing 39-40	
Alginate / Latex / Vinyl 25	Bowls & Buckets 39	
	Tools 40	
Resin & Fibreglass 26-27	Containers 41	
Resin 26	Jugs and Containers 41	
Fibreglass / Resin Pigments 27		


“Having used South Western Industrial Plasters for over 30 years, their customer service is second to none, pulling out all the stops when we need it” - Mike, Dental Technician

Next Day Delivery

Our location and excellent connections enable us to despatch all orders for **Next Day** delivery via nationwide courier networks.

We also deliver to the local area through our own vehicles twice a week.


Our very able and willing drivers deliver directly into your workshop if required.




Delivery Info

Order deadline for **Next Day Delivery: 13:00**


Collections: The trade counter is open from 8am - 4pm, Monday - Friday.




Call us
+44 (0) 1380 850 616




Fax us
+44 (0) 1380 859 638



Email us
info@industrialplasters.com



Visit us
www.industrialplasters.com



Write to us
63 Netherstreet
Bromham
CHIPPENHAM
Wiltshire
SN15 2DP

Opening Times

Our opening hours are 8:00 - 16:30 Monday - Friday.

Payment

Account Customers: Monthly credit is available subject to acceptance.

Non Account Customers: Card, most credit and debit cards accepted.

COD: Cash on delivery can be arranged within our local delivery area.

Plasters

6



Prestia Tradition Plaster

Fine plaster for fibrous casts such as cornices, ceiling roses and niches. Slightly harder than Casting.

Plaster/Water Ratio: 100/70
Set Time (Mins): 18

Code	Size
PRE01025	25kg



Fine Casting Plus Plaster

Similar to Fine Casting, but is processed to much tighter specifications, thereby producing more consistent material.

Plaster/Water Ratio: 100/70
Set Time (Mins): 20

Code	Size
FIN00150	25kg



Fine Casting Plaster

Off white plaster suitable for fibrous plasterwork, decorative cornices, ceiling roses, and general casting applications.

Plaster/Water Ratio: 100/70
Set Time (Mins): 21

Code	Size
FIN00125	25kg
FIN00110	10kg Bucket
FIN00105	5kg Bucket
FINE1000	1000kg (Bulk Bag)



Prestia 2500 Plaster

Harder but coarser than Fine Casting, used for casting, mould cases etc.

Plaster/Water Ratio: 100/70
Set Time (Mins): 11

Code	Size
PRE25000	25kg



NO.1
BESTSELLING
PRODUCT!

Prestia Casting Plaster

Fine plaster produced from high purity natural gypsum. Ideal for general casting, case moulds and carving. Ideal for fibrous work.

Plaster/Water Ratio: 100/70
Set Time (Mins): 13

Code	Size
PRE04925	25kg



Prestia Classic Plaster

Very consistent quality casting plaster, widely used for ornamental plaster moulding, both for reverse moulds and castings.

Plaster/Water Ratio: 100/69
Set Time (Mins): 10

Code	Size
PRE00325	25kg
PRE00310	10kg Bucket
PRE00305	5kg Bucket

SEE PAGE 12
FOR COVE
ADHESIVE

Plasters

7



Superfine Casting Plaster

White plaster suitable for fibrous plasterwork, general casting, modelling applications. Harder and better quality than Fine Casting.

Plaster/Water Ratio: 100/70
Set Time (Mins): 22

Code	Size
SFC00225	25kg
SFC00210	10kg Bucket
SFC00205	5kg Bucket



Prestia Creation Plaster

Good quality hard plaster useful for general casting and moulding work.

Plaster/Water Ratio: 100/50
Set Time (Mins): 12

Code	Size
PRE01125	25kg

Prestia Normal Plus Plaster

Similar to Classic, but with slower set time.

Plaster/Water Ratio: 100/67
Set Time (Mins): 13

Code	Size
PRE05225	25kg



Crystacal R Plaster

An extra hard white plaster for use where high strength and surface hardness are important in GRG giftware and modelling applications.

Plaster/Water Ratio: 100/35
Set Time (Mins): 15

Code	Size
CRY00725	25kg
CRY00710	10kg Bucket
CRY00705	5kg Bucket



Prestia Expression Plaster

Fine plaster for high strength moulding works

Plaster/Water Ratio: 100/40
Set Time (Mins): 11

Code	Size
PRE00425	25kg



Crystacast Plaster

An exceptionally hard plaster for use in giftware and modelling applications where surface hardness and exceptional detail are important.

Plaster/Water Ratio: 100/28
Set Time (Mins): 18

Code	Size
CRY00825	25kg
CRY00810	10kg Bucket
CRY00805	5kg Bucket



ULTRA
HIGH
STRENGTH

Crystacal Alpha K Plaster

An ultra high strength casting plaster developed to replace resin in the production of fine detailed giftware. Can also be used for industrial modelling.

Plaster/Water Ratio: 100/21
Set Time (Mins): 25

Code	Size
CRY00925	25kg
CRY00910	10kg Bucket
CRY00905	5kg Bucket



EXCELLENT
FOR GRG AND
GIFTWARE
APPLICATIONS

Herculite No. 2 Plaster

Hard white plaster for use where colour, high strength and surface durability are required. For fibrous plasterwork, GRG and giftware applications.

Plaster/Water Ratio: 100/42
Set Time (Mins): 10

Code	Size
HER00525	25kg
HER00510	10kg Bucket
HER00505	5kg Bucket

Helix Plaster

An off white plaster that combines good strength with low expansion. For production of reverse moulds, skirtings and column encasements, and also for GRG work.

Plaster/Water Ratio: 100/50
Set Time (Mins): 15

Code	Size
HEL00425	25kg

Prestia Basic SH Alpha Plaster

High strength plaster for architectural mouldings, also used in modelling applications.

Plaster/Water Ratio: 100/37
Set Time (Mins): 10

Code	Size
BASIC025	25kg

Plasters

8

EXCELLENT
QUALITY



DENTAL SP
DENTAL PLASTER
FOR DENTAL PROTHESIS MOULDS

Net : 25kg

Prestia Dental SP Plaster

Primarily used for flasking in dental production. Very widely used in other casting applications. Extremely popular for its consistent quality.

Plaster/Water Ratio: 100/69
Set Time (Mins): 12

Code	Size
PDP02225	25kg
PDP02210	10kg Bucket
PDP02205	5kg Bucket



“Now THAT is what I call service! Order a pallet from Industrial Plasters and it turns up at 8.05 AM next day.” - Rob, Dental Supplier



Dental Plaster

Primarily used for flasking in dental production, also used in other medical casting applications.

Plaster/Water Ratio: 100/60
Set Time (Mins): 11

Code	Size
DEN01525	25kg
DEN01510	10kg Bucket
DEN01505	5kg Bucket



Surgical Plaster

Used for high quality castings and models, also for specialised healthcare applications.

Plaster/Water Ratio: 100/60
Set Time (Mins): 11

Code	Size
SUR01625	25kg
SUR01610	10kg Bucket
SUR01605	5kg Bucket

Crystacal R/Surgical 70/30 Mix

Special blend of plaster for the casting of hard orthodontic study models.

Plaster/Water Ratio: 100/42
Set Time (Mins): 12

Code	Size
CRS02670	25kg

Crystacal R/Surgical 50/50 Mix Plaster

Special blend of plaster for the casting of hard orthodontic study models.

Plaster/Water Ratio: 100/42
Set Time (Mins): 12

Code	Size
CRS02625	25kg
CRS02610	10kg Bucket

Crystacal R Plaster

Excellent quality hard white plaster for use in the production of orthodontic study models.

Plaster/Water Ratio: 100/35
Set Time (Mins): 15

Code	Size
CRY00725	25kg
CRY00710	10kg Bucket
CRY00705	5kg Bucket



Flasking Plaster

Quality plaster blended specifically for use in flasking in dental production.

Plaster/Water Ratio: 100/46
Set Time (Mins): 10

Code	Size
FLA01425	25kg
FLA01410	10kg Bucket
FLA01405	5kg Bucket



Dental/Dentstone KD Mix Plaster

Special blend of plaster for the production of denture model bases. 50/50 mix.

Plaster/Water Ratio: 100/45
Set Time (Mins): 10

Code	Size
DKD02525	25kg
DKD02510	10kg Bucket



Dentstone HXD Plaster

Used for production of dental models, it produces a very detailed, hard model and has a higher level of expansion on setting to compensate for the contraction of acrylic plastics on heating.

Plaster/Water Ratio: 100/30
Set Time (Mins): 9

Code	Size
HXD01825	25kg
HXD01810	10kg Bucket
HXD01805	5kg Bucket



Prestia Labroc Plaster

High quality and consistent dental stone used for detailed hard models for prosthetic, orthodontic, and crown & bridge.

Plaster/Water Ratio: 100/30
Set Time (Mins): 13

Code	Size
PDP02320	20kg
PDP02310	10kg



Prestia Labstone Plaster

Prestia Labstone is a type III dental stone, ochre color plaster for dentistry applications.

Plaster/Water Ratio: 100/30
Set Time (Mins): 13

Code	Size
PDP02425	25kg
PDP02410	10kg Bucket
PDP02405	5kg Bucket



Dentstone KD Plus Plaster

Used in the dental industry for prosthetics, orthodontics, crown and bridge work producing a very detailed, low expansion and extra hard model.

Plaster/Water Ratio: 100/28
Set Time (Mins): 12

Code	Size
KDP00025	25kg

VERY
POPULAR
STONE
PLASTER



Dentstone KD

Dentstone KD Plaster

Dental stone used for hard models, investments and dies.

Plaster/Water Ratio: 100/30
Set Time (Mins): 10

Code	Size
DKD01725	25kg
DKD01710	10kg Bucket
DKD01705	5kg Bucket

Crystacal R/ Dentstone KD Plaster 3/1 Mix

Unique blended plaster for producing hard models and dies etc.

Plaster/Water Ratio: 100/30
Set Time (Mins): 12

Code	Size
CRYKD3/1	25kg



Crystacal D Plaster

It is used primarily in the dental industry for prosthetic and orthodontic work, producing a very detailed, extra hard model.

Plaster/Water Ratio: 100/25
Set Time (Mins): 9

Code	Size
CRY01925	25kg
CRY01910	10kg Bucket
CRY01905	5kg Bucket

Plasters

9

Plasters

Plasters

Crownstone Plaster

Easy working dental diestone which produces models of high strength and surface durability. For Crown & Bridge work.

Plaster/Water Ratio: 100/24
Set Time (Mins): 14
Expansion: 0.15
Comp Strength (N/mm2): 37.5

Code	Size
CRO02025	25kg
CRO02210	10kg Bucket
CRO02005	5kg Bucket



Ultima Galaxy

Very high quality synthetic class IV thixotropic resin die stone.

Plaster/Water Ratio: 100/20
Set Time (Mins): 18
Expansion: 0.9
Comp Strength (N/mm2): 60

Code	Size
ULT98080 (Blue)	6kg
ULT98090 (Ivory)	6kg

Ultima Novadur

Very popular, Ultra White, high quality Class IV diestone. Ideal for study models.

Plaster/Water Ratio: 100/24
Set Time (Mins): 15
Expansion: 0.15
Comp Strength (N/mm2): 50

Code	Size
ULT98110	6kg



“Thank you to the team for such excellent service over the many years you have supplied us” - Ray, Dental Technician

Ultramix Plaster

A buff tinted plaster used to produce block and case moulds during the production of ceramic ware.

Plaster/Water Ratio: 100/33
Set Time (Mins): 14

Code	Size
ULT03525	25kg



Newcast 96 Plaster

This product is used in the ceramics industry to produce working moulds for the slip casting of tableware and sanitaryware. It can also be used for the production of working moulds for the automatic forming of clay. For the production of working moulds where consistent mould life and porosity are important.

Plaster/Water Ratio: 100/57
Set Time (Mins): 8

Code	Size
NEW03425	25kg



Keramipress Plaster

High strength plaster used in the ceramics industry to make hardwearing dies for the high pressure hydraulic forming of plastic clay,

Plaster/Water Ratio: 100/30
Set Time (Mins): 14

Code	Size
KER03625	25kg



Keramicast Plaster

Off white plaster for higher strength working moulds, particularly with automatic forming equipment.

Plaster/Water Ratio: 100/55
Set Time (Mins): 8

Code	Size
KER03325	25kg



Prestia Ceram No. 1 Plaster

High quality plaster for ceramic moulds, giving high strength and wear resistance along with excellent casting quality.

Plaster/Water Ratio: 100/65
Set Time (Mins): 10

Code	Size
PRE04535	25kg



Prestia Form Plaster

Alpha plaster specially designed to fulfill the needs of the ram process technique in machine pressed ceramic production. Perfect reproduction of pattern.

Plaster/Water Ratio: 100/30
Set Time (Mins): 17

Code	Size
PRE04435	35kg



Natches

Strong plastic interlocking pegs for accurate location of plaster piece-moulds. Can also be used with silicone and polyurethane moulds.

Code	Size
NAT16101	5/8"
NAT16102	3/8"



Pottery Plaster

Off white plaster suitable for castware, sanitaryware, jollied or hand pressed working moulds.

Plaster/Water Ratio: 100/69
Set Time (Mins): 9

Code	Size
POT03225	25kg
POT03210	10kg



Plasters

Proven Reliability ensures that we have even some of the most specialist plasters in stock - a feature unique to us as a supplier.



Herculite LX Plaster

Specially formulated low expansion hard casting plaster for the production of engineering patterns where minimum expansion is required.

Plaster/Water Ratio: 100/40
Set Time (Mins): 35
Expansion: 0.07

Code	Size
HER03725	25kg



Crystacal LX Plaster

Hard, durable plaster used in Fibrous Plasterwork and GRG, where high strength, surface hardness and dimensional accuracy are required.

Plaster/Water Ratio: 100/35
Set Time (Mins): 35
Expansion: 0.08

Code	Size
CRY03825	25kg



Prestia Dito Plaster

Similar properties to Herculite LX, characterised by its surface hardness and its exceptionally low setting expansion.

Plaster/Water Ratio: 100/53
Set Time (Mins): 18
Expansion: 0.05

Code	Size
PRE03835	35kg

Cove Adhesive




Herculite Fibrefix Plaster

An excellent product, suitable for the fixing of traditional fibre reinforced plasterwork, giving very good adhesion to most surfaces.

Plaster/Water Ratio: 100/55
Set Time (Mins): 90

Code	Size
HER04125	25kg



Prestia CA120 Plaster

Very popular cove adhesive, excellent adhesion and longer set time of 120 minutes, giving 90 minute working time.

Plaster/Water Ratio: 100/55
Set Time (Mins): 120


Code	Size
PRE12025	25kg

Agricultural Gypsum

Ground gypsum for soil treatment, main applications include:

- To improve the structure of clay soils on farmland and sports fields.
- As a carrier in horticultural dressings and garden products.
- As a source of sulphur and calcium.

Code	Size
AGR00025	25kg



HP2 Plaster

Off-white plaster used in the ceramics industry to produce slip-casting working moulds.

Plaster/Water Ratio: 100/62
Set Time (Mins): 10

Code	Size
HP200025	25kg

Plasters/Cement



Herculite Opticast Plaster

Easy to use off-white plaster, mainly used in the manufacture of prisms and lenses, for holding precision glass components during manufacture. The relatively low set strength allows the components to be easily removed from the set plaster.

Plaster/Water Ratio: 100/44
Set Time (Mins): 22

Code	Size
HER04325	25kg



Herculite Hardcoat Plaster

This product provides a hard surface finish on cork or expanded polystyrene slabs for use in cold storage rooms, refrigeration chambers and in the lagging of ducts in heating installations. Its gradual setting property allows for ample opportunity to bring the plaster to a smooth surface finish.

Plaster/Water Ratio: 100/42
Set Time (Mins): 130

Code	Size
HER03925	25kg



Crystacal BASE Plaster

A high strength plaster, produces very hard casts and will faithfully reproduce fine detail.

Plaster/Water Ratio: 100/35
Set Time (Mins): 5

Code	Size
CRYBASE25	25kg



Crystacal Lamina Plaster

High performance plaster specially developed using polymer technology for the Fibrous and GRG markets. Produces a very smooth, high impact and wear resistant surface finish.

Plaster/Water Ratio: 100/35
Set Time (Mins): 25

Code	Size
CRY00795	25kg
CRY00791	10kg Bucket
CRY00790	5kg Bucket



Fibrocem is a material primarily designed for production of durable exterior castings of high strength and fine definition. It has a rapid turn round time of around 2.5 - 3 hours, providing a cost and time efficient system of casting. Unpainted castings have a finish similar to Portland Stone.

Fibrocem (Casting)

A glass fibre reinforced high density cement based composite of very high strength and durability.

Code	Size
FIB04800	25kg

Fibrocem (Precoat)

Precoat is a fibre-free version for use as a preparation coat, to achieve a fine smooth surface.

Code	Size
FIB04801	25kg

Fibrocem (Normal Backing)

Normal Backing is a slower setting version of Fibrocem Casting, giving longer working time.

Code	Size
FIB04802	25kg

Cement Fondu

Fast setting cement which achieves full strength in 24 hours. Used extensively in external castings, hand building and sculpture work.

Set Time (Mins): 2 Hours

Code	Size
CEM04725 (Grey)	25kg
CEM04750 (White)	25kg



Plaster Accelerator

Add a small amount of powder to your plaster mix to speed up set time.

Add at 5g per litre of gauging water.

Code	Size
PLA59025	20kg
PLA59001	1kg



Plaster Retarder

Tri-sodium citrate crystals, which when dissolved in water produces a very strong and effective retarder for plaster.

Code	Size
PLA06725	25kg
PLA06705	5kg
PLA06701	1kg

Plaster Polymer

A water-based acrylic liquid formulated for addition to standard plaster mixes, making casts harder and tougher.

Code	Size
PLA58025	20kg
PLA58005	5kg
PLA58001	1kg



GypsumGo is the complete Gypsum Disposal Service from Industrial Plasters. Our outstanding service and focus on providing solutions for our customers has shown us the need for an effective gypsum disposal service, as increased legislation as to gypsum comes into force.

GypsumGo provides a way of disposing of your waste plaster that is Clear, Easy, Clean & Legal.

HOW DOES IT WORK?

GypsumGo is supplied in the form of a 25ltr Unit of Service – a sturdy 25ltr plastic tub, with a liner and lid.

We have designed the system to be as easy and hassle-free as possible, and it's as simple as shown in the diagram.


HOW DO I GET IT?

Please give us a call on **01380 850616**, or visit us online at **www.gypsumgo.com** to reap the benefits of this outstanding service!

GypsumGO

GypsumGo provides a way of disposing of your waste plaster that is Clear, Easy, Clean & Legal.

Code	Product
GYPG025L	Empty 25ltr bucket
GYPG001	Collection of filled bucket



YOU ORDER




WE DELIVER UNIT OF SERVICE



YOU FILL UP UNIT OF SERVICE



WE COLLECT UNIT OF SERVICE



GYPSUM RECYCLED

Please note this service is currently only available within our own vehicle delivery zone, see page 5 for details.

Scrim & Laths

16

Scrim

Jute Scrim

Finest quality hessian scrim for reinforcing plaster casts, with a salvedge on both edges to prevent fraying. Mesh size approximately 5mm x 10mm.

920mm x 200mtr
450mm x 200mtr
300mm x 200mtr
150mm x 200mtr
75mm x 200mtr

Code	Width
JUT06092	36"
JUT06045	18"
JUT06030	12"
JUT06015	6"
JUT06007	3"



Cotton Scrim

Excellent reinforcement for lighter casting and modelling applications. 90 mtr roll.

Code	Size
COT06175	3"



Unifilo U816 Mat

Continuous strand glassfibre mat, for reinforcing plaster in GRG applications. Supplied as a roll approx. 1380mm wide and 200mtr long, charged by weight (kg's). Not suitable for fibreglass use.


Code	Weight
UNIFIL0816	225gm²



Timber Laths

We firmly believe that our laths are the finest on the market. With dead-straight edges and full-length thickness accuracy, their consistent qualities make them essential to every fibrous plasterer wanting to produce the perfect cornice! Neatly packaged bundles help keep your workplace safe and tidy. Supplied in bundles of 100 x 3mtr lengths.

Code	Size
TIM06405	22 x 5mm
TIM06403	22 x 3mm
TIM06410	10 x 3mm
TIM300228	22 x 3mm x 8'



Jesmonite

17

AC100 / AC300



FOR LARGE CASTS

Jesmonite AC100 is an acrylic composite, 2 part (liquid & powder) material suitable for decorative castings and glass reinforced laminates. AC100 is fire resistant, solvent free (doesn't damage rubber moulds), and has low exothermic reaction, so is an excellent material for large casts and projects. Suitable for internal and temporary external use (must be sealed for external use).

Jesmonite AC100 Liquid

AC100 liquid for use with the AC Powder. Mix between 3:1 and 2:1 powders to liquid depending on the viscosity required.

Pot Life: 10-15 minutes

Final Set (Demould): 45-60 mins

Fire Rating: Class '0'

Code	Size
JES1120L	120kg
JES1125L	25kg
JES1110L	10kg
JES1105L	5kg
JES1101L	1kg

Jesmonite AC Powder

AC Powder for use with AC100 and AC300 liquids.

Code	Size
JES1225P	25kg
JES1215P	15kg
JES1310P	10kg
JES1203P	3kg



Jesmonite AC300

AC300 liquid for use with AC Powder. Mix at 2.5:1 powders to liquid.

The 420kg kit includes 12 x 25kg AC Powder (bag) and 1x 120kg liquid (drum).

Code	Size
JES1450	420kg Multicast Kit
JES1407 (Liquid)	20kg
JES1403 (Liquid)	10kg
JES1225P (AC Powder)	25kg

Jesmonite AC300 has a lower Acrylic Resin content than AC100 and is therefore only suitable for internal decorative use as a casting and laminating compound. It is fully compatible with all Jesmonite ancillary products. AC300 is fire-resistant and has achieved a Class '0' Fire rating.

Jesmonite AC300 Starter Kit

Contains:

- 5kg AC Powder
- 2kg AC300 Liquid
- 65mm Mixing Blade
- 20g Black Pigment
- 20g Coade Pigment
- 20g Thixo Additive
- 20g Retarder
- Quadaxial Fabric
- Full instructions and user guide.

Code	Size
JES1400	7kg



AC730

Sundries



Jesmonite AC730

Jesmonite AC730 is a rapid setting acrylic modified cementitious composite. When used with Alkali Resistant Quadaxial Glass Fabric the material complies with BS/ EN1170 – the internationally accepted standard for Glass Reinforced Cement products. Primarily designed for glass reinforced, light weight, hand laminated decorative applications, AC730 is durable in all conditions of external weathering including water features.

Yellow Sandstone

Code	Size	Code	Size
JES1530	30kg kit	JES1531	30kg kit
JES1503	6kg kit	JES1501	6kg kit

Portland Stone



White Marble

Code	Size	Code	Size
JES1532	30kg kit	JES1534	30kg kit
JES1502	6kg kit	JES1504	6kg kit

Silver Grey Granite



Bath Stone

Code	Size	Code	Size
JES1535	30kg kit	JES1536	30kg kit
JES1505	6kg kit	JES1506	6kg kit

Natural Stone

Jesmonite AC730
Acid Etch

Acid Etch is used to expose the fine decorative aggregate in Jesmonite AC730 materials. The acid removes the cement rich film from the surface of objects moulded in AC730 to produce a stone finish. When diluted with water it can also be used as a cleaner for removing marks from AC730.

Code	Size
JES1001	6kg kit
JES1002	30kg kit



The material contains a fine decorative aggregate and powder pigments, carefully controlled to give a consistent decorative surface finish after treatment with Acid Etch. AC730 is available in six stone finishes.

Jesmonite Pigment

Plaster Pigments are acrylic-based liquid pigments giving bright and vivid colouring to both plaster and Jesmonite mixes. Intermixable for an even wider colour range. Colourfast and UV resistant. Add at approx. 1% by weight to mixed material.

Bright Red	Size
JPI6012	1kg
JPI6011	250g

White	Size
JPI6042	1kg
JPI6041	250g

Yellow Oxide	Size
JPI6072	1kg
JPI6071	250g

Bright Yellow	Size
JPI6022	1kg
JPI6021	250g

Black	Size
JPI6052	1kg
JPI6051	250g

Coade	Size
JPI6082	1kg
JPI6081	250g

Blue	Size
JPI6002	1kg
JPI6001	250g

Green	Size
JPI6032	1kg
JPI6031	250g

Red Oxide	Size
JPI6062	1kg
JPI6061	250g

Terracotta	Size
JPI6092	1kg
JPI6091	250g

Jesmonite
Mixing Blade

Stainless steel mixing blades specifically designed for mixing Jesmonite. 12mm and 8mm spindle respectively.

Code	Size
JMI8110	105mm
JMI8130	65mm

Jesmonite
Bronze Filler

Bronze powder for adding to AC100 and AC300 liquids. Add at 100% by weight.

Code	Size
JMP5212	5kg
JMP5202	1kg



Jesmonite
Thixotrope

Used in preparation of gel coats to control viscosity to allow material not to slump or drape on vertical surfaces. Add at 0.2% - 0.4%.

Code	Size
JTH8205	5kg
JTH8201	1kg
JTH8250	500g

Jesmonite
Retarder

Used to extend pot life and working time of casting and laminating compounds. Add at 0.2%.

Code	Size
JRE8105	5kg
JRH8101	1kg
JRH8150	500g

Jesmonite Stone
Guard Sealer (Matt)

This is a 2-pack, pure acrylic sealer designed specifically to have high abrasion resistance combined with excellent stain resistance to all typical domestic liquids and oils. This makes it especially suitable when Jesmonite is used in flooring or wall applications.

Code	Size
JSG10012	1.2kg



Jesmonite
Sealer

Water based acylic coating for use as a sealer or as a vehicle for distressing on all Jesmonite products. Especially recommended as a sealer for pigmented Jesmonite products and external AC100 projects.

Code	Size
JSE8180	5kg
JSE8170	1kg

Jesmonite
Quadaxial Fabric

Stitched fibreglass fabric designed for laminating complex shapes and for products where high impact resistance and ease of laminating are major factors.

Code	Size
QUA7108	125mtr ²
QUA7110	25mtr ²
QUA7111	1mtr ²

Silicone



FOR MAXIMUM
MOULD LIFE



Durasil

Very popular silicone, one of the highest quality silicones on the market. Gives excellent reproduction and mould life, ideal for plaster, concrete and resin casting. Thickens well for brush-on applications. Requires catalyst.

Base Colour: White
Mix Ratio: 100:10
Hardness: 20
Tensile Strength (MPa): 4.5

Code	Size
DURASIL20	20kg
DURASIL05	5kg
DURASIL01	1kg

Durasil Soft

A much softer and more flexible silicone, designed for easier removal of the mould, especially for moulds with undercuts and complex shapes. Requires catalyst.

Base Colour: White
Mix Ratio: 100:10
Hardness: 11
Tensile Strength (MPa): 3.3

Code	Size
DURASOFT20	20kg
DURASOFT05	5kg
DURASOFT01	1kg

Durasil Z40

Durasil Z40 is an easy and safe to use 2-part silicone ideal for rapid butter-on moulds, and excellent for facial/body life casting when used with release cream. Easily used from lidded containers, or the superb twin cartridge and hand gun system that accurately mixes as it's applied.

Colour: Pink
Mix Ratio: 100:100
Hardness: 40
Tensile Strength (MPa): 4

Code	Size
Z40SIL	6kg Kit (3kg A & B)
Z40SIL2	2kg Kit (1kg A & B)
Z40SIL05	500g Kit (250g A & B)

Twin Cartridge Dispensing Gun

Durasil Z40 offers a quick, comfortable, clean and safe process providing easy demoulding and a great level of detail.

Code
GUN12010

Durasil Z40 Cartridge

Cartridge for use with the Dispensing Gun, includes mixer nozzle.

Code	Size
ZA40SIL	400ml



Catalysts

Catalyst for Durasil & Smartsil silicones.

Slow Silicone Catalyst

Colour: Red
Gel Time (Min): 120
De-Mold Time (Hrs): 24

Code	Size
CAT2000S	2kg
CAT500S	500g
CAT100S	100g

Fast Silicone Catalyst

Colour: Red
Gel Time (Min): 40
De-Mold Time (Hrs): 10

Code	Size
CAT2000F	2kg
CAT500F	500g
CAT100F	100g
CAT2000FCLE (Clear)	2kg

Very Fast Silicone Catalyst

Colour: Red
Gel Time (Min): 15
De-Mold Time (Hrs): 3

Code	Size
CAT2000VF	2kg
CAT500VF	500g
CAT100VF	100g

Silicone



Smartsil

Smartsil is our budget silicone developed to give the maximum economy, while still providing good quality reproduction and low shrinkage. Particularly suited to plaster casting. Requires catalyst.

Base Colour: White
Mix Ratio: 100:10
Hardness: 20
Tensile Strength (MPa): 4

Code	Size
SMARTSIL20	20kg
SMARTSIL05	5kg
SMARTSIL01	1kg

Smartsil Soft

A softer version of Smartsil, for moulds with undercuts and complex shapes. N.B. This uses a different catalyst to standard Smartsil, comes as part of the kit.

Mixed Colour: Pink
Mix Ratio: 100:25
Hardness: 15
Tensile Strength (MPa): 2.9

Code	Size
SMART15	5kg Kit



Smartsil Hard

A tougher silicone, catalyst included.

Mixed Colour: Pink
Mix Ratio: 100:5
Hardness: 27
Tensile Strength (MPa): 4.5

Code	Size
SMARTHD20	21kg Kit
SMARTHD05	5kg Kit



Silastic M

Harder than average silicone which can be used with low heat metals up to 250°C. Very low shrinkage and good dimensional stability. Catalyst included.

Mixed Colour: Blue
Mix Ratio: 100:10
Hardness: 59
Tensile Strength (MPa): 4.5

Code	Size
SIL34855	5.5kg Kit

Silastic S

This silicone combines outstanding tear strength and toughness, excellent release and quick curing properties together with the ability to accept the thixotropic additive for brush-on applications. Catalyst included.

Mixed Colour: Green
Mix Ratio: 100:10
Hardness: 25
Tensile Strength (MPa): 6.5

Code	Size
SIL34882	22kg Kit
SIL34885	5.5kg Kit
SIL34881	1.1kg Kit

Silastic T-4

Translucent high strength silicone with very low shrinkage and good dimensional stability. Flexible, but very tough. Products cure time can be heat accelerated. Stable up to 250°C. Catalyst included.

Mixed Colour: Translucent
Mix Ratio: 100:10
Hardness: 40

Code	Size
SIL34862	22kg Kit
SIL34865	5.5kg Kit
SIL34861	1.1kg Kit

Silastic 3120

Specially formulated for use with low heat metals and other heat setting materials, where the model is of simple section with no undercuts. Stable up to 250°C. Curing Agent included.

Mixed Colour: Red
Mix Ratio: 100:5
Hardness: 60
Tensile Strength (MPa): 4.8

Code	Size
SIL31201	1.05kg

Silicone



OUR HIGHEST
QUALITY
SILICONE

“Thank you for making the extra effort to help us out! You know it’s the personal service that keeps us coming back!” - Ian, Fibrous Plasterer

Silastic 3481

The most popular high quality silicone supplied. Its toughness and flexibility together with the choice of different curing agents available add up to make this a leader in its field. Highly recommended when casting with resins. Requires Silastic Curing Agent.

Base Colour: White
Mix Ratio: 100:5
Hardness: 20
Tensile Strength (MPa): 4.7

Code	Size
SIL34812	20kg
SIL34815	5kg
SIL34811	1kg

Silastic 3483

3483 has all the properties of 3481, differing only in a much lower shore hardness, making it ideal for work where complex shapes and deep undercuts are present. Requires Silastic 81-R Curing Agent.

Base Colour: White
Mix Ratio: 100:5
Hardness: 13
Tensile Strength (MPa): 3.5

Code	Size
SIL34832	21kg
SIL34835	5kg
SIL34831	1kg

Silastic 3487

3487 has been uniquely formulated to produce a very soft mould, whilst maintaining a very high level of tear strength and other properties. Ideal for one-piece moulds. Requires Silastic Curing Agent.

Base Colour: White
Mix Ratio: 100:5
Hardness: 8-10
Tensile Strength (MPa): 3

Code	Size
SIL34872	21kg Kit

Silastic Curing Agent

Curing agent for Silastic silicone.



Silastic 81-R Cure

Colour: Clear
Gel Time (Min): 90
De-Mold Time (Hrs): 24

Code	Size
CUR81001	1kg
CUR81250	250g

Silastic 81-F Cure

Colour: Clear
Gel Time (Min): 30
De-Mold Time (Hrs): 5

Code	Size
CUF81001	1kg
CUF81250	250g

Silastic 81-VF Cure

Colour: Clear
Gel Time (Min): 10
De-Mold Time (Hrs): 1.5

Code	Size
CUV81001	1kg
CUV81250	250g

Silicone



EXCELLENT
FOR
MOULDING
CONCRETE

Silicone Putty

This putty consists of two parts, which are kneaded together by hand to produce a very easy-to-use material. Ideal for in-situ ‘squeezes’.

Setting Time: 10 minutes

Code	Size
PUT90116	1.6kg
PUT90108	800g
PUT90102	200g

Dragon Skin 10

A very soft, incredibly strong translucent silicone rubber. It stretches to many times its original size and returns to original shape, making it ideal for repetitive motion applications. Easy to use 1:1 mix ratio.

Code	Size
DRA31372	7.2kg Kit
DUR31309	0.9kg Kit

“Thank you for your wonderful service as always, you’re always very helpful to us.” - Fibrous Plasterer

Duramould ET45

A 2 part polyurethane flexible moulding material for use with plaster and concrete. Simple to use, low viscosity, excellent detail reproduction and a high tear strength. Colour coded for ease of mixing.

Mix Ratio: 1:1
Colour: Red

Code	Size
DUR31410	10kg Kit

Plas -Ti-Shim

The Plas-Ti-Shim system is and ingenious system for simplifying the multi-piece mould making process. Place plastishims along the seam line of the original, then silicone can be applied over the whole of the original in 1 hit. Insert Mould Buddies to create locator points for the fibreglass jacket. The bubbles create locator points for the silicone mould, providing a near-perfect seam on your mould.


Shim Size: 500mm x 80mm

Code	Size
SHI00000	Plain
SHI00010 (Bubble 10mm)	Small
SHI00020 (Bubble 18mm)	Medium
SHI00030 (Bubble 23mm)	Large
SHI00040 (Bubble 40mm)	X Large

Mould Buddies

Insert Mould Buddies to create locator points for the fibreglass jacket.

Code
MOU00050



SIMPLIFY
YOUR
MULTI-PIECE
MOULDS!



Silicone Sundries

Flexible Moulding Materials

VERY POPULAR



“ Thank you for your outstanding customer service.” - Mark, Fibrous Plasterer

Thixo Additive

Silicone thixotropic additive. Produces a paste for brush-on and vertical applications. Add at 3%

Code	Size
THI32750	500g
THI32715	150g
THI32702	20g

Silicone Fluid

For use with silicones either for softening in special applications, or for use in the butter-on process.

Code	Size
SFL32905	5ltr
SFL32901	1ltr
SFL32925	250ml

Sil-Mesh

Flexible, stretchy reinforcement for silicone.

Code	Size
SILMESH50	50mtr roll
MES000501	1mtr

Alginate

Semi-flexible impression material, totally non-toxic so can be applied by hand on to skin. One-off moulding material.

Code	Size
ALG07301 (Fast Set)	550g
ALG07351 (Slow Set)	550g

Slow Set	Fast Set
Mixing Time: 1 min	Mixing Time: 1 min
Set Time (Mins): 4 min	Set Time (Mins): 2 min

Gelflex Vinyl

Very popular vinyl moulding compound, especially for Fibrous Plasterers. Can be melted and re-used many times, so is very economical.

Code	Size
GEL34425 (Hard Grade - Blue)	25kg
GEL34401 (Hard Grade - Blue)	1kg
GEL34525 (Soft Grade - Natural)	25kg
GEL34501 (Soft Grade - Natural)	1kg

Silicone Pigments

Strong concentrated Pigment for colouring silicones. Add at 5%.



Black	Size
SPI32850	500g
SPI32810	100g

Blue	Size
SPI32851	500g
SPI32811	100g

Green	Size
SPI32852	500g
SPI32812	100g

Red	Size
SPI32853	500g
SPI32813	100g

Red Oxide	Size
SPI32854	500g
SPI32814	100g

Yellow	Size
SPI32855	500g
SPI32815	100g



Silastic Primer RTV1200

For use where the silicone rubber is to be permanently bonded to the other substrates, including itself.

Code	Size
RTV32605	500ml

“You are the right people, in the right place, at the right time. You fulfill your promises.” - Steve, Fibrous Plasterer

Fastmelter

For using with 50, 75 and 100ltr melting pots. Speeds up melting time for large quantities.

Code
MELFM1

Vinyl Thermometer

Essential for accurate melting and pouring of vinyl rubbers

Temperature range -10 degrees to 250 degrees C

Code	Size
THE34701	20cm



FOR FAST, TOUGH MOULDS



Moulding Latex

Traditional mouldmaking liquid latex for the production of moulds for plaster and concrete, can be dipped or brushed on. Air drying, tough, hardwearing and easy to use. Thickener can be added to speed up production.

Code	Size
MOU80025	25ltr
MOU80005	5ltr
MOU80001	1ltr



Brushable Moulding Latex

A pre-thickened latex for brush-on applications, giving quick build-up of latex to required thickness for mouldmaking.

Code	Size
BRU16745	5ltr
BRU16741	1ltr

Melting Pot

Used for melting Hot-Melt Vinyl, Gelflex, waxes and glues. 240v or 110v available. Electronically heated with thermostat temperature control, with a power switch and safety thermal cut-out.

Code	Size
MELDPS100	100ltr
MELDPS75	75ltr
MELDPS50	50ltr
MELDPS20	20ltr
MELDPS12	12ltr
MELDPS6	6ltr
MELDPS2.5	2.5ltr



MELT VINYL QUICKLY



Slush Moulding Latex

This casting material is used for the production of rubber objects such as toys and face masks.

Code	Size
SLU36005	5ltr



Latex Thickener

Add to Moulding Latex to thicken it, making application easier. As a guide, approx. 5ml thickens 50ml of latex.

Code	Size
LAT80101	1ltr
LAT80125	250ml
LAT80100	100ml

Resin & Fibreglass

Resin & Fibreglass

“I try to put as much your way as I can because you’re so easy to deal with.” - Robin, Fibrous Plasterer

General Purpose Resin

Polyester pre-accelerated general purpose resin for casting and laminating applications.

Gel time: 18 min
Cure time: 35 min.

Code	Size
GEN11025	25kg
GEN11005	5kg
GEN11001	1kg



BESTSELLING RESIN



Gelcoat Resin

A thixotropic pre-accelerated gelcoat resin used to create a smooth surface to moulds.

Gel time: 15 min
Cure time: 25 min.

Code	Size
GEL11120	20kg
GEL11105	5kg
GEL11101	1kg



Clear Casting Resin

Water-clear resin used to produce clear casts and for embedding applications. Also can be used as a casting resin and be heavily filled without losing viscosity.

Gel time: 15 min
Cure time: 30 min.

Code	Size
CLE11220	25kg
CLE11205	5kg
CLE11201	1kg



Fire Retardant Resin, 6417 Class 1

Class 1, fire retardant laminating and casting resin.

Gel time: 15 min
Cure time: 30 min.

Code	Size
FIR83751	25kg



MEKP Resin Catalyst

For use with all polyester resins.

Add at 2%. 20-35 mins average curing time in a warm room

Code	Size
MEK11401	1ltr
MEK11450	500ml
MEK11410	100ml
MEK11420	20ml



G26 - Demould time: 30 min

Code	Size
BIRA12010 (Part A)	5kg
BIRB12010 (Part B)	5kg
BIRA12002 (Part A)	1kg
BIRB12002 (Part B)	1kg

G27 -Demould time: 20 min

Code	Size
BIRA12110 (Part A)	5kg
BIRB12110 (Part B)	5kg
BIRA12102 (Part A)	1kg
BIRB12102 (Part B)	1kg



Fibreglass Mat

Fibreglass Mat 450g

A mat of chopped glass fibre strands, used to reinforce resin laminates. About 920mm wide. Full roll is approx 80 metres long.

Code	Size
FIB11500 (450g Full Roll)	35kg
FIB11510 (450g)	10mtr
FIB11505 (450g)	5mtr
FIB11501 (450g)	1mtr

Fibreglass Mat 300g

Lighter mat for more complex mouldings, also 920mm wide.

Code	Size
FIB11600 (300g Full Roll)	27kg
FIB11610 (300g)	10mtr
FIB11605 (300g)	5mtr
FIB11601 (300g)	1mtr



Fibreglass Chopped Strand

Used to reinforce resin, plaster, cement and Jesmonite casts. Ideal for smaller items where scrim and fibreglass mat is too bulky.


Code	Size
CHO11817 (Strand 12mm)	20kg
CHO11801 (Strand 12mm)	1kg

Code	Size
CHO11862 (Strand 6mm)	20kg
CHO11801 (Strand 6mm)	1kg

Composite shears


High carbon steel scissors with high leverage. Xylan low friction coating suitable for cutting kevlar, carbon fibre and resin coated composites both wet and dry.

Code	Size
COM25600	10"



Fibreglass Tissue

A lightweight material used to create a smooth surface over detailed fibreglass work.



Resin Pigments

Polyester resin pigments that give solid, through-colour pigmentation. Normally added at a maximum of 5%.

Congo Brown

Code	Size
RPI37575	5kg
RPI37570	1kg
RPI37571	100g

Black	Size
RPI59895	5kg
RPI59890	1kg
RPI59891	100g

White

Code	Size
RPI47775	5kg
RPI47770	1kg
RPI47771	100g






BLR3 Filler

Ultrawhite lightweight fine filler for high quality resin casts.

Code	Size
BLR14025	25kg



Calmote AD Whiting

Ground Calcium Carbonate, economy filler for resin, off-white.

Code	Size
CAL13825	25kg



Fillite

Grey, very lightweight resin filler, ideal for lightening and bulking out castings.

Code	Size
FIL14420	25kg



Fordacal 100

Ultra fine white filler for resin casting.

Code	Size
FOR14050	25kg



Ground Gypsum Superfine White

Economy resin filler, of food grade quality, so is suitable for baking, milling, brewing etc. Off white.

Code	Size
GR013925	25kg

Stone Dust

Finely graded and dried stone dust, for use as an aggregate for cement based castings or filler for resins.

Bath Stone Dust	Size
Code	
BAT14225	25kg

Portland Stone Dust	Size
Code	
POR14325	25kg



Microdol Filler

Pure white dolomite filler. H60 is best for resin casting, the coarse grade is widely used for producing marble finishes with Jesmonite, cement and plaster.

Code	Size
MIC14460 (Fine H60)	25kg
MIC14462 (Course H0.5-1)	25kg



Talc Filler

General purpose lightweight resin filler. Very fine, white in colour.

Code	Size
TAL13725	25kg
TAL13705	5kg

Welsh Slate Powder

Fine powdered slate producing excellent effects with resin, also used as a general purpose filler.

Code	Size
WEL14625	25kg

Metal Powders

This range of metal powders are ideal for use in resin casting, but also can be used with Jesmonite. For the best results we recommend at least a 50:50 mix ratio resin:metal powder by volume.



Brass Metal Powder

Code	Size
BRS13425	25kg
BRS13405	5kg
BRS13401	1kg



Aluminium Powder

Code	Size
ALU13525	25kg
ALU13505	5kg
ALU13501	1kg



Bronze Metal Powder

Code	Size
BRO13025	25kg
BRO13005	5kg
BRO13001	1kg



Copper Metal Powder

Code	Size
COP13325	25kg
COP13305	5kg
COP13301	1kg



Iron Metal Powder

Code	Size
IRO13625	25kg
IRO13605	5kg

CREATE AN ANTIQUE EFFECT


Antique Black Powder

Primarily used for toning down Bronze resin casts, when an antique effect is desired.

Code	Size
ANT13000	1kg
ANT13099	100kg

Release Agents & Sealers

Release Agents & Sealers



APW Release Wax

Soft high-quality wax used to release Jesmonite from rigid moulds. Also works very well with plaster and resin.

Code	Size
APW8342	500g



LPR Release Agent

A liquid, brush applied, petroleum jelly based release agent. Excellent for silicone, but can be used in almost any application.

Code	Size
LPR08001	1ltr



Macwax Spray Release

High quality wax spray release. Best spray release to use when mouldmaking with silicone.

Code	Size
MAC08540	400ml



Marbo Super S Silicone Release

Silicone spray mould release for use with polyurethane rubbers and some rigid moulds. Not suitable for use with silicone moulds.

Code	Size
MAR08650	500ml



Methylated Spirit

Clear industrial methylated spirits, use with Shellac Flakes to make Shellac Sealer.

Code	Size
MET44325	25ltr
MET44305	5ltr
MET44301	1ltr



Shellac Flakes

Dissolve in methylated spirits to make shellac sealer.

Code	Size
SHE09105	5kg
SHE09101	1kg



Mirrorglaze Wax

Mould release wax, formulated to provide maximum number of releases per application with GRP moulds.

Code	Size
MIR09231	311g



Petroleum Jelly

"Vaseline" style release agent, can be thinned with white spirit. Ideal for use between plaster and silicone, applied with cloth or brush.

Code	Size
PET08305	5kg
PET08340	400g



PVA Blue Release

Brush applied liquid for sealing and releasing models prior to GRP moulding.

Code	Size
PVA08405	5ltr



Tallow

Pure beef dripping. Traditionally for release between plaster and plaster.

Code	Size
TAL08712	20kg
TAL08710	10kg



RL247 Wax Release

Brush-on wax liquid release. Excellent release from plaster, resin, concrete when moulding with silicone or polyurethane.

Code	Size
REL24725	25ltr
REL24705	5ltr
REL24701	1ltr



Shellac Sealer

Traditional brown shellac sealer for plaster. Specially blended and tested for optimum performance.

Code	Size
SHE08905	5ltr
SHE08901	1ltr

ESSENTIAL FOR RUNNING MOULDS



Clear Shellac Sealer (French Polish)

Ideal when a clear sealer/finish is required.

Code	Size
SHE08925	5ltr

G4 Sealer

A non porous sealer for plaster and concrete models when moulding in hot-melt vinyl.

Code	Size
G4S09305	5ltr
G4S09301	1ltr



Soft Soap Release

Release agent used on plaster moulds when casting in plaster. Watered down and applied in layers until a smooth surface is achieved.

Code	Size
SOF09625	25kg
SOF09645	5kg
SOF09605	500g



Universal Release Emulsion

Brush applied silicone based release agent for use between plaster and plaster.

Code	Size
UNI09505	5ltr
UNI09501	1ltr

SECRET FORMULA



Mod-Roc Bandage

Plaster impregnated bandage, useful for hard lightweight shell or structure. Best applied over a form or sculpture of wire. Perfect for 3D sculpture, scenery sets, etc. Can be painted.

Code	Size
MOD06606	Pk 30 (6.4kg)
MOD06601	1kg pack

Mod-Roc Dispenser Pack

Similar to above, but in a continuous strip.

Code	Size
MOD06610	80mtr



Gypsona Plaster Bandage

Premium surgical grade plaster featuring Interlocked Leno weave gauze for improved stability and stronger finished cast. The Nicked Edge design minimises fraying, to produce a very smooth finish. 3 mtr lengths.

Code	Size
GYP06510	10cm
GYP06515	15cm
GYP06520	20cm



From sculptures to the production of prosthetics and other medical applications, plaster bandage is very simple but effective material.



HIGH QUALITY PLASTER BANDAGE

Biplatrix Plaster Bandage

Very fast setting plaster bandage (2 minute set time) that has low plaster loss and produces a strong, rigid cast. Ideal for orthotic applications. 3 mtr rolls.

Code	Size	Rolls Per Pack
BIP00010	10cm	40
BIP00015	15cm	40
BIP00020	20cm	20




Stoneware Clay

Popular buff smooth grey clay for general purpose throwing and modelling.

Firing range: 1000-1280 degrees c.

Code	Size
CLA06825	25kg
CLA06812	12.5kg



Newclay

Off-white, air drying clay, not brittle as it is nylon reinforced. If it dries as you work with it, you can soften it with water. Can be glued with PVA and will take most forms of paint. Can be hardened after drying with H-1 Hardener.

Code	Size
NEW07596	12.5kg
NEW07957	4.5kg
NEW07592 (Terracotta)	12.5kg
NEW07590 (Hardner)	113g



20% Grogged Terracotta Clay

The addition of grogg improves strength in throwing and increases resistance to cracking and warping especially on larger pieces.

Firing range: 1080-1160 degrees c

Code	Size
CLA06970	12.5kg



Terracotta Clay

General purpose, good throwing and casting properties.

Firing range: 1000-1150 degrees c.

Code	Size
CLA06912	12.5kg



Craft Crank Clay 1114

High quality coarsely grogged clay, suited for sculptural work.

Firing range: 1000 - 1150 degrees c.

Code	Size
CLA06950	12.5kg



Modelling Clay 1150

Excellent for detailed models and sculpting. Easily thrown, highly plastic.

Code	Size
CLA06960	12.5kg




Wedclay

Smooth and slow-drying, remains malleable for longer than normal "wet clays" without losing excellent working qualities. Not designed to be fired.

Code	Size
WED06990	25lb






Special Sculpture Terracotta Clay

Medium to coarse grogged clay, open texture yet retains a good degree of plasticity. Good for garden ware and slab work.

Firing range: 1020-1220 degrees c.

Code	Size
CLA06980	12.5kg



Clay Cutting Wire

Strong wire with a handle at each end.

Code	Size
CLA18340	40cm



Das Pronto

Air hardening modelling material. Once dry, can decorate, varnish, etc.

Code	Size
DAS07598 (White)	1kg
DAS07599 (Terracotta)	1kg

Modelling Materials

Milliput / Wax



Milliput

Two part epoxy putty. Can be sculpted, turned, sawn, drilled, painted, sprayed, ideal for modelling.

Standard		Superfine White		Black		Terracotta	
Code	Size	Code	Size	Code	Size	Code	Size
MIL07001	113g	MIL07101	113g	MIL07151	113g	MIL07201	113g
Silver Grey							
Code	Size						
MIL07051	113g						



Microcrystalline Wax

Good quality modelling wax for carving and casting in the lost wax process.


Code	Size
MIC10027	25kg
MIC10005	5kg
MIC10001	1kg



Paraffin Wax

Crystals for candle manufacture. Supplied in convenient pellet form for easy use.

Code	Size
PAR10220	20kg
PAR10205	5kg
PAR10201	1kg



Green Casting Wax

Ideal for lost wax casting. Formulated for precision castings with low expansion/contraction characteristics. Comes in 5kg slabs, 5 slabs per box.

Code	Size
GRE10501	1kg
GRE10500	500g

Modelling Materials

Other



Aluminium Modmesh

Good for all kinds of modelling, especially when used in conjunction with Modroc. Easy to use, whilst rigid enough to retain shape.

Code	Size
MOD06630	50cm x 3m

Body Filler (Easy Sand)

Two-part easy sand car body filler, for modelling applications, and alterations of resin casts.

Setting time: 5 minutes. (Fully hard in 20 minutes)

Code	Size
BOD14105	3.5ltr



Newplast

White plasticine-like, oil based, easy to use modelling material.

Code	Size
NEW07401	500g

Super Sculpey

Used by movie animation studios and professionals for prototypes, maquettes and all kinds of dolls. Excellent tooling qualities, semi-transparent beige colour, can be sanded, drilled, carved and painted with water based acrylics, after hardening in oven.

Code	Size	Code	Size
SUP07751 (Original)	1lb	SUP07761 (Firm)	1lb



Baize

Self-adhesive black baize for bases of casts and models. Sold by the metre.

Code	Size
BAI28700	625mm wide

Rigid Expanding Foam

Easy 1:1 mix for modelling.

Code	Size
EXP27110	10kg

Flexfoam IT III - X

Ideal for arts and crafts, special effects and industrial applications. Takes 5 minutes to expand and fully cures in 2 hours.

Code	Size
FLE27201 (IT III)	1.24kg
FLE27210 (IT III)	10kg

Mixed 1A:2B Expands 15 x original volume.

Code	Size
FLE27211 (IT V)	0.86kg
FLE27217 (IT V)	7kg

Mixed 1:1 Expands 10 x original volume.

Code	Size
FLE27221 (IT X)	0.86kg
FLE27227 (IT X)	7kg

Mixed 1:1 Expands 6 x original volume.



SPECIAL EFFECTS!




Plastilin

High quality waxed based modelling material, smooth like clay, but does not dry, and can be used many times.

Code	Size	Code	Size
PLA7601 (Soft Ivory)	1kg	PLA07701 (Hard Grey)	1kg

Profiles & Fences



“It has been a pleasure to do business with you since our first phonecall. You provide excellent service!”
- Katy, Fibrous Plasterer

Aviation Shears

More versatile and comfortable than traditional tinsnips, increased leverage and cutting capacity.

Code	Size
AVI49905	25cm



Jewellers Tin Snips

Small and ideal for fine detail work with extra hardened cutting edges.

Code	Size
JEW67531	17cm

Zinc Fence

0.5mm titanium alloy sheet, especially sized for mouldmaking fences.

Code	Size
ZIN22102	4in x 8ft

Brass Shim


Brass fencing to make walls for mould making. Available in 2 widths, sold by the metre.

Code	Size
SHI23301	165mm (mtr)
SHI23201	300mm (mtr)

Profile Files

Excellent for forming zinc sheet into profiles for running moulds and fencing.


Code	Size
PRO15004	Set of 4



Zinc Sheet

0.5mm titanium alloy sheet, especially for use in running mould profiles and mouldmaking fences. Requires suitable metal cutting tools.

Code	Size
ZIN21901	3ft x 8ft
ZIN21933	3ft x 4ft
ZIN21903	3ft x 1ft



Needle Files

High carbon steel needle files, designed for intricate, detailed work.

Code	Qty
NEE40190	Set 6
NEE40199	Set 12



Hand Nibbler

Cuts clean without bending or distortion. Sprung loaded handle.

Code	Size
NIB35748 (Nibbler Tool)	8"
NIB35756 (Blades)	10"




Tinsnips

Heavy duty straight blade for cutting metals, zinc sheeting etc.

Code	Size
TIN50108	8"
TIN50310	10"

Reinforcements & Armatures



Armature Wire

Aluminium armature wire for forming figures and shapes, and for supporting sculptures. Thicker wires are for strength, the thinner for more detailed work.

10mm Square	Size
Code	Mtr
ARM21810	

7mm Square	Size
Code	Mtr
ARM21807	

5mm Square	Size
Code	Mtr
ARM21805	

3mm Square	Size
Code	Mtr
ARM21813	

3mm Round	Size
Code	Mtr
ARM21803	



Tying Wire

1.6mm galvanised wire for tying armatures and reinforcing plasterwork. 1/2 kg is approx. 32 mtrs.

Code	Size
WIR21801	0.5kg
GAL21850	25kg

Wire Netting

Galvanised wire, 25mm (1") mesh, 900mm wide.

Code	Size
WIR21750	50mtr roll
WIR21725	25mtr roll
WIR21701	mtr roll



Adhesives



Superglue (Superfast)

Bonds in 4 seconds.

Code	Size
SUP31102	20g



Superglue (Medium)

Very popular superglue, bonds in 20 seconds

Code	Size
SUP31125	50g
SUP31122	20g



Superglue (Thick)

Easier for vertical surfaces, bonds in 45 seconds.

Code	Size
SUP31135	50g
SUP31132	20g

“Thank you very much for your hard work. You are the best!” - Anna, Special Effects Production



Glue Gun - Professional 80


Heavy duty 240v glue gun. Fast and safe, lightweight and ergonomically designed.

Code
GLU29000

Glue Sticks (Stickfast HSS)

Glue sticks are 12mm x 300mm

Code	Size
GLU29005	5kg
GLU29001	Pk 30/1kg



Superglue (Debonder)

Ideal when only temporary adhesion is required, or changes are needed - a must for all superglue users!

Code	Size
SUP31111	20g



Superglue (Activator)

Immediately activates the glue when you spray it on and instantly sets it.

Code	Size
SUP31110	50ml



Araldite Rapid

The renowned, strong, long lasting, solvent free adhesive. Water resistant, can be sanded and painted.

Code	Size
ARA31020	200ml
ARA31003	30ml

Measuring & Mixing



Rubber Hand Bowl

Strong with handle. Capacity approx. 1ltr, scoop-like.

Code	Size
BOW15201	165mm



Plastic Mixing Bowl

Flexible mixing bowl, ideal for mixing plaster. Can be flexed to crack out hard plaster.

Code	Size
BOW15025	25cm



Standard Bucket

Extremely hardwearing, bestselling bucket. 5 Year guarantee!

Code	Size
BUC96815	15ltr



Galvanised Bucket

Takes some beating!

Code	Size
BUC96714	14ltr



Heavy Duty Rubber Bucket

Indestructible rubber bucket, made from recycled tyre rubber.

Code	Size
BUC96715	14ltr



Heavy Duty Mixing Bucket

Very tough mixing bucket, tall sides make it ideal when using mixing drills.

Code	Size
BUC96830	30ltr

Bucket Trowel

Stainless steel, square end trowels for cleaning out buckets.

Code	Size
TRO30807	7"



Flexible Mixing Bowl

Very popular, durable bowls, just crack plaster out after drying! Sturdy base enables good hand-hold.

Code	Size
FLE95876	150mm
FLE95875	140mm
FLE95874	115mm
FLE95873	80mm



Gorilla Tub

Amazingly versatile, durable and flexible. Available in hi-viz yellow.

Code	Size
GOR96614	14ltr
GOR96626	26ltr



Plastic Calibrated Beaker

Calibrated beakers for accurate measuring.

Code	Size
BEA22901	1ltr
BEA22902	600ml

Measuring & Mixing



Catalyst Dispenser

500ml reservoir with 1-15ml measurement chamber.

Code	Size
DIS22715	500ml



Catalyst Dispenser

1ltr reservoir with 10-80ml measurement chamber.

Code	Size
DIS22780	1ltr



Industrial Measuring Jug

Very heavy duty HDPE measuring jugs. Very tough, hard wearing and easy to clean.

Code	Size
JUG22703	3ltr
JUG22701	1tr



Plastic Syringe

Code	Size
SYR22610	10ml
SYR24160	60ml



Epi-Mixer Paddle MR6 60

5kg mixing capacity, 6mm spindle.

Code	Size
PADMR660	600mm



Mixing Sticks

17mm x 125mm

Code	Qty
MIX22401	Box 100



Alginate Mixing Spatula

Mix small quantities of alginate. Stainless steel blade, wooden handle.

Code
MIX25310



Plaster Mixing Spatula

Mix small quantities of plaster. Stainless steel blade, plastic handle.

Code
MIX25303



Mixing Wheel

For mixing larger quantities of plaster by hand, i.e.10-20ltr

Code
MIX37101

Industrial Digital Scales

Quick, easy and accurate weighing, with multiple weighing modes and units. Weighs up to 6kg in 1g increments.

Code
SCA24101



Basic Digital Scales

Basic weighing scales, weigh up to 10kg in 1g increments.

Code
SCA24010



Squirrel Mixer

One of the best mixers in the world - thoroughly mix plaster, silicone etc in seconds!

Poly-Pro: 26cm long, 7cm diameter. Plastic mixing cage.

ProSteel: 48.5cm long, 8cm diameter. Steel mixing cage.

Code	Size
SQU64004	4ltr
SQU64020	20ltr



Containers

Plastic Bucket

Strong white pails with snap-on lid and carrying handle. Plaster can be stored for up to twelve months in these airtight containers. Lid Included.

Code	Size
BUC27530	30ltr
BUC27525	26ltr
BUC27512	12.5ltr
BUC27510	11ltr
BUC27505	5ltr
BUC27503	3ltr



Metal Drum

Ideal for storing plaster and cement, air-tight. Lid & latch included.

Code	Size
DRU27825	25ltr



Plastic Bottle

Chemical resistant, semi-clear bottles. Lid included.

Code	Size
BOT27610	100ml
BOT27625	250ml



Plastic Pot

Code	Size
POT28101 (White round pot)	1ltr
POT28102 (Semi clear square pot)	2ltr

Metal Tin

Round lever lid tins, externally white, internally lacquered. (Paint tin style) Comes with a Lid.

Code	Size
TIN27805	5ltr
TIN27801	1ltr
TIN27800	0.5ltr

Plastic Bottle (UN Spec.)

Semi-clear bottles, highly chemical resistant for storage of MEKP, Acetone etc. Lid included.

Code	Size
BOT00500	500ml
BOT01000	1000ml



Plastic Jerrican

Chemical resistant, semi-clear jerrican.

Cap Included

Code	Size
JER27725	25ltr
JER27710	10ltr
JER27705	5ltr
JER27702	2ltr
JER27701	1ltr



Plastic Jar

Chemical resistant, semi-clear jar.


Lid Included

Code	Size
JAR28003	25ml
JAR28015	150ml
JAR28025	250ml

Plaster can be packed into these containers if required - please contact for details.

Fine

(Grade 0000)	
Code	Size
STE14740	5kg
STE14905	450g



Fine

1200 Grit	
Code	Size
WET14982	Pk25
WE514982	Pk50



Code	Size
WET14901	Pk 10



Laminating Brush

Quality plastic handle brushes for general use, particularly suitable for GRP/Resin laminating.

Code	Size
LAM22212	½" / 12mm
LAM22225	1" / 25mm
LAM22237	1½" / 37mm
LAM22250	2" / 50mm
LAM22275	3" / 75mm
LAM22299	4" / 100mm



Churn Brush (Nylon Bristle)

Heavy duty hard bristle brush for cleaning buckets etc.

Code
NYL35500



Brass Burnishing Brush

For burnishing bronze casts and other metals.

Code
BUR35600

Economy Laminating Brush

Wooden handle economy brushes for general use, plain wood handle.

Code	Size
ECO33312	½" / 12mm
ECO33325	1" / 25mm
ECO33337	1½" / 37mm
ECO33350	2" / 50mm
ECO33375	3" / 75mm
ECO35406	6" / 100mm



Churn Brush (Bahia Bristle)

Churn brush for cleaning buckets etc, has softer bristles than the Nylon Bristle.

Code
CHU35505



Bench Dusting Brush

Fine bristled wooden brush for dusting down benches etc.

Code	Size
BEN35004	4"

Long-Handled Splash Brush

Round headed splash brush for plaster work.

Head Diameter: 2"

Bristle Length: 4"

Handle Length: 8.5"

Code	Size
SPL35210	2"



Splash Brush

For brushing plaster into cornice and ceiling rose moulds.
Head Diameter: 2.25"
Bristle Length: 5"
Handle Length: 5.5"

Code	Size
SPL35202	2¼"



Wire Brush with Scraper

A heavy duty wire brush for cleaning, etc, with metal scraper at the end of the brush.

Code
WIR35300



Grooved Knife

For cutting a grooved profile into flexible moulds like silicones; leaving a key for accurate re-location of the 2 sides or halves.

Code
GRO33001

Grooved Knife Blade

Grooved blade for cutting silicone moulds. For fixed-blade Stanley-type knives.

Code
GRO33010

Retractable Knife

Retractable scalpel, comes with 2 x 10a blades.

Code
KNI90100

Stanley Knife

Fixed blade stanley knife. Can be used with Grooved Knife Blade.

Code
STA41570

Retractable Utility Knife

Retractable 'Stanley' style knife with replaceable blade.


Code
KNI41550



Utility Knife Blades

Replacement blades for Stanley and Utility Knives.

Code	Pack Qty
KNI41100	100
KNI41010	10



Scalpel Blades

For use with No.3 scalpel handle.

Code	Size
BLA90310	(No. 10) - Box 100
BL590310	(No. 10) - Pk 5



BLA90310A	(No. 10a) - Box 100
BL590310A	(No. 10a) - Pk 5



BLA90311	(No. 11) - Box 100
BL590311	(No. 11) - Pk 5



BLA90326	(No. 26) - Box 100
----------	--------------------

Scalpel Handles

SCA90200(3): The most popular style, has cm gradations on handle.

SCA90220(4): Similar to the No.3, just slightly larger.

SCA90210(7): A slimmer handle, for better manoeuvrability.

Code	Number
SCA90200	(No. 3)
SCA90220	(No. 4)
SCA90210	(No. 7)



Plaster Knife

Ideal for trimming plaster models. Strong stainless steel blade with plastic handle.

Code
KNI25102



Scalpel Blade Extractor

An amazing time saving, safety device that removes blades from scalpels without any effort or danger.

Code
SCA91210





Surform Block Plane

Handy 5½” surform mainly used for plaster and wood.

Code	Size
SUR41014	140mm

Surform Block Plane Blade

Code	Size
SUR41114	140mm

Surform Flat File

Versatile 10” plane.

Code	Size
SUR41425	250mm

Surform Large Plane

Heavy duty 10” plane

Code	Size
SUR41225	250mm



Surform Shaver

Small handy to use surform for more intricate work.


Code	Size
SUR21115	50mm



Surform Half Round Blade

Half-round blade to fit the Large and Flat planes.


Code	Size
SUR21000	250mm



Surform Blade

Replacement blade for the Large Plane.

Code	Size
SUR41325	250mm



Surform Round File

A round 10” surform file.

Code	Size
SUR21001	250mm



Surform Round Blade

Code	Size
SUR21002	250mm



Surform Shaver Blade

Code	Size
SUR21116	50mm

Small Tools

Top quality steel small tools for working fibrous plaster mouldings etc.

Code
SMA56140

Code
SMA56450

Code
SMA56455

Code
SMA56460

Code
SMA56470

Code
SMA56500

Trowel & Square	Size (mm)
SMA56490	10
SMA56413	13
SMA56416	16
SMA56419	19
SMA56425	25

Leaf & Square	Size (mm)
SMA56495	10
SMA56413	13
SMA56416	16
SMA56419	19
SMA56425	25

Leaf & Chisel	Size (mm)
LEA54001	172 x 5
LEA54002	176 x 5
LEA54003	185 x 7
LEA54004	197 x 7

Leaf & Spoon	Size (mm)
LEA54005	162 x 5
LEA54006	175 x 9
LEA54007	185 x 13
LEA54008	200 x 13
LEA54009	215 x 17

Leaf & Spear	Size (mm)
LEA54010	180 x 5
LEA54011	184 x 7
LEA54012	200 x 9
LEA54013	212 x 13



Modelling Tools

Sheffield Steel forged modelling tools for plasterwork, sculpting, etc.

No. 1	
Code	
MT018001	
No. 2	
Code	
MT018002	
No. 3	
Code	
MT018003	
No. 4	
Code	
MT018004	
No. 5	
Code	
MT018005	
No. 6	
Code	
MT018006	
No. 7	
Code	
MT018007	
No. 8	
Code	
MT018008	
No. 9	
Code	
MT018010	
No.10	
Code	
MT018010	
No.11	
Code	
MT018011	
No. 12	
Code	
MT018012	
No. 13	
Code	
MT018013	



Modelling Tools

Sheffield Steel forged modelling tools for plasterwork, sculpting, etc.

No. 14	
Code	
MT018014	
No. 15	
Code	
MT018015	
No. 16	
Code	
MT018016	
No. 17	
Code	
MT018017	
No. 18	
Code	
MT018019	
No. 19	
Code	
MT0180019	
No. 20	
Code	
MT0180020	
No. 21	
Code	
MT018021	
No. 22	
Code	
MT018022	
No.23	
Code	
MT018023	
No.24	
Code	
MT018024	
No. 25	
Code	
MT018025	
No. 26	
Code	
MT018026	



Modelling Tools

Full Set of 26

Sheffield Steel forged modelling tools for plasterwork, sculpting, etc.

Code
MT018123

Modelling Tools (Stainless Steel) Set 5

Five stainless steel modelling tools in an excellent pouch.

Code
SET17900



Double Ribbon Clay Tools - Set 6

Set of 6 double ended Ribbon Tools. Good quality, stainless steel ends with wooden handle, packed in a plastic pouch.

Code
SET17910



Boxwood Modelling Tools - Set 12

Hand carved, double ended wooden modelling tools.

Code
BOX76100



Ceramic Tools - Set 11

Range of 11 double ended tools for modelling and working in clay. Contains very useful selection of different shapes and styles of tool, ideal for fine and detailed work.

Code
SET17920



Wire Modelling Tools

Wire ended modelling tools, with hardwearing cutting ends. Sizes range from 8"-11" in length.

Heavy Duty Wrapped Tool
Code
RIB18204



Wrapped Steel Wire Ends
Code
RIB18206



Wrapped Steel Wire Ends
Code
RIB18207



Ground Steel Wire Ends Serrated
Code
RIB18215



Ground Steel Wire Ends Serrated
Code
RIB18217



Steel Wire End Ground Sharp
Code
RIB18283



Steel Wire End Ground Sharp
Code
RIB18297



Wire Modelling Tools

Renzo Milani Rifflers

These Renzo Milani rifflers are world class! Crafted by hand to a very high standard in Italy, and imported by us for the UK, we believe you won't find a better riffler for the price. They will out-last and out-perform your existing ones, making them a worthwhile purchase for professional sculptors and artists.

No. 660	Size
Code RIF53660	21cm



No. 661	Size
Code RIF53661	21cm



No. 662	Size
Code RIF53662	21cm



No. 664	Size
Code RIB18204	21cm



No. 666	Size
Code RIF53666	21cm



No. 670	Size
Code RIF53670	21cm



No. 671	Size
Code RIF53671	21cm



No. 672	Size
Code RIF53672	21cm



No. 673	Size
Code RIF53673	21cm



No. 675	Size
Code RIF53675	21cm



No. 676	Size
Code RIF53676	21cm



Steel Oblong Busk

Flexible thin steel scrapers.

Code	Size
BUS17004	4" x 2" x 0.005"
BUS17005	4" x 2" x 0.010"
BUS17006	6" x 2" x 0.015"
BUS17008	8" x 2" x 0.015"
BUS17012	12" x 2" x 0.015"



FOR SHAPING
CLAY ETC

Steel Kidney Busk

Flexible thin steel scrapers.



Code	Size
BUS17103	3½" x 0.005"
BUS17106	3½" x 0.010"
BUS17104	4" x 0.005"
BUS17107	4" x 0.010"





Composite Shears

High carbon steel scissors with high leverage. Xylan low friction coating suitable for cutting kevlar, carbon fibre and resin coated composites both wet and dry.

Code	Size
COM25600	10"

Floor Scraper (Heavy Duty)

Heavy duty floor scraper with wooden handle.

Code	Size
FL051012	12"

Floor Scraper Blade

Blade to fit heavy duty floor scraper.

Code	Size
FL051020	12"



Clay Cutting Wire

Very strong wire, wooden handle at each end.

Code	Size
CLA18340	40cm



Bucket Trowel

Heavy duty, stainless steel, square end trowel, for cleaning out buckets and other applications.


Code	Size
TRO30807	7"



Bench Scraper

Strong stainless steel scraper for cleaning resin, plaster etc. from work surfaces.


Code	Size
BEN25042	4"



Aluminium Folding Step Up

Lightweight folding step up, with Non-Slip top and Anti-Skid feet. Work load of 150kg

Code	Size
STE80603	60cm x 86cm x 30cm



Joint Rule

Polished steel with sharp, tapered cutting edge for forming cornice mitres.

Code	Size
JOI40004	4"
JOI40006	6"
JOI40008	8"
JOI40012	12"
JOI40018	18"



Plastic Scoop

Tough plastic scoops, ideal for plaster either wet or dry. Easy to clean.

Code	Size
SC023100 (Red)	77mm
SC023101 (Blue)	110mm
SC023102 (Yellow)	138mm



Aluminium Scoop

- Small Curved
- Small Tapered
- Medium Tapered
- Large Flat

Code
SC023801 (Small Curved)
SC023821 (Small Tapered)
SC023901 (Medium Tapered)
SC024001 (Large Flat)

Masking Tape

- 24mm Width
- 48mm Width

Code	Size
MAS25424	24mm
MAS25448	48mm



Bubble Wrap

1" Bubble, 1.2 mtr wide

Code	Size
BUB27901	1mtr



Dental Sundries



Pumice

High quality and durable pumice, available in 3 grades to suit all requirements and applications.

Coarse		Medium		Fine	
Code	Size	Code	Size	Code	Size
PUM02725	22.5kg	PUM02825	22.5kg	PUM02925	22.5kg
PUM02710	10kg	PUM02810	10kg	PUM02910	10kg
PUM02705	5kg	PUM02805	5kg	PUM02905	5kg

Dental laboratory essentials to complement our extensive range of dental plasters.



Sanding Block

Sanding block for producing a smooth finish on plaster models.

Code	Size
DEN03099	4" x 3" x 1"

Polishing Block

Denture polishing blocks, Lustre for the initial polish, Vonax for the final gloss.

Code	Size
POL98020 [Lustre]	Approx. 700g
POL98021 [Vonax]	Approx. 700g



Attenborough Swansdown Mop

Soft Swansdown mop with fibre centre.

Code	Size
MOP65200	4" x 1/2"



Attenborough Semi-Stiff Mop

Semi-Stiff mop with fibre centre.

Code	Size
MOP65201	4" x 1/2"

Dental Whitening Powder

A mild abrasive for dental pastes and cosmetic exfoliants.

Code	Size
DEN03005	5kg

Dental Sundries



Anutex Modelling Wax

High quality toughened modelling wax. Firm without brittleness and easy to work with, has no unpleasant odour or flavour.

Code	Size
ANU10102	2.5kg

Anutex HS Modelling Wax

Similar to the Anutex wax, but has high temperature stability, offering more accurate try-in and less risk of distortion in the mouth.

Code	Size
ANU10122	2.5kg



Straight Wax Bite Blocks

The straight blocks are a specially large size with a curved base to fit the model. The blocks can be easily adapted to shape and carved with a wax knife.

Using preformed blocks prevents the risk of porosity which may occur

when sheets of wax are hand-rolled. The pre-curved blocks are designed to represent the tooth position and are even quicker to use.

Code	Size
WAX10130	Box 75



Washout Brush

Wooden handled brush for washing out bowls etc. Stiff black, 4 row pure bristle.

Code
WAS65130



Denture Brush

Plastic handle brush for general use.

Code
DEN65220

Stiff Black Lathe Brushes

Lathe brush with metal centre and plastic insert, high quality stiff black bristle. Pack of 10.

Code	Size
CON65048	48mm

Stiff Black Lathe Brushes

High quality plastic centre lathe brush with 2 rows of stiff black converging bristle. Pack of 10.

Code	Size
CON65050	50mm



Attenborough Calibris Lathe Brush

Quality lathe brush, black bristle interleaved with 2 layers of calico, giving the service of calico and polishing properties of bristle. Box of 10.

Code	Size
ATT65080	80mm

Attenborough Stiff Black Lathe Brushes

Special stiff black brush with plastic centre. Maximum number of bristles to give smooth and high quality finishing. Box of 10.

Code	Size
ATT65065	65mm

Palate Brush

Stiff black bristle, use in a lathe for polishing palates and other areas that normal lathe brushes can't get to.

Code	Pack Qty
PAL65125	10





Special Tray Blanks

A firm favourite with Dentists and Technicians. Easily adapted to produce individual custom trays for the most accurate impressions.

- Working Temp: 45-55°C (do not overheat)
- Ignition Temp: 160°C approx.
- Thickness: 2.25mm
- Melting point: 110-120°C
- Size: 105 x 70mm approx.

Code	Size
TRAY00100 (Plain XL Uppers)	Box of 72
TRAY00150 (Perforated XL Uppers)	Box of 72

Light Cure Tray Blanks

Light-cure trays allow easy fabrication of custom impression trays. They can be cured quickly under halogen and UVA light. Minimum shrinkage and slump resistant.

Code	Size
TRAY00200 (Pink)	Box of 50
TRAY00250 (Aqua)	Box of 50



Co-Mo Seal

A quality coating solution for plaster and acrylics. Can be used in hot or cold flasks.

Code	Size
COM65100	5ltr

Germicidal Pumice Additive

A powerful anti-bacterial solution designed to neutralise any unpleasant smells from your pumice tray and keep it hygienically clean

Code	Size
PUM98015	5ltr



Plaster Solvent

This plaster solvent and tray cleaner is a strong and effective solution for dissolving plaster. Do not use on aluminium or soft linings.

Code	Size
PLA98005	5ltr



BDT Plaster Trap Kit & Plaster Trap Sludge Sacks

Sealed 4-chamber separation system provides an easy 'No Mess - No Smell' removal of debris before it blocks your drains. Supplied with sink-waste joining pipe, clips, 25 spare sacks and full instructions.

Duplicating Flask

Code
DUP05001

Duplicating Gel

Code	Size
DUP05000	5kg

Code	Size
BDT10150	14 ltr
BDT10155	Pack of 25



Acetone

A general purpose industrial solvent, for cleaning resin equipment, brushes etc. Not a hand cleaner!

Code	Size
ACE11925	25ltr
ACE11905	5ltr
ACE11901	1ltr

Methylated Spirit

Clear industrial methylated spirits for general use.

Code	Size
MET44325	25ltr
MET44305	5ltr
MET44301	1ltr

White Spirit

General cleaner and solvent.

Code	Size
WHI11978	25ltr
WHI11975	5ltr
WHI11971	1ltr

“ Thank you for your outstanding customer service.”
Mark, Fibrous Plasterer



SEE PAGE 63 FOR MASKS & OTHER PPE

Bench Scraper

Strong stainless steel scraper for cleaning resin, plaster etc. from work surfaces.

Code	Size
BEN25042	4"




Plaster Knife

Ideal for trimming plaster models. Strong stainless steel blade with plastic handle.

Code	Size
KNI25102	NA





Lab Coat Standard Neck

White poly/cotton full length coat with standard collar. Has 2 hip pockets and single breast pocket.

Code	Size
STA73096	96cm/Small
STA73104	104cm/Medium
STA73112	112cm/Large
STA73116	116cm/XL
STA73128	128cm/XXL



Cotton Apron

Full length white apron with front pocket, neck and waist ties.

Code	Size
APR70301	48"



Lab Coat Round Neck

White poly/cotton full length coat with round collar and elasticated cuffs. Has 2 hip pockets and single breast pocket.

Code	Size
ROU72096	96cm/Small
ROU72104	104cm/Medium
ROU72112	112cm/Large
ROU72124	116cm/XL
ROU72132	128cm/XXL



Disposable Polythene Aprons

White disposable apron made from lightweight but tough polythene. Pack of 100.

Code	Size
APR71002	42"

PVC Apron

Very tough and durable PVC apron. Wipe clean and resistant to most chemicals. Comes with 3 ties.

Code	Size
APR72001	42"

Disposable Boiler Suit

Lightweight spun bonded polyethylene type 5 + 6 disposable coverall with elasticated hood, waist, cuffs and ankles. Provides an inherent barrier protection against dry particulate hazards, water based chemicals and radioactive contamination.

Code	Size
DISS71001	Small
DISM71001	Medium
DISL71001	Large
DISX71001	XL



Why not have your company name embroidered on your garments and create a professional, personalised image.

Code
EMB72050



Latex Gloves

Tough industrial quality latex gloves. Non Sterile, available lightly powdered or powder free.

Powdered Code	Size
LAT12805	Small
LAT12810	Medium
LAT12815	Large
LAT12820	XL

Powder Free Code	Size
LAT12831	Small
LAT12833	Medium
LAT12835	Large
LAT12837	XL



Nitrile Disposable Gloves

Powder free nitrile disposable gloves. Many labs and hospitals opt for these due to patients' latex allergies, and they are also a tougher glove. Box of 100.

Code	Size
NIT100SM	Small
NIT100MD	Medium
NIT100LG	Large
NIT100XL	XL

Waterproof Gloves

Latex covered cotton gloves, ideal for removing flasks from water. Not strictly heat resistant.

Code
WAT12970

Nitrile Gloves

Flock lined chemical resistant gloves for added protection when using polyester resin and other chemicals.

Code	Size
NIT42001	8½
NIT42011 [Full Arm Length]	

Heat Resistant Gloves

Heat resistant gloves for use when handling hot materials and equipment. Ideal when using hot-melt vinyl and tallow, etc.

Code	Size
HEA12950	14"



Vinyl Gloves

Clear, tough vinyl gloves, lightly powdered.

Code	Size
VIN12915	Small
VIN12918	Medium
VIN12920	Large
VIN12925	XL



Rubber Armlength Gauntlet

Black heavyweight unlined rubber gauntlet

Code	Size
RUB12960	17"



Gojo Anti-Bac Soap Dispenser

Wall mounted dispenser for Gojo and Purell products

Code	Size
GOJ94801	800ml

Gojo Anti-Bac Soap Refill

Kills 99.5% of germs as you wash. Gentle on hands, economical to use, and environmentally packed.

Code	Size
GOJ94800	800ml



Purell Instant Hand Sanitiser Refill

Recommended or Dental Clinics and Laboratories, kills 99.9% of germs. It is used without water, and leaves no harmful residue.

Code	Size
PUR84800	800ml

Gojo Hand Medic

Antiseptic skin lotion which conditions, protects and restores hard-working dry hands. Also acts as a good barrier cream.

Code	Size
GOJ74148	148ml



Centre Feed Dispenser

Wall mounted lockable dispenser for centre feed rolls.

Code
CEN72100

Centre Feed Paper Rolls

Top quality 2-ply white paper wipes. Pack of 6.

Code	Size
CEN72110	20cm x 150mtr

Yellow Hand Cleaner

Solvent-free hand cleaner for effective removal of resin, paint, adhesives etc. We have found it to be one of the few cleansers to effectively remove polyester resin.

Code	Size
YEL97415	15ltr
YEL97404	4.5ltr
YEL97400	500g

Personal safety is essential to a sustainably effective workplace.



Uvex Astro Spec Glasses

Safety spectacle with temple and side arm adjustment, DuoFlex® comfort features and Anti-Mist lens.

Code
UVE96730

Uvex Replacement lenses

Code
UVE96731



Protective Goggles

Tough plastic goggles with gauze vent.

Code
PRO96720



Coverspec

Protective cover for spectacle wearers.

Code
COV96740



3M 8710E Respirator

Classic dust respirator - P1.

Code	Size
MAS87102	Box Of 20
MAS87101	Single



Comfort Dust Mask

Economy face mask, to reduce discomfort caused by exposure to coarse, non-toxic particles.

Code
COM11055



2405 Moldex Mask

Protects against solid particles and mildly toxic fumes. Valve ensures maximum comfort.

Conforms to: EN149:2001/FFP2D

Code	Size
MAS24052	Box Of 20
MAS24051	Single



Moldex 8102 Particulate Filters (Pair)

Replacement filters for protection against dust/particles

Code
MAS81030

Moldex 8102 Vapour/ Gas Filters

Replacement filters for protection against vapours/gas.

Code
MAS81000 (Pair)

Moldex 8102 Particulate Filter Holders (Pair)

Clips for holding Particulate Filters, must be used with Vapour/Gas filters.

Code
MAS81025 (Pair)



Moldex 8102 Respirator

Half-mask respirator with replaceable filters. Gives protection against organic vapours and gases. Comes with Vapour/Gas filters, Particulate Filters not included.

Conforms to : EN140/EN141

Code	Size
MAS81021	2.5kg

Respirator - 3M 4251

Double filter mask for protection from organic vapours as well as dust particles. Filters not replaceable.

Conforms to: EN405:2001/FFA1P2DS.

Code
MAS42511



From fine plaster dust to harmful resin vapours, our range of masks covers every application.

Training Aids



Corbel Mould - 2011

Latex mould and plastic jacket.

Code
MOULD2011

Corbel Mould - 2012

Latex mould and plastic jacket.

Code
MOULD2012

Cherub Head Plinth Mould - 2014

Latex mould and plastic jacket.

Code
MOULD2014

Cherub Head Plinth Mould - 2015

Latex mould and plastic jacket.

Code
MOULD2015



Ceiling Rose Mould - 2120

Plastic mould.

Code
MOULD2120

Size

50cm Diameter

Ceiling Rose Mould - 2121

Plastic mould.

Code
MOULD2121

Size

56cm Diameter

Ceiling Rose Mould - 2122

Plastic mould.

Code
MOULD2122

Size

40cm Diameter

Ceiling Rose Mould - 2123

Plastic mould.

Code
MOULD2123

Size

30cm Diameter

Sculpture Box - Heads Kit

A life size head modelling kit which comes with an informative tuition booklet, ideal for beginners, giving clear instructions and detailed advice.

Code
SCU10300

Replacement Heads Armature - Pk2

Code
SCU10350



Terms & Conditions



Interpretation

a) In these Conditions 'the Company' means Industrial Plasters or any subsidiary company or agent authorised by them, and 'the Purchaser' means the person or persons firm or company from or doing business with the Company.

b) 'the Goods' means all the products supplied by the Company to the Purchaser whether by means of sale, hire, rental or otherwise and whether the property of the Company or distributed by the Company as agents for another.

General

a) These Conditions of Sale should be read in conjunction with any Special Conditions included in the Company's quotations.

b) The Company reserves the right to accept or refuse any order given on the basis of its quotations and in the event of the refusal of any order no damages or expenses of any kind shall be payable by the Company.

c) Any complaint about the goods supplied shall be only entertained by the Company if made within three days of delivery.

d) The decision of the Company about any alleged defect shall be final and conclusive.

e) Credits will only be issued on returns if Delivery Note number(s) is quoted. We also reserve the right to charge a 15% handling charge if goods are returned without satisfactory explanation.

Prices

a) Printed price lists are subject to alteration by the Company at any point without notice.

b) Orders are accepted at nett selling prices ruling on the date of delivery by the Company.

c) Where goods are delivered direct from the manufacturer/supplier to the Purchaser the

price charged shall be that ruling at the date of despatch from the manufacturers/suppliers premises irrespective as to when the goods actually arrive at the Purchasers premises.

Payment

a) All goods shall remain the property of the Company until all goods have been paid for in full by the Purchaser.

b) If payment is delayed beyond the agreed terms the Company reserves the right to charge interest on the outstanding balance at a rate of 8% above the base rate of HSBC Plc.

c) In the event of the refusal by the Purchaser's bank to honour cheques paid to the Company for the supply of goods, all subsequent charges made by the Company's bank will be chargeable to the Purchaser and will be fully their liability.

Delivery

a) The Company shall not be responsible for delay in delivery owing to matters outside the Company's control.

Indemnity

a) The Company shall not be responsible for any consequential loss of any description incurred by the Purchaser as a result of any failure or fault, or for any damages caused either directly or indirectly by the Company or by goods supplied by the Company.

b) The Company shall pass on to the Purchaser the benefit of any guarantee or warranty provided by the manufacturer/supplier of the goods and any rights vested in the Company under such guarantees or warranties are hereby assigned to the Purchaser but without prejudice to the previous sub-clause.



**Industrial
Plasters**
Proven Reliability

63 Netherstreet, Bromham,
Chippenham, Wilts, SN15 2DP

T 01380 850616 F 01380 859638
E info@industrialplasters.com
www.industrialplasters.com

