



SAFETY DATA SHEET

Antique Wax

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME: Antique Wax

SUPPLIER: LTP
Tone Industrial Estate
Milverton Road
Wellington
Somerset
TA21 0AN
Telephone: 01823 666 213
Fax: 01823 665 685
Email: info@ltp-online.co.uk

EMERGENCY TELEPHONE 01823 666-213 (Office Hours Mon-Fri 8.30 – 5.30)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification- 67/548/EEC F; R11 Xn; R65 N; R51/53 R66-67
Symbols: F: Highly flammable. Xn: Harmful. N: Dangerous for the environment

Main hazards Highly flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

2.1.2 Classification – EC 1272/2008 EUH066; Flam. Sol 1:H228; STOT SE 3: H336; Aquatic Chronic 2: H411;

2.2. Label elements Hazard pictograms



Signal Word Danger

Hazard Statement: EUH066 – Repeated exposure may cause skin dryness or cracking.

Flam. Sol. 1 : H228 – Flammable solid.

STOT SE 3: H336 – May cause drowsiness or dizziness.

Aquatic Chronic 2: H411 – Toxic to aquatic life with long lasting effects.

Precautionary Statement: Prevention P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P233 – Keep container tightly closed.

P271 – Use only outdoors or in a well ventilated area.

P273 – Avoid release to the environment.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement: Response P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P304 + P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+ P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 – Do NOT induce vomiting.

P370 + P378 – In case of fire: Use foam/CO2 for extinction.

Precautionary Statement: Storage P403 + P233 – Store in a well- ventilated place. Keep container tightly closed.

P405 – Store locked up

Precautionary Statement: Disposal Dispose of this material and its container to hazardous or special waste collection point.

Antique Wax

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances 67/548/EEC/1999/45/EC

Chemical Name	Index No	CAS No	EC No	REACH Registration Number	Conc. (%w/w)	Classification
Hydrocarbons C7-C9, n-alkanes, isoalkanes, cylics		64742- 49-0	920-750-0	01-2119473851-33	70-80%	F; R11 Xn; R65 N; R51/53 R66-67

EC 1272/2008

Chemical Name	Index No	CAS No	EC No	REACH Registration Number	Conc.	Classification
Hydrocarbons C7-C9, n-alkanes, isoalkanes, cylics		64742- 49-0	920-750-0	01-2119473851-33	70-80%	Flam.Liq.2:H225: Asp Tox.1: H304: Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Chronic 2: H411;

4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation.
Eye contact	Harmful.
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

5. FIRE FIGHTING MEASURES

- 5.1 Extinguishing media** Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.
- 5.2 Special hazards arising from the substance or mixture** Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.
- 5.3 Advice for firefighters** Wear suitable respiratory equipment when necessary

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.

- 6.2 Environmental precautions** Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labeled containers for disposal.

- 6.4 Reference to other sections** See section 2,3,8,13 for further information.

Antique Wax

7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling:** Adopt best Manual Handling considerations when handling, carrying and dispensing
- 7.2 Conditions for safe storage including any incompatibilities:** Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperature between 5°C and 18°C
- 7.3 Specific end use(s):** No data is available on this product.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters See section 8.2 for further information

8.2 Exposure controls



8.2.1 Appropriate engineering controls Ensure adequate ventilation of the working area

- Eye/face protection** Wear eye/face protection
- Skin protection/Hand protection** Chemical resistant gloves (PVC)
- Skin protection – Other** Wear suitable protective clothing
- Respiratory protection** Wear suitable respiratory equipment when necessary

8.2.3 Environmental exposure controls Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

State	Paste
Odour	Characteristic
pH	Not applicable
Melting point	> 50
Boiling point	No data available
Flash point	14
Evaporation rate	No data available
Flammability limits	No data available
Vapour Flammability	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	Not applicable
Autoignition temperature	No data available
Viscosity	No data available
Explosive	No data available
Oxidising	No data available
Solubility	Immiscible in water

9.2 Other information

Conductivity	Not applicable
Surface tension	No data available
Gas group	No data available
Benzene Content	= 0
Lead content	= 0
VOC (Volatile organic compounds)	642

Antique Wax

10. STABILITY AND REACTIVITY

10.1 Reactivity	No data available.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reaction	No data available on this product.
10.4 Conditions to avoid	Heat, sparks and open flames.
10.5 Incompatible materials	Oxidising agents.
10.6 Hazardous decompositions products	Burning produces irritating, toxic and obnoxious fumes.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity	Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	MAY CAUSE EYE IRRIATION.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product
Reproductive toxicity	No data is available on this product
11.1.4 Toxicological Information	No data is available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity	No data is available.
12.2 Persistence and degradability	No data is available on this product.
12.3 Bioaccumulative potential	No data is available on this product.
12.4 Mobility in soil	No data is available on this product.
12.5 Results of PBT & vPvB assessment	No data is available on this product.
12.6 Other adverse effects	No data is available on this product.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Dispose of as special waste in compliance with local and national regulations.
------------------------------	--

14. TRANSPORT INFORMATION

Hazard pictograms



14.1 UN number	UN1263
14.2 UN proper shipping name	PAINT
14.3 Transport hazard class (es)	
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4 Packing group	
Packing Group:	II
14.5 Environmental hazards	
Environmental hazards	No
Marine pollutant	No

Antique Wax

14. TRANSPORT INFORMATION (cont)

ADR/RID	
Hazard ID	33
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E-S-E
IATA	
Packing instructions (Cargo)	364
Maximum quantity	60L
Packing Instruction (Passenger)	353
Maximum quantity	5 L

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
--------------------	---

15.2 Chemical safety assessment No data is available on this product.

16. OTHER INFORMATION

Revision	This document differs from the previous version in the following areas: 2 – Precautionary Statement: Prevention. 2 – Precautionary Statement: Response. 2 – Precautionary Statement: Storage. 2 – Precautionary Statement: Disposal.
-----------------	--

Text risk phrases in Section 3 R11 – Highly flammable.
R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 - Harmful: may cause lung damage if swallowed
R66 – Repeated exposure may cause skin dryness or cracking.
R67 – Vapours may cause drowsiness and dizziness.

Text of Hazard Statements in Section 3 Flam.Liq. 2: H225 – Highly flammable liquid and vapour.
Asp. Tox. 1: H304 – May be fatal if swallowed and enters airways.
Skin Irrit. 2: H315 – Causes skin irritation.
STOT SE 3: H336 – May cause drowsiness or dizziness.
Aquatic Chronic 2: H411 – Toxic to aquatic life with long lasting effects.

Maximum content of VOC 642

LEGAL DISCLAIMER: The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.