



SAFETY DATA SHEET  
**LTP ANTIQUE WAX**

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING**

**1.1 Product Identifier**

Product Name	LTP Antique Wax
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.
Unique Formula Identifier (UFI)	Y420-H0XM-E00J-XSYC

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s)	PC9a Coatings and paints, thinners, paint removers
Uses Advised Against	Not known.

**1.3 Details of the supplier of the safety data sheet**

Company Identification	AM Robb Ltd Tone Ind Estate Milverton Road Wellington Somerset
Postal code	TA21 0AN
Telephone	+44 (0) 1823 666213
E-mail	<a href="mailto:info@ltp-online.co.uk">info@ltp-online.co.uk</a>
Office hours	08:30 - 17:00

**1.4 Emergency telephone number**

Emergency Phone No.	+44 (0)1823 666213 (office hours only Mon-Fri 8.30-5.30)
---------------------	---

**National response center**

Address	NHS Direct
Emergency Phone No.	+44 111

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**


Regulation (EC) No. 1272/2008 (CPL)	Flam.Sol. 2 Flammable STOT SE 3 : May cause drowsiness or dizziness. STOT RE 1 : Causes damage to organs through prolonged or repeated exposure. Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects.
-------------------------------------	--



SAFETY DATA SHEET  
LTP ANTIQUE WAX

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

## 2.2 Label elements

	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	Antique Wax
Hazard Pictogram(s)	
	GHS02      GHS08      GHS07      GHS09
Signal Word(s)	Danger
Hazard Statement(s)	H228: Flammable solid. H336: May cause drowsiness or dizziness. H372: Causes damage to organs through prolonged or repeated exposure. H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P501: Dispose of contents in accordance with local, state or national legislation.
Unique Formula Identifier (UFI)	Y420-H0XM-E00J-XSYC

## 2.3 Other hazards

None known.

## 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.



# SAFETY DATA SHEET

## LTP ANTIQUE WAX

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		920-750-0 01-2119473851-33	30-60	Flam. Liq. 2 H225 Asp. Tox. 1 H304 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		919-446-0 01-2119458049-33-xxxx	5-20	Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H336 STOT RE 1 H372 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit.  
For full text of H/P Statements see section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	Get medical advice/attention if you feel unwell.
Eye Contact	Get medical advice/attention if you feel unwell.
Ingestion	Get medical advice/attention if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Treat symptomatically.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing media Use water spray, dry powder or carbon dioxide to extinguish. Unsuitable extinguishing media None.

#### 5.2 Special hazards arising from the substance or mixture

Flammable solid. Combustion or thermal decomposition will evolve toxic and irritant vapours.



SAFETY DATA SHEET  
**LTP ANTIQUE WAX**

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from firearea because they are likely to rupture under fire conditions.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages.

### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

### 6.3 Methods and material for containment and cleaning up

Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

### 7.3 Specific end use(s)

PC9a Coatings and paints, thinners, paint removers



SAFETY DATA SHEET  
**LTP ANTIQUE WAX**

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

**8.1.1 Occupational Exposure Limits** No Occupational Exposure Limit assigned.

### 8.2 Exposure controls

**8.2.1. Appropriate engineering controls** Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection.

**8.2.2. Personal protection equipment**



**Eye Protection**

Wear eye protection with side protection (EN166).



**Skin protection**

Wear protective clothing and gloves: Impervious gloves (EN 374).



**Respiratory protection**

A suitable dust mask or dust respirator with filter type P (EN143 or EN405) may be appropriate.



**Thermal hazards**

None known.

**8.2.3. Environmental Exposure Controls** Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Solid.
Colour	Not known.
Odour	Aromatic odour.
Melting point/freezing point	50 Melting Point (°C)
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	17 °C
Lower and upper explosion limit	Not known.
Flash Point	Not applicable.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Insoluble in water. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.

Vapour pressure Not known.  
*Generated by HazMix™*



Density and/or relative density	Relative density : 0.8 g/ml
Relative vapour density	Not known.
Particle characteristics	Not known.

**9.2 Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity** None anticipated.**10.2 Chemical Stability** Stable under normal conditions.**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid** Avoid friction, sparks, or other means of ignition.**10.5 Incompatible materials** Not known.**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method: Not classified.
Acute toxicity - Skin Contact	Calculation method: Not classified.
Acute toxicity - Inhalation	Calculation method: Not classified.
Skin corrosion/irritation	Calculation method: Not classified.
Serious eye damage/irritation	Calculation method: Not classified.
Skin sensitization data	Calculation method: Not classified.
Respiratory sensitization data	Calculation method: Not classified.
Germ cell mutagenicity	Calculation method: Not classified.
Carcinogenicity	Calculation method: Not classified.
Reproductive toxicity	Calculation method: Not classified.
Lactation	Calculation method: Not classified.
STOT - single exposure	Calculation method: May cause drowsiness or dizziness.
STOT - repeated exposure	Calculation method: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Self classification: Not classified.

**11.2 Information on other hazards**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity** Toxic to aquatic life with long lasting effects.



Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

## 12.2 Persistence and degradability

Not known.

### 12.3.1 Bioaccumulative potential

Not known.

### 12.4 Mobility in soil

Not known.

### 12.5 Results of PBT and vPvB assessment

Not known.

### 12.6 Endocrine disrupting properties

None known

### 12.7 Other adverse effects

Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

LTP



SAFETY DATA SHEET  
ANTIQUÉ WAX

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

---





## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number or ID number

UN No. 1263

### 14.2 UN proper shipping name

UN proper shipping name PAINT RELATED MATERIAL

### 14.3 Transport hazard class(es)

#### ADR/RID

ADR/RID Class 3  
 ADR Classification Code F1  
 Special Provisions 163 367 650  
 Limited Quantities 5 L  
 Excepted Quantities E1  
 Emergency Action Code •3Y  
 Mixed Packing Instructions for Packages P001 IBC03 LP01 R001  
 Special Packing Provisions for Packages PP1  
 Mixed Packing Instructions for Packages MP19

Packing Instructions for Portable T2 Tanks

Special Provisions for Portable Tanks TP1 TP29

Tank Code for Tanks LGBF

Special Provisions for Tanks

Vehicle for Tank Carriage FL

ADR Transport Category 3

Tunnel Restriction Code D/E

Special Provisions for Carriage - Packages V12

Special Provisions for Carriage - Bulk

Special Provisions for Carriage - Loading, Unloading and Handling

Special Provisions for Carriage - Operation S2

ADR HIN 30

#### IMDG

IMDG Class 3  
 Special Provisions 163 367 650  
 Limited Quantities 5 L  
 Excepted Quantities E1

LTP



SAFETY DATA SHEET  
ANTIQUÉ WAX

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

---

Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	PP1



SAFETY DATA SHEET  
**LTP ANTIQUE WAX**

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

Packing Instructions for Portable T2  
Tanks

Special Provisions for Portable  
Tanks TP1 TP29


IMDG EMS F-E, S-E  
Stowage and Handling Category A  
Segregation  
Marine Pollutant

**ICAO/IATA**

IATA Proper Shipping Name PAINT RELATED MATERIAL  
Excepted Quantities E1  
Passenger and Cargo Aircraft Y344  
Limited Quantities Packing  
Instructions  
Passenger and Cargo Aircraft 10L  
Limited Quantities Max net Qty  
Passenger and Cargo Aircraft 355  
Packing Instructions  
Passenger and Cargo Aircraft 60L  
Max net Qty  
Cargo Aircraft Packing 366  
Instructions  
Cargo Aircraft Max net Qty 220L  
Special Provisions A3, A72, A192  
Emergency Response 3L  
Guidebook (ERG) Code

**Labels**

Labels 3





SAFETY DATA SHEET  
**LTP ANTIQUE WAX**

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

#### 14.4 Packing group

Packing group III

#### 14.5 Environmental hazards

Environmental hazards Classified as a Marine Pollutant.

#### 14.6 Special precautions for user

Special precautions for user Not known.

#### 14.7 Maritime transport in bulk according to IMO instruments

No information available

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not Listed

REACH: ANNEX XIV list of substances subject to authorisation Not Listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics ( ), Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) ( )

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

##### National regulations

Other Not known.

#### 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.



SAFETY DATA SHEET  
**LTP ANTIQUE WAX**

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements;

**LEGEND**

Hazard Pictogram(s)



GHS02

GHS08

GHS07

GHS09

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2  
Flam. Liq. 3 : Flammable liquid, Category 3  
Flam. Sol. 2 : Flammable solid, Category 2  
Asp. Tox. 1 : Aspiration hazard, Category 1  
STOT SE 3 : Specific target organ toxicity – single exposure, Category 3  
STOT RE 1 : Specific target organ toxicity – repeated exposure, Category 1  
Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s)

H225: Highly flammable liquid and vapour.  
H226: Flammable liquid and vapour.  
H228: Flammable solid.  
H304: May be fatal if swallowed and enters airways.  
H336: May cause drowsiness or dizziness.  
H372: Causes damage to organs through prolonged or repeated exposure.  
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240: Ground and bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting/equipment.  
P260: Do not breathe dust/fume/gas/mist/vapours/spray.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264: Wash hands and exposed skin thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER/doctor if you feel unwell.  
P314: Get medical advice/attention if you feel unwell.  
P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.  
P391: Collect spillage.



SAFETY DATA SHEET  
**LTP ANTIQUE WAX**

Date of Issue: 21-05-2021  
Date of Revision: 27-04-2021

P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.  
P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
DNEL : Derived No Effect Level  
EC : European Community  
EINECS : European Inventory of Existing Commercial Chemical Substances  
IATA : International Air Transport Association  
IBC : Intermediate Bulk Container  
ICAO : International Civil Aviation Organization  
IMDG : International Maritime Dangerous Goods  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
UN : United Nations  
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Flag Paints Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Flag Paints Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.