



Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: WAX WASH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaner. Advised against any other use than those identified.

1.3. Details of the supplier of the safety data sheet

Manufacture:

J.V. Barrett & Co Ltd
St Ivel way
Warmley
Bristol
BS30 5TY
United Kingdom
Email: sales@barrettine.co.uk

Marketing Company & Exclusive Distributor:

LTP
Tone Industrial Estate
Milverton
Wellington
Somerset, TA21 0AN
Tel: 01823 666213
Fax: 01823 665685
Email: info@ltp-online.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.)
+44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Aquatic Chronic 3: H412; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.
H318: Causes serious eye damage.
H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

SAFETY DATA SHEET

WAX WASH

Page: 2

P280: Wear protective gloves/protective clothing/eye protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313: If skin irritation occurs: Get medical advice/attention.

P362+364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL) - REACH registered number(s):

01-2119490100-53-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
931-329-6	-	-	Eye Dam. 1: H318; Aquatic Chronic 2: H411; Skin Irrit. 2: H315	1-10%

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH TRIETHANOLAMINE - REACH registered number(s): 01-2119971970-28-XXXX

939-464-2	-	-	Eye Dam. 1: H318; Skin Irrit. 2: H315	1-10%
-----------	---	---	---------------------------------------	-------

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS - REACH registered number (s): 01-2119513401-57-XXXX

931-534-0	-	-	Eye Dam. 1: H318; Skin Irrit. 2: H315	1-10%
-----------	---	---	---------------------------------------	-------

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS - REACH registered number(s): 012119489428-22-XXXX

270-115-0	68411-30-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412; Skin Irrit. 2: H315	1-10%
-----------	------------	---	--	-------

Contains: AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL);
BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH
TRIETHANOLAMINE; SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-
ALKENE, SODIUM SALTS;

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

[cont...]

SAFETY DATA SHEET

WAX WASH

Page: 3

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

[cont...]

SAFETY DATA SHEET

WAX WASH

Page: 4

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL)

Type	Exposure	Value	Population	Effect
DNEL	Dermal	4.16 mg/Kg/day	Workers	Local
DNEL	Inhalation	73.4 mg/m ³	Workers	Systemic
DNEL	Inhalation	21.73 mg/m ³	General Population	Systemic
DNEL	Dermal	2.5 mg/kg/day	General Population	Systemic
DNEL	Oral	6.25 mg/kg/day	General Population	Systemic
PNEC	Fresh water	0.007 mg/l	-	-
PNEC	Marine water	0.0007 mg/l	-	-
PNEC	Fresh water sediments	0.195 mg/kg	-	-
PNEC	Marine sediments	0.0195 mg/kg	-	-
PNEC	Soil (agricultural)	0.0348 mg/kg	-	-
PNEC	Microorganisms in sewage treatment	0.83 g/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

[cont...]

SAFETY DATA SHEET

WAX WASH

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Clear amber

Relative density: 1.012

pH: 8.6

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL)

DERMAL	RAT	DL50	>2000	mg/kg
ORAL	RAT	DL50	>5000	mg/kg

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH TRIETHANOLAMINE

ORAL	RAT	DL50	2925	mg/kg
------	-----	------	------	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated

[cont...]

SAFETY DATA SHEET

WAX WASH

Page: 6

Serious eye damage/irritation	OPT	Hazardous: calculated
-------------------------------	-----	-----------------------

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N, N-BIS(HYDROXYETHYL)

ALGAE	CI50	3.9	mg/l
Daphnia magna	CE50	3.2	mg/l
Daphnia magna	NOEC	0.07	mg/l
FISH	CL50	2.4	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

[cont...]

SAFETY DATA SHEET

WAX WASH

Page: 7

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. [final page]